

Original Zone Target 5

In Metric Lengths

Drill Hole	GOLD				SILVER					
	From (meters)	To (meters)	Length (meters)	Grade Au (g/t)	From (meters)	To (meters)	Length (meters)	Grade Ag (g/t)	Grade Ag (opt)	
ES-1										
ES-2										
ES-3		47.2	48.8	1.6	0.24					
		99.1	103.6	4.5	0.11					
		147.8	150.9	3.1	0.41					
ES-4		6.1	47.2	41.1	0.30					
	Incl.	9.1	10.7	1.6	1.60					
		50.3	53.3	3.0	0.32					
		54.7	59.4	4.7	0.14					
		73.2	77.7	4.5	0.37					
		86.9	94.5	7.6	0.16					
		102.1	103.6	1.5	0.18					
		106.7	112.8	6.1	0.18					
		117.4	125.0	7.6	0.15					
		152.4	173.7	21.3	1.64					
	Incl.	166.1	172.2	6.1	5.17					
	181.4	182.9	1.5	0.12						
ES-5		154.0	155.5	1.5	0.12					
		161.5	164.6	3.1	0.16					
ES-6		56.4	58.0	1.6	0.13					
		71.6	73.2	1.6	0.15					
		163.1	164.6	1.5	0.22					
ES-7										
ES-8		35.1	42.7	7.6	0.33					
		58.0	64.0	6.0	0.21					
		68.6	70.1	1.5	0.12					
ES-9										
ES-10		109.7	111.3	1.6	0.21					
ES-11										
ES-12		27.4	29.0	1.6	0.28					
		99.1	100.6	1.5	0.18					
		109.7	115.8	6.1	0.20					
		118.9	120.4	1.5	0.32					
		125.0	129.5	4.5	0.13					
		144.8	147.8	3.0	0.13					
		155.5	157.0	1.5	0.12					
		193.6	195.1	1.5	0.25					
		214.9	216.4	1.5	0.39					
		231.7	234.7	3.0	0.24					
	247.0	251.5	4.5	0.21						
Hole Bottomed in Values										
ES-13		30.5	32.0	1.5	0.12					
		38.1	77.7	39.6	0.46					
	Incl.	38.1	44.2	6.1	1.17					
	and Incl.	70.1	73.2	3.1	1.20					
		91.4	92.9	1.5	0.15					
		96.0	126.5	30.5	0.21					
		132.6	138.6	6.0	0.51					
		144.7	146.3	1.6	0.18					
		149.4	152.4	3.0	0.19					
		155.5	166.1	10.6	0.24					
	170.7	193.6	22.9	0.28						
	199.6	201.2	1.6	0.12						
ES-14		97.5	150.9	53.4	1.11		106.7	118.9	12.2	54.10
	Incl.	106.7	117.3	10.6	2.20					
	and Incl.	122.0	129.5	7.5	2.98					
ES-15		83.8	85.3	1.5	0.28					
		88.4	91.4	3.0	0.14					
		96.0	102.1	6.1	0.16					
		111.3	115.8	4.5	0.17					
		123.4	125.0	1.6	0.15					
	193.6	196.6	3.0	0.82						
ES-16										
ES-17										
ES-18		164.6	166.1	1.5	0.35					
		179.8	183.0	3.2	0.24					
ES-19		169.2	172.2	3.0	1.47		224.1	228.7	4.6	42.20
		178.3	179.8	1.5	0.16					
		192.0	193.6	1.6	0.23					
		202.7	207.3	4.6	0.19					
		210.3	213.3	3.0	0.29					
		218.0	234.7	16.7	1.34					
	Incl.	224.0	228.6	4.6	4.21					
		243.8	245.4	1.6	0.22					
ES-20		85.3	87.0	1.7	0.14		138.7	150.8	12.1	47.90
		123.4	166.1	42.7	0.87					
	Incl.	141.7	151.0	9.3	2.83					

Drill Hole	GOLD				SILVER				
	From (meters)	To (meters)	Length (meters)	Grade Au (g/t)	From (meters)	To (meters)	Length (meters)	Grade Ag (g/t)	Grade Ag (opt)
ES-21		9.1	10.7	1.6					
		76.2	77.7	1.5		138.7	150.8	12.1	47.90
		83.8	94.5	10.7					
		138.7	152.4	13.7					
	Incl.	138.7	141.7	3.0					
		163.1	204.2	41.1					
	Incl.	167.6	179.8	12.2					
	213.4	215.0	1.6						
Hole Bottomed in Values					**Hole Bottomed in Values**				
ES-22		71.6	76.2	4.6					
		82.3	96.0	13.7					
		100.6	106.7	6.1					
ES-23		105.2	111.3	6.1					
		115.8	117.3	1.5					
		123.4	126.5	3.1					
		131.1	134.1	3.0					
ES-24		12.2	18.3	6.1					
		87.0	88.4	1.4					
		93.0	94.5	1.5					
		126.5	129.5	3.0					
		140.2	141.7	1.5					
		161.5	164.6	3.1					
		196.6	199.6	3.0					
ES-25		22.9	24.4	1.5					
		30.5	35.1	4.6		132.6	134.1	1.5	21.00
		47.2	62.5	15.3					
		73.2	77.7	4.5					
		83.8	88.4	4.6					
		109.7	111.3	1.6					
		125.0	134.1	9.1					
		134.1	154.0	19.9					
		172.2	181.4	9.2					
ES-26		35.1	58.0	22.9					
		70.1	108.2	38.1		47.3	48.8	1.5	15.00
	Incl.	85.3	90.0	4.7		87.0	90.0	3.0	14.00
		122.0	126.5	4.5		210.3	213.4	3.1	12.00
		129.4	132.6	3.2		228.6	231.7	3.1	12.00
		140.2	147.8	7.6					
		157.0	158.5	1.5					
		178.3	181.4	3.1					
		189.0	215.0	26.0					
	Incl.	210.3	213.4	3.1					
		227.1	231.7	4.6					
	231.7	243.8	12.1						
Hole Bottomed in Values					**Hole Bottomed in Values**				
ES-27		18.3	26.0	7.7					
		38.1	41.2	3.1		164.6	169.2	4.6	22.30
		59.4	61.0	1.6		211.8	213.4	1.6	28.00
		64.0	91.4	27.4					
		96.0	119.0	23.0					
		147.8	149.4	1.6					
		164.6	228.6	64.0					
	Incl.	166.1	169.2	3.1					
	and Incl.	172.2	173.7	1.5					
and Incl.	205.7	214.9	9.2						
ES-28		4.6	22.9	18.3					
		35.1	42.7	7.6					
		55.0	70.1	15.1					
ES-29		7.6	56.4	48.8					
		166.1	167.6	1.5		9.1	10.6	1.5	14.00
ES-30		196.6	199.6	3.0					
		225.6	227.1	1.5		243.8	245.3	1.5	10.00
		248.4	250.0	1.6		248.4	251.5	3.1	25.50
ES-31		117.3	123.4	6.1					
		123.4	126.5	3.1		115.8	117.3	1.5	11.00
		129.5	131.0	1.5		122.0	126.5	4.5	23.00
		161.5	173.7	12.2		166.1	167.6	1.5	11.00
	Incl.	166.1	167.6	1.5					
		202.7	205.7	3.0					
		205.7	211.8	6.1					
		222.5	224.0	1.5					
	228.6	230.1	1.5						
ES-32		82.3	100.6	19.8					
		280.4	282.0	1.6		291.1	292.6	1.5	67.00
		288.0	303.3	15.3		295.7	297.2	1.5	10.00
	Incl.	292.6	295.7	3.1		320.0	321.6	1.6	19.00
		309.4	329.2	19.8					
ES-33		61.0	62.5	1.5					
		77.7	79.3	1.6		155.5	166.1	10.6	33.70
		93.0	99.1	6.1		181.4	182.9	1.5	38.00
		111.3	119.0	7.7					
		132.6	137.2	4.6					
		143.3	204.2	60.9					
	Incl.	161.5	186.0	24.5					
		218.0	240.8	22.8					
	Incl.	234.7	236.2	1.5					
ES-34		70.1	71.6	1.5					
		141.7	143.3	1.6		178.3	181.4	3.1	11.00
		157.0	160.0	3.0					
		164.6	186.0	21.4					
	Incl.	164.6	170.7	6.1					

Drill Hole	GOLD				
	From (meters)	To (meters)	Length (meters)	Grade Au (g/t)	
ES-35	13.7	15.2	1.5	0.14	
	22.9	70.1	47.2	0.23	
	86.9	88.4	1.5	0.13	
	99.1	100.6	1.5	0.19	
	108.2	112.8	4.6	0.37	
	117.4	118.9	1.5	0.15	
ES-36	192.0	240.8	48.8	0.92	
	Incl. 192.0	198.1	6.1	2.62	
	and Incl. 221.0	222.5	1.5	2.73	
ES-37					
ES-38					
ES-39	39.6	41.1	1.5	0.13	
	76.2	79.2	3.0	0.10	
	80.8	82.3	1.5	0.14	
	100.6	102.1	1.5	0.14	
	105.2	112.8	7.6	0.26	
	117.3	144.8	27.5	0.27	
	Incl. 123.4	126.5	3.1	1.01	
	167.6	169.2	1.6	0.16	
	193.5	221.0	27.5	2.54	
	Incl. 199.6	202.6	3.0	19.61	
	Hole Bottomed in Values				
ES-40	4.6	7.6	3.0	0.17	
	36.6	38.1	1.5	0.18	
	42.7	44.2	1.5	0.17	
	59.4	61.0	1.6	0.15	
	83.8	96.0	12.2	0.19	
	106.7	138.7	32.0	1.25	
	179.8	221.0	41.2	0.38	
	236.2	251.4	15.2	0.41	
	Incl. 249.9	251.5	1.6	2.41	
	Hole Bottomed in Values				
	ES-41				
ES-42	67.0	73.2	6.2	0.30	
	88.4	94.5	6.1	0.12	
	106.7	112.8	6.1	0.24	
	248.4	277.4	29.0	0.54	
	Incl. 249.9	253.0	3.1	1.91	
ES-43	**Hole Abandoned, Stuck Steel, Duplicated by ES-69**				
ES-44	71.7	99.1	27.4	0.18	
	231.7	233.2	1.5	0.34	
	249.9	263.7	13.8	0.20	
	266.7	281.9	15.2	0.15	
	Hole Lost Short of Target, Bottomed in Values				
ES-45	29.0	30.5	1.5	0.12	
	53.3	54.9	1.6	0.27	
	65.5	68.6	3.1	0.54	
	77.7	79.2	1.5	0.22	
	86.9	88.4	1.5	0.50	
	96.0	99.1	3.1	1.15	
	108.2	109.7	1.5	0.17	
	128.0	129.5	1.5	0.73	
	135.6	138.7	3.1	0.21	
	161.5	169.2	7.7	0.20	
	170.7	175.3	4.6	0.16	
	178.3	182.9	4.6	0.20	
	185.9	245.4	59.5	0.92	
	Incl. 185.9	211.8	25.9	1.62	
	Hole Bottomed in Values				
ES-46	56.4	108.2	51.8	0.55	
	118.8	120.4	1.6	0.12	
	121.9	129.5	7.6	0.22	
	246.9	306.3	59.4	0.58	
	Incl. 281.9	298.7	16.8	1.03	
	Hole Bottomed in Values				
ES-47	132.6	135.6	3.0	0.25	
	150.9	153.9	3.0	0.22	
	175.2	182.9	7.7	0.15	
	240.8	242.3	1.5	0.22	
ES-48	0.0	13.7	13.7	0.22	
	21.3	25.9	4.6	0.18	
	41.1	61.0	19.9	0.19	
	161.5	163.0	1.5	0.44	
	Poor Sample Recovery-Top to Bottom				
ES-49	125.0	128.0	3.0	0.43	
	227.1	234.7	7.6	0.96	
ES-50	0.0	4.6	4.6	0.14	
	16.8	24.4	7.6	0.33	
Poor Sample Recovery					
ES-51	15.2	16.8	1.6	0.28	
	53.3	54.9	1.6	0.12	
	115.8	208.8	93.0	0.14	
ES-52	21.3	24.4	3.1	0.13	
	36.6	50.3	13.7	0.16	
Hole lost at 325 ft., Stuck Pipe, Did not reach target					

Drill Hole	SILVER				
	From (meters)	To (meters)	Length (meters)	Grade Ag (g/t)	Grade Ag (opt)
	192.0	195.1	3.1	25.00	
	204.2	230.1	25.9	22.50	
	234.7	236.2	1.5	17.00	
	118.9	135.6	16.7	25.50	
	192.0	216.4	24.4	37.60	
	Hole Bottomed in Values				
	108.2	112.8	9.1	13.30	
	118.8	128.0	9.2	11.30	
	189.0	199.6	10.6	88.50	
	Incl. 190.5	193.5	3.0	203.00	
	205.7	208.8	3.1	24.50	
	248.4	251.4	3.0	8.50	
Hole Bottomed in Values					
ES-41	248.4	263.7	15.3	13.50	
Hole Bottomed in Values					
Hole Abandoned, Stuck Steel, Duplicated by ES-69					
Hole Lost Short of Target, Bottomed in Values					
	65.5	67.1	1.6	8.00	
	77.7	79.2	1.5	11.00	
	86.9	88.4	1.5	23.00	
	96.0	99.1	3.1	25.50	
	128.0	129.5	1.5	9.00	
	178.3	181.4	3.1	8.50	
Hole Bottomed in Values					
	80.8	105.2	24.4	24.40	
	246.9	256.0	9.1	20.00	
	Hole Bottomed in Values				
Hole Bottomed in Values					
Hole lost at 325 ft., Stuck Pipe, Did not reach target					

Drill Hole	GOLD				
	From (meters)	To (meters)	Length (meters)	Grade Au (g/t)	
ES-53		30.5	32.0	1.5	0.21
		88.4	97.5	9.1	0.50
		111.3	112.8	1.5	1.72
		115.8	117.3	1.5	0.43
		123.4	126.5	3.1	0.40
		140.2	143.3	3.1	0.19
		147.8	150.9	3.1	1.03
		153.9	184.4	30.5	0.43
	Incl.	167.6	170.7	3.1	1.87
		192.0	207.3	15.3	0.25
		213.4	214.9	1.5	0.15
		228.6	253.0	24.4	0.69
	Incl.	234.7	237.7	3.1	2.30
Hole Bottomed in Values					
ES-54	**Hole lost at 200 ft., No Significant Values**				
ES-55		47.2	48.8	1.6	0.13
		53.3	70.1	16.8	0.20
		91.4	93.0	1.6	0.13
		112.8	114.3	1.5	0.12
		199.6	201.2	1.6	0.19
		240.8	263.7	22.9	0.24
Hole Bottomed in Values					
ES-56		97.5	118.9	21.4	0.17
		146.3	147.8	1.5	0.23
		153.9	179.8	25.9	0.52
	Incl.	163.1	166.1	3.0	2.26
	187.5	190.5	3.0	0.52	
Hole Bottomed in Values					
ES-57	**Hole Bottomed in Values**				
ES-58		89.9	94.5	4.6	0.16
		97.5	102.1	4.6	0.24
		169.2	245.4	76.2	0.35
	Incl.	184.4	204.2	19.8	1.00
	and Incl.	237.7	242.3	4.6	1.01
Hole Bottomed in Values					
ES-59		67.1	70.1	3.0	0.69
		106.7	123.4	16.7	0.24
		126.5	140.2	13.7	0.15
		143.3	150.9	7.6	0.20
		160.0	164.6	4.6	0.26
		166.1	167.6	1.5	0.13
		240.8	246.9	6.1	0.89
		253.0	254.5	1.5	0.17
		260.6	262.1	1.5	0.70
		266.7	294.1	27.4	0.61
Hole Bottomed in Values					
ES-60		33.5	39.6	6.1	0.13
		173.7	176.8	3.1	0.24
Lost Hole before Target					
ES-61		86.9	88.4	1.5	0.17
		105.2	106.7	1.5	0.13
		118.9	120.4	1.5	0.12
		135.6	141.7	6.1	0.28
		173.7	175.3	1.6	1.05
		179.8	233.2	53.4	0.53
	Incl.	179.8	201.2	21.4	0.89
	and Incl.	187.5	192.0	4.5	1.30
and Incl.	198.1	201.2	3.1	2.07	
ES-62		27.4	29.0	1.6	0.12
		149.4	164.6	15.2	1.05
	Incl.	152.4	158.5	6.1	2.15
		172.2	173.7	1.5	0.34
		185.9	189.0	3.1	0.38
		198.1	204.2	6.1	2.18
	Incl.	199.6	202.7	3.1	4.13
		211.8	213.4	1.6	0.24
	234.7	237.7	3.0	0.54	
ES-63		29.0	30.5	1.5	0.15
		39.6	41.1	1.5	0.12
		131.1	138.7	7.6	0.87
		141.7	144.8	3.1	0.16
		169.2	172.2	3.0	0.19
Lost Hole before Target					
ES-64		93.0	105.2	12.2	0.13
		118.9	120.4	1.5	0.21
ES-65		47.2	53.3	6.1	0.14
		59.4	65.5	6.1	0.24
		85.3	86.9	1.6	0.12
		99.1	106.7	7.6	0.32
		111.3	117.3	6.0	0.14
		120.4	263.7	143.3	0.33
	Incl.	222.5	225.6	3.1	0.91
	and Incl.	254.5	263.7	9.2	0.81
Hole Bottomed in Values					
ES-66		29.0	30.5	1.5	0.13
		65.5	67.1	1.6	0.16
		76.2	82.3	6.1	0.12
		109.7	111.3	1.6	0.14

Drill Hole	SILVER				
	From (meters)	To (meters)	Length (meters)	Grade Ag (g/t)	Grade Ag (opt)
ES-53		89.9	97.5	7.6	10.00
		111.3	112.8	1.5	8.00
		123.4	126.5	3.1	17.00
		146.3	149.4	3.1	24.00
		213.4	214.9	1.5	9.00
Hole Bottomed in Values					
Hole lost at 200 ft., No Significant Values					
ES-55		236.2	245.4	9.2	22.00
		251.5	263.7	12.2	14.00
Hole Bottomed in Values					
ES-56		118.9	120.4	1.5	10.00
		163.1	166.1	3.0	19.00
		175.3	178.3	3.0	15.00
Hole Bottomed in Values					
Hole Bottomed in Values					
ES-58		176.8	178.3	1.5	9.00
		196.6	204.2	7.6	35.00
		211.8	217.9	6.1	10.00
		225.6	227.1	1.5	14.00
		233.2	234.7	1.5	8.00
		239.3	245.4	6.1	31.50
Hole Bottomed in Values					
ES-59		67.1	68.6	1.5	12.00
		240.8	242.3	1.5	9.00
Hole Bottomed in Values					
ES-60		173.7	175.3	1.6	15.00
ES-62		198.1	204.2	6.1	27.70
	Incl.	199.6	202.7	3.1	45.00
ES-63					
ES-64		73.2	74.7	1.5	7.00
		222.5	225.6	3.1	9.50
Hole Bottomed in Values					
ES-66					

Drill Hole	GOLD					SILVER					
		From (meters)	To (meters)	Length (meters)	Grade Au (g/t)		From (meters)	To (meters)	Length (meters)	Grade Ag (g/t)	Grade Ag (opt)
ES-67		76.2	106.7	30.5	0.19		86.9	93.0	6.1	20.30	
		118.9	120.4	1.5	0.12						
		121.9	123.4	1.5	0.18						
		135.6	137.2	1.6	0.13						
		143.3	144.8	1.5	0.13						
		193.5	196.6	3.1	0.15						
		202.7	231.7	29.0	0.43						
	Incl.	239.3	262.1	22.8	1.37						
ES-68		16.8	19.8	3.0	0.20						
		54.9	56.4	1.5	0.12						
		65.5	67.1	1.6	0.47						
		73.2	79.3	6.1	0.94						
	Incl.	73.2	76.2	3.0	1.52						
		80.8	82.3	1.5	0.22						
		86.9	88.4	1.5	0.22						
		94.5	96.0	1.5	0.25						
		97.5	100.6	3.1	0.12						
		103.6	106.7	3.1	0.24						
		109.7	120.4	10.7	0.12						
		125.0	138.7	13.7	0.19						
	ES-69		166.1	167.6	1.5	0.16					
		181.4	187.5	6.1	0.13						
		73.2	74.7	1.5	0.13		102.1	103.6	1.5	7.00	
		102.1	105.2	3.1	0.30						
		129.5	135.6	6.1	0.34						
		143.3	149.4	6.1	0.53						
		155.4	157.0	1.6	0.20						
		160.0	170.7	10.7	0.13						
		187.5	202.7	15.2	0.13						
		208.8	211.8	3.0	0.13						
		222.5	224.0	1.5	0.22						
ES-70		240.8	256.0	15.2	0.37						
		262.1	263.7	1.6	0.13						
		39.6	41.1	1.5	0.12		152.4	153.9	1.5	8.00	
	64.0	65.5	1.5	0.89							
	Poor Sample Recovery Through-out Entire Hole						**Poor Sample Recovery Through-out Entire Hole**				
ES-71		7.6	9.1	1.5	0.25		45.7	48.8	3.1	15.00	
		19.8	24.4	4.6	0.28		76.2	79.2	3.0	16.00	
		47.2	51.8	4.6	1.11		86.9	88.4	1.5	25.00	
		56.4	67.1	10.7	0.16		152.4	153.9	1.5	8.00	
		76.2	79.2	3.0	0.30		182.9	184.4	1.5	17.00	
		86.9	89.9	3.0	0.27		190.5	196.6	6.1	13.00	
		128.0	129.5	1.5	0.13		263.7	265.2	1.5	22.00	
		150.9	157.0	6.1	0.24		345.9	349.0	3.1	12.00	
		167.6	169.2	1.6	0.20						
		181.4	216.4	35.0	0.90						
	Incl.	190.5	196.6	6.1	4.21						
		239.3	240.8	1.5	0.14						
		245.4	249.9	4.5	0.20						
		256.0	275.8	19.8	0.96						
	Incl.	263.7	266.7	3.0	4.57						
	280.4	367.3	86.9	0.39							
Incl.	283.5	286.5	3.0	1.19							
and Incl.	298.7	300.2	1.5	3.07							
	Hole Bottomed in Values						**Hole Bottomed in Values**				
ES-72		45.7	47.2	1.5	0.17						
		67.1	68.6	1.5	0.22						
		74.7	77.7	3.0	0.26						
		105.2	108.2	3.0	0.51						
		115.8	117.4	1.6	0.14						
		134.1	143.3	9.2	0.99						
	Incl.	134.1	138.7	4.6	1.80						
	152.4	155.4	3.0	0.13							
	Poor Sample Recovery						**Poor Sample Recovery**				
ES-73		54.9	56.4	1.5	0.18						
		68.6	70.1	1.5	0.15						
		77.7	79.2	1.5	0.18						
		170.7	172.2	1.5	0.45						
		210.3	211.8	1.5	0.18						
		262.1	263.7	1.6	0.14						
		268.2	272.8	4.6	0.24						
	Poor Sample Recovery						**Poor Sample Recovery**				
ES-74		33.5	36.6	3.1	0.13		50.3	51.8	1.5	8.00	
		50.3	53.3	3.0	0.21		100.6	117.3	16.7	13.90	
		65.5	67.1	1.6	0.38						
		79.2	80.8	1.6	0.22						
		88.4	89.9	1.5	0.16						
		93.0	94.5	1.5	0.32						
		100.6	117.3	16.7	0.46						
		125.0	131.1	6.1	0.14						
		140.2	141.7	1.5	0.13						
	144.8	146.3	1.5	0.24							
	Poor Sample Recovery						**Poor Sample Recovery**				

Drill Hole	GOLD			
	From (meters)	To (meters)	Length (meters)	Grade Au (g/t)
ES-75	7.6	9.1	1.5	0.41
	38.1	44.2	6.1	0.23
	54.9	70.1	15.2	0.17
	85.3	89.9	4.6	0.25
	115.8	117.3	1.5	0.39
	128.0	132.6	4.6	0.12
	135.6	137.2	1.6	0.12
	146.3	147.8	1.5	0.15
	152.4	153.9	1.5	0.17
	157.0	158.5	1.5	0.16
	164.6	166.1	1.5	0.13
	179.8	182.9	3.1	0.16
	192.0	193.6	1.6	0.13
	199.7	202.7	3.0	0.26
Very Poor Recovery, Especially 540-End of Hole				
ES-76	30.5	32.0	1.5	0.24
	38.1	39.6	1.5	0.13
	112.8	114.3	1.5	0.16
	138.7	140.2	1.5	0.25
	158.5	160.0	1.5	0.16
	166.1	167.6	1.5	0.20
	172.2	179.8	7.6	0.56
	Incl. 175.3	176.8	1.5	1.55
Very Poor Sample Recovery				
ES-77	109.7	120.4	10.7	0.18
	125.0	129.5	4.5	0.14
	140.2	149.4	9.2	0.54
	Incl. 143.3	146.3	3.0	1.05
	157.0	160.0	3.0	0.27
	164.6	173.7	9.1	0.40
	176.8	178.3	1.5	0.20
	184.4	187.5	3.1	0.23
	266.7	271.3	4.6	0.21
	277.4	278.9	1.5	0.15
	292.6	294.1	1.5	1.41
321.6	324.6	3.0	0.16	
ES-78	21.3	27.4	6.1	0.43
	38.1	39.6	1.5	0.15
	51.8	53.3	1.5	0.51
	68.6	93.0	24.4	0.22
	141.7	173.7	32.0	0.36
	Incl. 147.8	150.9	3.1	1.34
	178.3	184.4	6.1	0.16
	201.2	211.8	10.6	0.67
	Incl. 202.7	205.7	3.0	1.94
	216.4	217.9	1.5	0.14
	222.5	224.0	1.5	0.20
233.2	240.8	7.6	3.19	
Incl. 233.2	237.7	4.5	5.11	
Hole Abandoned, Pipe Stuck in Hole				
ES-79	74.7	76.2	1.5	0.14
	146.3	149.4	3.1	0.18
Poor Sample Recovery				
ES-80	33.5	42.7	9.2	0.18
	45.7	47.2	1.5	0.13
	73.2	79.2	6.0	0.15
	85.3	102.1	16.8	0.29
	115.8	268.2	152.4	0.71
	Incl. 140.9	169.7	28.8	2.16
	and Incl. 149.4	153.9	4.5	10.88
	272.8	274.3	1.5	0.12
	285.0	291.1	6.1	0.57
	incl. 286.5	288.0	1.5	1.59
	294.1	295.7	1.6	0.13
	315.5	345.9	30.4	0.51
	Incl. 330.7	333.8	3.1	2.52
359.7	371.9	12.2	0.19	
Hole Bottomed in Values				
ES-81	38.1	39.6	1.5	0.13
	85.3	93.0	7.7	0.25
	97.5	100.6	3.1	0.14
	115.8	118.8	3.0	0.19
	123.4	126.5	3.1	0.14
	138.7	140.2	1.5	0.23
	196.6	207.3	10.7	0.56
	Incl. 204.2	205.7	1.5	2.56
	225.6	227.1	1.5	0.35
	274.3	330.7	56.4	0.62
	Incl. 286.5	300.2	13.7	1.13
333.8	335.3	1.5	0.19	
Hole Bottomed in Values				
ES-82	21.3	22.9	1.6	0.13
	30.5	44.2	13.7	0.17
	59.4	64.0	4.6	0.31
	70.1	74.7	4.6	0.19
	77.8	79.3	1.5	0.17
	157.0	158.5	1.5	0.22
	184.4	185.9	1.5	0.13
	190.5	193.6	3.1	0.15
Rods Stuck in Hole, Abandoned				

Drill Hole	SILVER				
	From (meters)	To (meters)	Length (meters)	Grade Ag (g/t)	Grade Ag (opt)
ES-75	38.1	39.6	1.5	13.00	
	67.1	68.6	1.5	9.00	
	85.3	88.4	3.1	9.00	
	115.8	117.3	1.5	10.00	
	146.3	147.8	1.5	12.00	
	157.0	158.5	1.5	9.00	
	164.6	166.1	1.5	8.00	
Very Poor Recovery, Especially 540-End of Hole					
ES-76	175.3	176.8	1.5	32.00	
Very Poor Sample Recovery					
ES-77	169.2	172.2	3.0	11.00	
ES-78	24.4	25.9	1.5	10.00	
	143.3	144.8	1.5	9.00	
	182.9	185.9	3.0	8.50	
	233.2	234.7	1.5	8.00	
Hole Abandoned, Pipe Stuck in Hole					
ES-79	230.1	233.2	3.1	11.00	
Poor Sample Recovery					
ES-80	38.1	42.7	4.6	11.00	
	118.9	120.4	1.5	38.00	
	125.0	126.5	1.5	14.00	
	128.0	131.1	3.1	11.00	
	150.9	152.4	1.5	12.00	
	201.2	204.2	3.0	26.00	
	210.3	216.4	6.1	22.00	
	285.0	288.0	3.0	11.00	
Hole Bottomed in Values					
ES-81	198.1	199.6	1.5	13.00	
	274.3	288.0	13.7	50.90	
	272.8	332.2	59.4	11.00	
	Incl. 274.3	288.0	13.7	50.90	
	and Incl. 288.0	291.1	3.1	37.00	
Hole Bottomed in Values					
ES-82	61.0	62.5	1.5	8.00	
Rods Stuck in Hole, Abandoned					

Drill Hole	GOLD					SILVER						
		From (meters)	To (meters)	Length (meters)	Grade Au (g/t)		From (meters)	To (meters)	Length (meters)	Grade Ag (g/t)	Grade Ag (opt)	
ES-83		36.6	38.1	1.5	0.18		173.7	175.3	1.6	8.00		
		57.9	61.0	3.1	0.21		211.8	213.4	1.6	9.00		
		137.2	138.7	1.5	0.26		228.6	231.6	3.0	8.50		
		142.4	143.9	1.5	0.18		320.0	323.1	3.1	8.00		
		150.9	153.9	3.0	0.13							
		158.5	268.2	109.7	0.69							
		Incl.	210.3	220.9	10.6	2.30						
		and Incl.	230.1	248.4	18.3	1.32						
			271.3	272.8	1.5	0.14						
			278.9	289.6	10.7	1.49						
			292.6	294.1	1.5	0.39						
	ES-84		313.9	327.7	13.8	0.18						
		332.2	338.3	6.1	0.28							
		100.6	103.6	3.0	0.18		178.3	181.4	3.1	12.00		
		134.1	138.7	4.6	0.28		193.6	195.1	1.5	10.00		
		143.3	146.3	3.0	0.49		201.2	213.4	12.2	14.00		
		176.8	240.8	64.0	1.20		222.5	227.1	4.6	10.00		
		Incl.	198.1	202.7	4.6	2.06	271.3	275.8	4.5	10.00		
		and Incl.	205.7	207.3	1.6	2.43	291.1	292.6	1.5	8.00		
ES-85		210.3	217.9	7.6	4.25		298.7	301.8	3.1	9.00		
		and Incl.	221.0	222.5	1.5	2.65						
		294.1	295.7	1.6	0.29							
		182.9	184.4	1.5	0.26		275.8	278.9	3.1	22.00		
ES-86		275.8	278.9	3.1	1.01							
		342.9	344.4	1.5	0.13							
		355.1	358.1	3.0	0.26							
		18.3	21.3	3.0	0.15		29.0	30.5	1.5	7.00		
		24.4	47.2	22.8	0.26		44.2	45.7	1.5	8.00		
		57.9	65.5	7.6	0.17		138.7	140.2	1.5	12.00		
		76.2	77.7	1.5	0.12		225.6	239.3	13.7	19.00		
		132.6	143.3	10.7	0.23		248.4	253.0	4.6	19.00		
		185.9	192.0	6.1	0.33		256.0	260.6	4.6	8.00		
		196.6	198.1	1.5	0.18		263.7	265.2	1.5	8.00		
		227.1	236.2	9.1	0.36		271.3	272.8	1.5	40.00		
		248.4	254.5	6.1	0.42		285.0	288.0	3.0	8.00		
		257.6	259.1	1.5	0.13							
		263.7	288.0	24.4	2.70							
	Incl.	271.3	274.3	3.0	17.30							
	Hole Bottomed in Values						**Hole Bottomed in Values**					
ES-87		3.0	32.0	29.0	0.25		68.6	70.1	1.5	7.00		
		44.2	65.5	21.3	0.18		73.2	86.9	13.7	9.30		
		71.6	88.4	16.8	0.20		96.0	100.6	4.6	11.50		
		99.1	102.1	3.0	0.32		196.6	201.2	4.6	7.00		
		121.9	123.4	1.5	0.15		248.4	253.0	4.6	17.00		
		196.6	202.7	6.1	1.10							
		227.1	234.7	7.6	0.14							
		incl.	231.6	234.7	3.1	0.15						
ES-88		245.4	259.1	13.7	0.31							
		265.2	266.7	1.5	0.13							
		21.3	29.0	7.7	0.16		22.9	24.4	1.5	8.90		
		36.6	38.1	1.5	0.30		70.1	71.6	1.5	8.00		
		57.9	59.4	1.5	0.13		97.5	99.1	1.6	9.30		
		62.5	64.0	1.5	0.18		160.0	161.5	1.5	8.40		
		93.0	100.6	7.6	0.15		176.8	178.3	1.5	14.90		
		111.3	114.3	3.0	0.19		416.3	417.2	0.9	36.30		
		126.5	128.0	1.5	0.12		466.7	468.2	1.5	7.00		
		137.2	138.7	1.5	0.27							
		141.7	143.3	1.6	0.34							
		161.5	167.6	6.1	0.31							
		173.7	178.3	4.6	0.34							
		185.9	189.0	3.1	0.38							
		192.6	194.2	1.6	0.23							
		206.5	209.4	2.9	1.73							
		221.6	223.3	1.7	1.04							
		227.1	229.1	2.0	0.52							
		271.9	277.2	5.3	0.35							
	ES-89		292.0	298.1	6.1	0.14						
		304.2	306.9	2.7	0.17							
		318.5	320.6	2.1	0.20							
		328.3	333.8	5.5	0.35							
		348.1	349.6	1.5	0.14							
		416.1	417.0	0.9	0.62							
		44.2	48.8	4.6	0.18		197.1	197.5	0.4	12.53		
		132.6	135.6	3.0	0.11		200.3	201.2	0.9	14.27		
		140.2	141.7	1.5	0.13		208.5	215.8	7.3	18.17		
		155.4	190.2	34.8	0.25		incl.	209.4	210.8	1.4	32.50	
		197.1	236.2	39.2	0.69		227.8	228.4	0.6	8.92		
		Incl.	209.4	211.1	1.7	2.75	231.0	232.3	1.3	7.01		
		and Incl.	229.2	236.2	7.0	1.55	293.1	306.3	13.2	9.38		
		263.7	266.7	3.0	0.29		incl.	295.0	296.9	1.9	16.36	
		270.4	276.5	6.1	0.15		and incl.	302.1	304.8	2.7	13.80	
		296.0	310.3	14.3	0.75		381.0	382.5	1.5	7.31		
		Incl.	302.1	304.8	2.7	2.50	427.6	428.9	1.3	14.53		
		314.6	315.8	1.2	0.26							
	320.3	321.6	1.3	0.14								
	379.5	388.6	9.1	0.31								
	401.7	402.6	0.9	0.12								
	409.7	411.5	1.8	0.14								
	427.6	428.9	1.3	0.31								

Drill Hole	GOLD				SILVER					
	From (meters)	To (meters)	Length (meters)	Grade Au (g/t)	From (meters)	To (meters)	Length (meters)	Grade Ag (g/t)	Grade Ag (opt)	
ES-90		22.9	24.4	1.5	0.20		108.2	109.7	1.5	7.90
		76.2	82.3	6.1	0.19		114.3	115.8	1.5	7.00
		105.2	129.5	24.3	0.35		120.4	125.0	4.6	17.60
		140.2	141.7	1.5	0.12		187.5	201.2	13.7	57.04
		185.6	199.0	13.4	4.06					
		Incl. 189.9	191.3	1.4	34.90	incl.	189.9	191.3	1.4	213.00
		214.9	217.9	3.0	0.24		240.8	242.3	1.5	9.25
		237.7	248.4	10.7	0.75		245.5	246.9	1.4	9.10
		Incl. 245.5	248.4	2.9	1.97		266.7	268.2	1.5	20.69
		254.5	256.0	1.5	1.60					
	265.2	268.2	3.0	5.00						
	330.7	332.2	1.5	0.18						
ES-91		88.4	102.1	13.7	0.13		128.0	138.7	10.7	42.40
		112.8	114.3	1.5	0.14	incl.	134.1	137.2	3.1	107.00
		129.5	149.4	19.9	1.74		141.7	143.3	1.6	10.50
		Incl. 135.6	137.2	1.6	17.90					
		175.3	182.9	7.6	0.13					
ES-92		6.1	21.3	15.2	0.36		51.8	53.3	1.5	7.60
		Incl. 7.6	10.7	3.1	0.95		184.4	208.8	24.4	24.70
		38.1	57.9	19.8	0.18	incl.	195.1	196.6	1.5	42.10
		71.6	73.2	1.6	0.20	and incl.	199.6	204.2	4.6	51.00
		80.8	89.9	9.1	0.30		227.1	231.6	4.5	18.70
		106.7	108.2	1.5	0.13	incl.	228.6	230.1	1.5	31.50
		112.8	114.3	1.5	0.12					
		140.2	143.3	3.1	0.16					
		155.4	166.1	10.7	0.21					
		173.7	179.8	6.1	0.19					
		184.4	208.8	24.4	0.35					
		Incl. 199.6	204.2	4.6	1.04					
		227.1	233.2	6.1	0.54					
		265.2	268.2	3.0	0.17					
		Incl. 326.1	336.8	10.7	0.46					
	Incl. 329.2	330.7	1.5	1.22						
Hole Bottomed in Values					**Hole Bottomed in Values**					
ES-93		50.3	56.4	6.1	0.16		186.0	187.5	1.5	7.75
		61.0	64.0	3.0	0.15		224.0	236.2	12.2	28.04
		68.6	74.7	6.1	0.14	incl.	230.1	233.2	3.1	59.60
		125.0	126.5	1.5	0.12		251.5	253.0	1.5	8.14
		169.2	170.7	1.5	0.13					
		187.5	189.0	1.5	0.16					
		224.0	234.7	10.7	0.16					
		251.5	256.0	4.5	0.34					
ES-94		54.9	59.4	4.5	0.12		167.6	175.3	7.7	11.70
		82.3	83.8	1.5	0.29		183.5	184.7	1.2	17.40
		121.9	125.0	3.1	0.18		188.4	189.7	1.3	13.60
		160.0	219.5	59.5	0.47		191.7	195.1	3.4	9.70
		Incl. 172.2	173.7	1.5	3.27		201.2	202.4	1.2	7.22
		and Incl. 183.5	184.7	1.2	1.81		207.6	211.8	4.2	21.00
		228.6	230.1	1.5	0.12		215.5	216.4	0.9	120.00
		254.8	268.2	13.4	0.36		254.8	259.4	4.6	14.10
		303.3	316.7	13.4	0.66		305.7	306.9	1.2	12.90
		371.2	372.8	1.6	0.36					
	424.0	425.5	1.5	0.23						
ES-95		21.0	31.1	10.1	0.17		121.9	123.4	1.5	6.90
		38.4	39.3	0.9	0.15					
		48.5	49.4	0.9	0.14					
		52.7	53.0	0.3	0.24					
		55.8	65.8	10.0	0.14					
		68.6	72.2	3.6	0.18					
		75.0	76.8	1.8	0.26					
		81.4	82.3	0.9	0.24					
		84.1	85.0	0.9	0.19					
		86.9	96.0	9.1	0.34					
		99.1	102.1	3.0	0.87					
		Incl. 99.1	100.6	1.5	1.46					
	149.4	150.0	0.6	0.38						
	172.2	173.7	1.5	0.59						
ES-96		105.2	106.7	1.5	0.15		137.2	138.7	1.5	8.38
		134.1	143.3	9.2	0.32		201.2	222.5	21.3	125.60
		192.0	193.5	1.5	0.13	incl.	202.7	210.3	7.6	156.00
		199.6	234.7	35.1	4.10	and incl.	213.4	221.0	7.6	154.80
		Incl. 201.2	221.0	19.8	6.90		227.1	231.6	4.5	16.80
		239.3	249.9	10.6	0.35					
		Incl. 243.8	245.4	1.6	1.10					
		266.7	269.7	3.0	0.31					
	301.8	303.3	1.5	0.15						
ES-97		4.6	6.1	1.5	0.15		216.4	219.5	3.1	8.77
		181.4	187.5	6.1	0.26		227.1	236.2	9.1	11.72
		198.1	199.6	1.5	0.12	incl.	227.1	230.1	3.0	21.40
		227.1	239.3	12.2	0.21		260.6	278.9	18.3	11.16
		260.6	280.4	19.8	0.38	incl.	265.2	268.2	3.0	25.10
ES-98	19.8	64.0	44.2	0.04						
Only Anomalous										
ES-99	15.2	54.9	39.7	0.04						
Only Anomalous										

Drill Hole	GOLD				SILVER						
	From (meters)	To (meters)	Length (meters)	Grade Au (g/t)	From (meters)	To (meters)	Length (meters)	Grade Ag (g/t)	Grade Ag (opt)		
ES-100		3.7	9.5	5.8	0.21		7.6	8.5	0.9	9.65	
		41.8	43.3	1.5	0.50		41.8	43.3	1.5	7.50	
		64.0	65.5	1.5	0.15		152.4	155.4	3.0	11.36	
		74.2	74.7	0.5	0.53		159.6	159.9	0.3	11.20	
		150.9	153.9	3.0	0.14		169.6	172.2	2.6	7.25	
		159.6	159.9	0.3	7.07		207.3	210.3	3.0	17.40	
		168.6	193.5	24.9	0.71		232.9	234.1	1.2	7.61	
		Incl.	169.6	172.2	2.6	2.20		304.2	305.1	0.9	11.57
		and Incl.	179.5	180.4	0.9	2.49		316.7	319.4	2.7	7.90
		and Incl.	185.0	187.5	2.5	1.47		320.6	321.7	1.1	7.40
			204.2	212.4	8.2	0.15		340.8	341.8	1.0	37.70
			221.9	242.3	20.4	0.13		412.9	415.4	2.5	22.30
			252.7	273.7	21.0	0.38		425.8	427.5	1.7	35.90
		Incl.	270.4	272.5	2.1	2.16		450.8	452.0	1.2	7.50
			277.7	378.0	100.3	0.63					
		Incl.	318.2	325.5	7.3	1.25					
		and Incl.	335.3	349.0	13.7	1.76					
			382.5	432.7	50.2	0.66					
		Incl.	412.9	427.5	14.6	1.27					
		445.0	453.3	8.3	0.33						
ES-101		12.2	35.1	22.9	0.06						
	Only Anomalous										
ES-102		94.5	105.2	10.7	0.31		268.2	269.7	1.5	7.37	
		141.7	143.3	1.6	0.13		303.3	306.3	3.0	27.90	
		169.2	179.8	10.6	0.17						
		196.6	198.1	1.5	0.22						
		231.7	236.2	4.5	0.12						
		268.2	269.8	1.6	0.58						
		301.8	318.5	16.7	0.82						
		Incl.	301.8	306.3	4.5	2.29					
	Hole Bottomed in Values					**Hole Bottomed in Values**					
ES-103		0.0	15.2	15.2	0.27		71.6	77.7	6.1	12.32	
		19.8	22.9	3.1	0.14		225.6	227.1	1.5	7.40	
		38.1	42.7	4.6	0.20						
		71.6	79.3	7.7	0.15						
		111.3	114.3	3.0	0.15						
		118.9	120.4	1.5	0.13						
		128.0	141.7	13.7	0.16						
		161.5	163.1	1.6	0.14						
		181.4	182.9	1.5	0.34						
		208.8	217.9	9.1	0.17						
	224.0	271.3	47.3	0.19							
ES-104		13.7	19.8	6.1	0.32		195.1	196.6	1.5	12.30	
		96.0	97.5	1.5	0.13		202.7	205.7	3.0	12.37	
		175.3	176.8	1.5	0.12		230.1	231.6	1.5	9.02	
		185.9	187.5	1.6	0.13		344.4	345.9	1.5	17.80	
		195.1	219.5	24.4	0.27						
		Incl.	195.1	196.6	1.5	1.51					
			230.1	231.6	1.5	0.50					
			242.3	254.5	12.2	0.11					
		Incl.	286.5	356.6	70.1	0.46					
		341.4	350.5	9.1	2.20						
		379.5	382.5	3.0	0.29						
ES-105		4.0	5.5	1.5	0.13		179.8	181.4	1.6	11.70	
		72.5	73.8	1.3	0.24		413.9	415.7	1.8	9.79	
		90.5	97.8	7.3	0.11						
		114.9	115.2	0.3	0.17						
		179.8	182.9	3.1	0.22						
		245.7	247.3	1.6	0.43						
		343.8	346.6	2.8	0.12						
		396.2	397.8	1.6	0.21						
		400.8	402.3	1.5	0.12						
	411.2	412.4	1.2	0.13							
ES-106		155.5	158.5	3.0	0.14		184.4	185.9	1.5	9.30	
		164.6	166.1	1.5	0.20		231.6	233.2	1.6	8.80	
		182.9	199.6	16.7	0.21		248.4	271.2	22.8	65.70	
		221.0	234.7	13.7	0.25		Incl.	256.0	263.7	7.7	147.20
		245.4	279.0	33.6	0.78						
		Incl.	256.0	263.7	7.7	2.64					
			322.2	338.3	6.1	0.12					
ES-107		61.0	70.1	9.1	0.24		169.2	173.7	4.5	23.37	
		111.3	126.5	15.2	0.14		179.8	211.8	32.0	19.42	
		132.6	135.6	3.0	0.14		Incl.	192.0	199.6	7.6	37.84
		163.1	246.9	83.8	0.98		216.4	217.9	1.5	9.19	
		Incl.	170.7	173.7	3.0	2.53	222.5	228.6	6.1	9.15	
		and Incl.	198.1	217.9	19.8	1.93	234.7	240.8	6.1	9.90	
			251.5	254.5	3.0	0.19					
			260.6	269.8	9.2	0.15					

Drill Hole	GOLD					SILVER						
		From (meters)	To (meters)	Length (meters)	Grade Au (g/t)		From (meters)	To (meters)	Length (meters)	Grade Ag (g/t)	Grade Ag (opt)	
ES-108		51.8	54.9	3.1	0.39		71.6	76.2	4.6	5.78		
		61.0	62.5	1.5	0.19		102.1	105.2	3.1	7.57		
		68.6	74.7	6.1	0.19		109.7	114.3	4.6	18.56		
		109.7	189.0	79.3	0.33		123.4	132.6	9.2	29.20		
		Incl. 109.7	111.3	1.6	1.53		incl. 128.0	131.1	3.1	68.00		
		and Incl. 123.4	129.5	6.1	1.25		160.0	161.5	1.5	13.80		
			195.1	196.6	1.5	0.13		210.3	222.5	12.2	46.93	
			204.2	205.7	1.5	0.33		incl. 214.9	219.5	4.6	99.64	
			210.3	233.2	22.9	0.43		251.5	256.0	4.5	11.15	
			Incl. 214.9	217.9	3.0	1.38		329.2	330.7	1.5	8.80	
			239.3	243.8	4.5	0.94						
			Incl. 240.8	242.3	1.5	2.46						
			253.0	259.1	6.1	0.73						
		Incl. 253.0	254.5	1.5	1.92							
		277.4	285.0	7.6	0.13							
		326.1	355.1	29.0	0.28							
ES-109												
ES-110		56.1	60.7	4.6	0.15		80.8	82.0	1.2	9.50		
		65.5	108.2	42.7	0.38		258.2	278.9	20.7	17.54		
		Incl. 68.7	70.1	1.4	2.69		300.2	320.0	19.8	8.21		
			116.4	118.2	1.8	0.48						
			261.2	332.8	71.6	0.51						
		Incl. 318.5	320.0	1.5	4.87							
ES-111		91.4	93.0	1.6	0.25		187.5	192.0	4.5	8.61		
		111.3	112.8	1.5	0.22		207.3	222.5	15.2	43.36		
		123.4	132.6	9.2	0.14		incl. 213.4	216.4	3.0	159.00		
		143.3	147.8	4.5	0.20		231.7	236.2	4.5	13.79		
		184.4	202.7	18.3	0.22		243.8	245.4	1.6	7.23		
		205.7	251.5	45.8	1.41							
		Incl. 211.8	214.9	3.1	11.96							
		246.9	249.9	3.0	2.91							
ES-112		68.6	71.6	3.0	0.12							
		109.7	111.3	1.6	0.12							
		178.3	195.1	16.8	0.21							
		207.3	208.8	1.5	0.13							
		301.8	303.3	1.5	0.13							
		361.2	364.2	3.0	0.19							
ES-113		121.9	123.4	1.5	0.13		179.8	181.4	1.6	11.30		
		131.1	132.6	1.5	0.12		197.5	201.0	3.5	8.41		
		179.8	182.9	3.1	0.48		219.0	220.2	1.2	7.40		
		189.0	189.9	0.9	0.14		244.5	246.9	2.4	12.95		
		197.5	201.0	3.5	0.22		277.8	289.3	11.5	11.54		
		211.2	227.4	16.2	0.25		320.7	326.1	5.4	9.42		
		237.7	240.5	2.8	0.12		330.3	333.3	3.0	9.89		
		243.5	256.2	12.7	0.20		360.7	365.8	5.1	21.55		
		261.2	265.5	4.3	0.38							
		277.8	290.8	13.0	1.12							
		Incl. 286.8	289.3	2.5	4.38							
			310.0	342.3	32.3	0.33						
			Incl. 319.1	320.7	1.6	1.57						
		and Incl. 330.3	331.5	1.2	1.15							
		346.6	371.6	25.0	1.26							
		Incl. 360.0	367.0	7.0	3.47							
ES-114		12.2	13.7	1.5	0.12		24.4	25.8	1.4	12.20		
		24.4	25.9	1.5	0.47		51.7	52.7	1.0	7.56		
		48.8	49.7	0.9	0.14		64.0	65.1	1.1	12.10		
		51.7	52.7	1.0	0.16		79.3	80.0	0.7	8.67		
		64.0	65.1	1.1	0.16		88.4	89.3	0.9	48.82		
		79.3	80.0	0.7	0.33		119.5	121.0	1.5	8.70		
		88.4	89.3	0.9	4.84		137.0	137.8	0.8	28.32		
		98.2	99.7	1.5	0.14		216.4	217.9	1.5	13.80		
		104.2	105.8	1.6	0.22		234.7	242.3	7.6	35.09		
		116.4	121.0	4.6	0.62		incl. 236.5	237.7	1.2	100.00		
		136.3	150.0	13.7	0.69		276.5	278.0	1.5	26.30		
			Incl. 137.0	139.3	2.3	3.29		293.8	294.7	0.9	13.87	
			155.5	157.0	1.5	0.38		297.3	298.6	1.3	20.80	
			169.5	185.9	16.4	0.33						
			195.1	336.8	141.7	0.53						
			Incl. 276.5	278.0	1.5	2.61						
		and Incl. 293.8	298.6	4.8	6.45							
		and Incl. 315.5	317.0	1.5	3.25							
ES-115		44.2	56.4	12.2	0.23		221.3	226.2	4.9	7.89		
		221.3	227.7	6.4	0.26		333.8	339.2	5.4	24.34		
		232.7	233.5	0.8	0.38		418.2	419.7	1.5	58.41		
		249.5	251.2	1.7	0.15							
		276.0	276.8	0.8	0.40							
		298.7	300.2	1.5	0.63							
		306.3	313.6	7.3	0.34							
		319.4	320.6	1.2	0.17							
		328.9	345.5	16.6	0.91							
			Incl. 333.8	339.2	5.4	1.78						
			349.0	353.0	4.0	0.14						
			Incl. 415.1	421.2	6.1	14.52						
		418.2	419.7	1.5	56.89							
		424.3	427.3	3.0	0.24							

Drill Hole	GOLD				SILVER						
		From (meters)	To (meters)	Length (meters)	Grade Au (g/t)		From (meters)	To (meters)	Length (meters)	Grade Ag (g/t)	Grade Ag (opt)
ES-116		45.7	48.8	3.1	0.14		77.7	83.8	6.1	6.15	
		57.9	59.4	1.5	0.40		100.6	106.7	6.1	9.91	
		77.7	79.3	1.6	0.16		121.9	123.4	1.5	18.40	
		100.6	123.4	22.8	0.17		157.0	158.5	1.5	18.80	
		137.2	138.7	1.5	0.18		170.7	176.8	6.1	15.49	
		141.7	143.3	1.6	0.14		185.9	187.5	1.6	7.70	
		155.5	164.6	9.1	0.34		214.9	219.5	4.6	19.33	
		169.2	176.8	7.6	0.71		243.8	248.4	4.6	14.68	
		185.9	257.6	71.7	0.50		294.1	295.7	1.6	13.40	
	Incl.	192.0	195.1	3.1	1.65						
	and Incl.	234.7	236.2	1.5	2.03						
and Incl.	245.4	246.9	1.5	2.92							
	291.1	295.7	4.6	0.28							
ES-117		77.7	79.3	1.6	0.13		143.3	144.8	1.5	15.31	
		86.9	88.4	1.5	0.34		193.5	196.6	3.1	16.93	
		96.0	103.6	7.6	0.21		205.7	207.3	1.6	19.80	
		109.7	125.0	15.3	0.29		216.4	237.7	21.3	26.60	
		143.3	144.8	1.5	0.13	Incl.	217.9	225.6	7.7	62.54	
		172.2	173.7	1.5	0.12		251.5	254.5	3.0	11.41	
		176.8	179.8	3.0	0.13		259.1	260.6	1.5	14.70	
		184.4	185.9	1.5	0.14		263.7	265.2	1.5	14.20	
		190.5	288.0	97.5	0.68		275.8	285.0	9.2	8.06	
	Incl.	205.7	210.3	4.6	3.17						
	and Incl.	217.9	224.0	6.1	1.99						
ES-118		77.7	80.8	3.1	0.29		93.0	94.5	1.5	7.10	
		89.9	96.0	6.1	0.22		213.4	221.0	7.6	12.67	
		167.6	178.3	10.7	0.55		225.6	248.4	22.8	38.76	
		184.4	185.9	1.5	0.49	Incl.	236.2	240.8	4.6	106.62	
		190.5	249.9	59.4	0.74						
	Incl.	234.7	242.3	7.6	3.07						
		257.6	263.7	6.1	0.17						
		280.4	286.5	6.1	0.33						
ES-119		91.4	96.0	4.6	0.24		91.4	93.0	1.6	13.09	
		153.9	157.0	3.1	0.15		166.1	169.2	3.1	12.30	
		166.1	170.7	4.6	0.58		184.4	185.9	1.5	7.31	
		175.3	176.8	1.5	0.14		187.5	189.0	1.5	7.42	
		184.4	262.1	77.7	0.83		216.4	217.9	1.5	11.70	
	Incl.	216.4	217.9	1.5	5.64		225.6	242.3	16.7	14.84	
	and Incl.	230.1	233.2	3.1	3.45		254.5	262.1	7.6	21.09	
	and Incl.	237.7	240.8	3.1	1.90		277.4	280.4	3.0	11.96	
	and Incl.	254.5	259.1	4.6	3.90						
		272.8	281.9	9.1	0.28						
	288.0	298.7	10.7	0.17							
ES-120		36.3	39.0	2.7	0.35		355.1	356.0	0.9	7.11	
		43.3	44.3	1.0	0.13		365.5	367.9	2.4	7.22	
		49.1	50.8	1.7	0.15		373.7	380.4	6.7	8.03	
		59.1	60.7	1.6	0.16		387.1	391.4	4.3	7.59	
		63.7	65.1	1.4	0.19		393.8	401.4	7.6	7.92	
		283.5	284.7	1.2	0.82						
		301.8	302.7	0.9	0.13						
		319.1	320.6	1.5	0.22						
		325.2	326.7	1.5	0.12						
		331.3	334.4	3.1	0.63						
		341.4	347.9	6.5	0.42						
		355.1	356.0	0.9	0.30						
		360.0	367.9	7.9	0.27						
		373.7	376.7	3.0	0.18						
		379.2	380.4	1.2	0.31						
		382.5	384.1	1.6	0.45						
	386.2	406.0	19.8	0.60							
ES-121		115.8	172.2	56.4	0.22		121.9	129.5	7.6	26.82	
		204.2	283.5	79.3	0.67		146.3	147.8	1.5	8.70	
	Incl.	263.7	269.8	6.1	4.32		150.9	152.4	1.5	7.70	
							160.0	161.5	1.5	12.43	
							169.2	172.2	3.0	9.12	
							224.0	228.6	4.6	11.15	
							234.7	239.3	4.6	10.28	
							248.4	249.9	1.5	9.43	
ES-122		73.2	74.7	1.5	0.18		256.0	257.6	1.6	8.67	
		131.1	132.6	1.5	0.28		262.1	280.4	18.3	28.75	
		140.2	141.7	1.5	0.36		155.5	157.0	1.5	10.32	
		155.5	164.6	9.1	0.12		176.8	178.3	1.5	12.63	
		169.2	170.7	1.5	0.21		205.7	208.8	3.1	10.43	
		173.7	195.1	21.4	0.18		231.7	239.3	7.6	18.46	
		199.6	221.0	21.4	0.18		253.0	256.0	3.0	12.39	
		231.7	291.1	59.4	0.85		265.2	269.7	4.5	19.39	
	Incl.	242.3	245.4	3.1	1.91		286.5	291.1	4.6	12.69	
	and Incl.	253.0	256.0	3.0	2.47						
	and Incl.	260.6	271.3	10.7	1.72						
		315.5	317.0	1.5	0.18						
		323.1	324.6	1.5	0.13						

Drill Hole	GOLD				SILVER						
	From (meters)	To (meters)	Length (meters)	Grade Au (g/t)	From (meters)	To (meters)	Length (meters)	Grade Ag (g/t)	Grade Ag (opt)		
ES-123		53.3	83.8	30.5		152.4	153.9	1.5	7.70		
		114.3	115.8	1.5		158.2	160.2	2.0	31.22		
		152.4	153.9	1.5		267.5	268.5	1.0	10.04		
		158.2	174.4	16.2		290.2	291.1	0.9	7.38		
		180.1	183.2	3.1		296.3	300.5	4.2	5.90		
		199.6	200.3	0.7		303.3	306.9	3.6	11.40		
		203.3	207.1	3.8		316.7	319.0	2.3	17.31		
		236.5	239.6	3.1		341.1	344.3	3.2	34.06		
		249.0	250.6	1.6		412.1	413.6	1.5	11.46		
		253.6	253.9	0.3		** Hole Bottomed in Values **					
		259.7	261.2	1.5							
		264.0	273.1	9.1							
		Incl.	267.5	269.8	2.3						
		and Incl.	272.0	273.1	1.1						
			278.3	280.6	2.3						
			284.1	306.9	22.8						
		Incl.	290.2	291.1	0.9						
		and Incl.	296.3	297.5	1.2						
			310.0	311.8	1.8						
			316.7	320.4	3.7						
			328.0	334.8	6.8						
			342.3	346.9	4.6						
			355.4	356.9	1.5						
		360.0	361.5	1.5							
		364.5	388.6	24.1							
		395.6	397.2	1.6							
		410.6	413.6	3.0							
		417.6	423.8	6.2							
** Hole Bottomed in Values **											
ES-124		68.6	74.7	6.1		68.6	70.1	1.5	17.31		
		88.4	93.0	4.6		85.3	96.0	10.7	12.63		
		115.8	120.4	4.6		115.8	121.9	6.1	17.22		
		146.3	147.8	1.5		129.5	131.1	1.6	8.42		
		160.0	163.1	3.1		239.3	243.8	4.5	24.66		
		178.3	181.4	3.1		333.8	338.3	4.5	39.23		
		199.6	201.2	1.6							
		237.7	249.9	12.2							
		Incl.	239.3	240.8	1.5						
			266.7	271.3	4.6						
			277.4	280.4	3.0						
			283.5	288.0	4.5						
			291.1	292.6	1.5						
			309.4	321.6	12.2						
			333.8	364.2	30.4						
	Incl.	335.3	339.9	4.6							
ES-125		51.8	61.0	9.2		120.4	123.4	3.0	24.49		
		93.0	94.5	1.5		131.1	134.1	3.0	20.44		
		120.4	123.4	3.0		173.7	175.3	1.6	7.03		
		126.5	135.6	9.1		193.5	195.1	1.6	7.63		
		Incl.	131.1	132.6	1.5		204.2	205.7	1.5	15.83	
		167.6	179.8	12.2		210.3	211.8	1.5	8.38		
		190.5	198.1	7.6		225.6	227.1	1.5	8.12		
		256.0	265.2	9.2		260.6	266.7	6.1	13.07		
		272.8	294.1	21.3		285.0	286.5	1.5	7.57		
		Incl.	275.8	277.4	1.6		297.2	298.7	1.5	12.82	
		and Incl.	280.4	281.9	1.5		303.3	304.8	1.5	7.33	
			297.2	320.0	22.8		307.8	320.0	12.2	25.56	
		Incl.	310.9	312.4	1.5						
ES-126		32.0	35.1	3.1		240.8	257.6	16.8	79.29		
		120.4	121.9	1.5		Incl.	242.3	243.8	1.5	137.11	
		158.5	161.5	3.0		and Incl.	251.5	254.5	3.0	166.84	
		222.5	224.0	1.5			268.2	271.3	3.1	10.22	
		231.6	234.7	3.1							
		239.3	285.0	45.7							
		Incl.	240.8	245.4	4.6						
		and Incl.	248.4	256.0	7.6						
			297.2	300.2	3.0						
		307.8	310.9	3.1							
ES-127		108.2	112.8	4.6		231.6	233.2	1.6	7.04		
		144.8	146.3	1.5		237.7	239.3	1.6	16.35		
		150.9	155.4	4.5		254.5	256.0	1.5	7.44		
		163.1	167.6	4.5		262.1	265.2	3.1	14.73		
		196.6	199.6	3.0		268.2	269.7	1.5	14.42		
		208.8	210.3	1.5		280.4	289.6	9.2	13.59		
		216.4	222.5	6.1		294.1	295.7	1.6	9.67		
		237.7	239.3	1.6							
		251.5	256.0	4.5							
		262.1	289.6	27.5							
		Incl.	277.4	283.5	6.1						
			294.1	295.7	1.6						
			307.8	321.6	13.8						
ES-128		53.3	54.9	1.6		315.5	349.0	33.5	20.21		
		106.7	114.3	7.6		Incl.	318.5	326.1	7.6	64.04	
		189.0	190.5	1.5			353.6	358.1	4.5	10.53	
		225.6	234.7	9.1			361.2	373.4	12.2	14.26	
		243.8	245.4	1.6		Incl.	368.8	370.3	1.5	44.02	
		262.1	274.3	12.2							
		294.1	358.1	64.0							
		Incl.	312.4	326.1	13.7						
			368.8	370.3	1.5						
** Hole Bottomed in Values **											

Drill Hole	GOLD				SILVER					
	From (meters)	To (meters)	Length (meters)	Grade Au (g/t)	From (meters)	To (meters)	Length (meters)	Grade Ag (g/t)	Grade Ag (opt)	
ES-129		132.3	136.1	3.8						
		148.1	152.4	4.3		178.3	182.0	3.7	7.86	
		156.1	170.7	14.6		193.9	194.3	0.4	10.66	
		174.7	211.2	36.5		261.2	262.7	1.5	10.92	
	Incl.	180.4	182.0	1.6		307.5	308.7	1.2	17.08	
	and Incl.	189.0	189.6	0.6		353.6	358.8	5.2	18.89	
	and Incl.	193.9	194.3	0.4		361.5	363.0	1.5	7.45	
		217.0	217.9	0.9		387.7	391.4	3.7	8.84	
		233.5	246.3	12.8						
		261.2	262.7	1.5						
		272.8	278.6	5.8						
		283.2	284.7	1.5						
		289.3	290.2	0.9						
		293.5	311.2	17.7						
		316.7	318.2	1.5						
		331.0	332.5	1.5						
		345.6	377.0	31.4						
	Incl.	372.9	374.3	1.4						
		387.7	391.4	3.7						
		397.2	398.4	1.2						
	405.4	427.9	22.5							
Incl.	415.8	417.0	1.2							
and Incl.	419.7	421.2	1.5							
	432.2	441.4	9.2							
ES-130		36.6	44.2	7.6		333.8	355.1	21.3	21.73	
		94.5	96.0	1.5		Incl.	333.8	336.8	3.0	76.67
		100.6	102.1	1.5				0.0		
		106.7	111.3	4.6				0.0		
		135.6	137.2	1.6				0.0		
		333.8	355.1	21.3				0.0		
	Incl.	335.3	342.9	7.6				0.0		
** Hole Bottomed In Values **				** Hole Bottomed In Values **						
ES-131		146.3	166.1	19.8		152.4	167.6	15.2	8.10	
	Incl.	160.0	161.5	1.5		210.3	211.8	1.5	13.28	
		172.2	173.7	1.5		225.6	227.1	1.5	7.77	
		185.9	190.5	4.6		268.2	269.7	1.5	12.60	
		195.1	196.6	1.5		274.3	275.8	1.5	7.29	
		202.7	227.1	24.4		283.5	285.0	1.5	8.13	
		231.6	233.2	1.6						
		240.8	242.3	1.5						
		254.5	263.7	9.2						
		268.2	286.5	18.3						
	Incl.	268.2	271.3	3.1						
	and Incl.	274.3	275.8	1.5						
		310.9	313.9	3.0						
		321.6	323.1	1.5						
	342.9	347.5	4.6							
ES-132		50.3	59.4	9.1		106.7	108.2	1.5	7.56	
		71.6	73.2	1.6		310.9	320.0	9.1	24.99	
		100.6	102.1	1.5		323.1	326.1	3.0	9.16	
		106.7	108.2	1.5						
		138.7	143.3	4.6						
		196.6	198.1	1.5						
		208.8	210.3	1.5						
		221.0	222.5	1.5						
		242.3	243.8	1.5						
		248.4	249.9	1.5						
		253.0	330.7	77.7						
	Incl.	275.8	277.4	1.6						
	and Incl.	286.5	288.0	1.5						
and Incl.	312.5	320.0	7.5							
ES-133		53.3	56.4	3.1		207.3	214.9	7.6	21.21	
		160.0	173.7	13.7		Incl.	208.8	210.3	1.5	53.17
	Incl.	160.0	161.5	1.5			231.6	236.2	4.6	8.83
		187.5	196.6	9.1			239.3	240.8	1.5	8.11
		202.7	227.1	24.4			243.8	262.1	18.3	28.17
	Incl.	208.8	211.8	3.0		Incl.	245.4	249.9	4.5	74.58
		231.6	288.0	56.4			278.9	289.6	10.7	7.97
	Incl.	239.3	240.8	1.5			294.1	297.2	3.1	7.74
	and Incl.	245.4	248.4	3.0			309.4	313.9	4.5	11.80
	and Incl.	265.2	268.2	3.0						
		291.1	301.8	10.7						
		306.3	315.5	9.2						
		323.1	327.7	4.6						
		333.8	336.8	3.0						
		341.4	342.9	1.5						
		352.0	378.0	26.0						
ES-134		257.6	260.6	3.0						
ES-135		106.7	111.3	4.6						
		137.2	138.7	1.5						
ES-136		185.9	198.1	12.2						
		190.5	192.0	1.5		221.0	224.0	3.0	10.36	
		213.4	217.9	4.5						
	Incl.	222.5	224.0	1.5						
ES-137		7.6	32.0	24.4		124.0	126.5	2.5	8.90	
		39.6	45.7	6.1		146.3	147.8	1.5	8.20	
		67.0	70.1	3.1		149.4	150.9	1.5	7.10	
		121.9	126.5	4.6		192.0	193.5	1.5	7.60	
		240.8	242.3	1.5		251.5	256.0	4.5	11.10	
		251.5	256.0	4.5						

Drill Hole	GOLD				SILVER				
	From (meters)	To (meters)	Length (meters)	Grade Au (g/t)	From (meters)	To (meters)	Length (meters)	Grade Ag (g/t)	Grade Ag (opt)
ES-138	192.0	195.1	3.1	0.29	192.0	195.1	3.1	12.50	
	198.1	211.8	13.7	0.28	202.7	208.8	6.1	10.50	
	323.1	324.6	1.5	0.36					
ES-139	172.2	173.7	1.5	0.20					
ES-140	266.7	269.7	3.0	0.12					
	271.3	294.1	22.8	0.13					
	304.8	307.8	3.0	0.18					
ES-141									
ES-142	83.8	86.9	3.1	0.12	143.3	147.8	4.5	19.70	
	143.3	147.8	4.5	0.16	259.1	269.8	10.7	9.90	
	260.6	262.1	1.5	0.35	272.8	280.4	7.6	16.40	
	265.2	266.7	1.5	0.13					
	274.3	280.4	6.1	0.28					
ES-143	234.7	237.7	3.0	0.15	234.7	237.7	3.0	14.50	
	249.9	260.6	10.7	0.43	249.9	254.5	4.6	18.00	
	297.2	298.7	1.5	0.14	307.9	309.4	1.5	10.90	
	307.9	309.4	1.5	0.12					
ES-144	27.4	28.9	1.5	0.14	205.7	207.3	1.6	10.90	
	30.4	33.5	3.1	0.15	214.9	217.9	3.0	9.10	
	50.3	51.8	1.5	0.13	225.6	227.1	1.5	7.70	
	67.1	70.1	3.0	0.13	246.9	249.9	3.0	8.00	
	214.9	217.9	3.0	0.23					
	246.9	249.9	3.0	0.24					
	283.5	284.0	0.5	0.13					
	292.6	294.1	1.5	0.12					
ES-145									
ES-146	86.9	89.9	3.0	0.20	109.7	111.3	1.6	52.10	
	102.1	106.7	4.6	0.50	114.3	115.8	1.5	9.00	
	109.7	114.3	4.6	0.15	117.3	118.9	1.6	8.30	
	117.3	118.9	1.6	0.12					
	134.1	135.6	1.5	0.12					
	143.3	147.8	4.5	0.18					
	153.9	157.0	3.1	0.15					
	172.2	196.6	24.4	0.26					
ES-147	202.7	204.2	1.5	0.12	286.5	291.1	4.6	13.10	
	211.8	213.4	1.6	0.64	313.9	318.5	4.6	9.32	
	222.5	224.0	1.5	0.14	358.1	361.2	3.1	21.22	
	236.2	237.7	1.5	0.12					
	286.5	291.1	4.6	1.18					
	Incl. 286.5	288.0	1.5	2.97					
	301.8	344.4	42.6	2.49					
	Incl. 327.7	336.8	9.1	9.03					
	and Incl. 327.7	329.2	1.5	38.12					
	349.0	350.5	1.5	0.36					
	355.1	368.8	13.7	0.31					
	373.4	374.9	1.5	0.57					
381.0	382.5	1.5	0.12						
ES-148									
ES-149	237.7	263.7	26.0	0.21	272.8	278.9	6.1	18.96	
	272.8	278.9	6.1	0.52	315.5	324.6	9.1	19.04	
	317.0	318.5	1.5	0.60	332.2	333.8	1.6	14.81	
	326.1	333.8	7.7	0.16	368.8	370.3	1.5	10.75	
	339.9	341.4	1.5	0.13					
	342.9	344.4	1.5	0.13					
	368.8	371.9	3.1	0.12					
ES-150	356.6	358.1	1.5	0.12	356.6	361.2	4.6	7.34	
ES-151	71.6	120.4	48.8	0.19	115.8	117.3	1.5	8.91	
	126.5	128.0	1.5	0.12	172.2	181.4	9.2	13.47	
	129.5	131.1	1.6	0.12	280.4	281.9	1.5	6.06	
	132.6	134.1	1.5	0.15	285.0	286.5	1.5	8.49	
	149.4	153.9	4.5	0.13	291.1	294.1	3.0	19.76	
	161.5	184.4	22.9	0.75	301.8	303.3	1.5	7.67	
	Incl. 179.8	181.4	1.6	3.08	307.8	312.4	4.6	10.89	
	192.0	195.1	3.1	0.21	330.7	345.9	15.2	28.45	
	231.6	233.2	1.6	0.25	361.2	370.3	9.1	23.93	
	239.3	245.4	6.1	0.21	376.4	378.0	1.6	18.25	
	256.0	257.6	1.6	0.49	394.7	399.3	4.6	17.18	
	283.5	317.0	33.5	0.30					
	Incl. 291.1	292.6	1.5	2.25					
	324.6	403.9	79.3	1.03					
	Incl. 333.8	339.9	6.1	4.84					
	and Incl. 333.8	336.8	3.0	6.73					
	and Incl. 362.7	367.3	4.6	2.03					
	and Incl. 379.5	382.5	3.0	2.68					
ES-152	85.3	86.9	1.6	0.17	193.5	196.6	3.1	20.51	
	181.4	184.4	3.0	0.15	204.2	205.7	1.5	9.97	
	189.0	196.6	7.6	0.31	219.5	230.1	10.6	8.71	
	201.2	207.3	6.1	0.15	260.6	263.7	3.1	12.83	
	217.9	233.2	15.3	0.28	292.6	295.7	3.1	7.38	
	256.0	271.3	15.3	0.14	327.7	335.3	7.6	9.51	
	280.4	297.2	16.8	0.32					
	Incl. 292.6	294.1	1.5	1.16					
	312.4	318.5	6.1	0.13					
	324.6	353.6	29.0	0.28					
	Incl. 345.9	347.5	1.6	1.16					
	240.8	242.3	1.5	0.12	365.8	367.3	1.5	16.05	
ES-153	365.8	367.3	1.5	0.19					

Drill Hole	GOLD				SILVER					
	From (meters)	To (meters)	Length (meters)	Grade Au (g/t)	From (meters)	To (meters)	Length (meters)	Grade Ag (g/t)	Grade Ag (opt)	
ES-154	73.2	74.7	1.5	0.15						
	129.5	131.1	1.6	0.16	208.8	210.3	1.5	21.90		
	138.7	141.7	3.0	0.16	303.3	306.3	3.0	14.65		
	146.3	152.4	6.1	0.12	332.2	333.8	1.6	9.42		
	157.0	158.5	1.5	0.17	364.2	371.9	7.7	17.20		
	170.7	172.2	1.5	0.20	393.2	396.2	3.0	16.39		
	176.8	178.3	1.5	0.12						
	208.8	211.8	3.0	0.35						
	216.4	217.9	1.5	0.21						
	224.0	225.6	1.6	0.20						
	237.7	239.3	1.6	0.12						
	260.6	294.1	33.5	0.23						
	303.3	310.9	7.6	0.26						
	315.5	381.0	65.5	0.32						
	Incl.	368.8	371.9	3.1	1.42					
Incl.	393.2	397.8	4.6	0.88						
	394.7	396.2	1.5	1.64						
ES-155	33.5	36.6	3.1	0.33	198.1	201.2	3.1	9.39		
	131.1	144.8	13.7	0.20	246.9	254.5	7.6	10.33		
	198.1	199.6	1.5	0.16	291.1	301.8	10.7	13.83		
	246.9	260.6	13.7	0.52	318.5	323.1	4.6	12.47		
	268.2	283.5	15.3	0.19	336.8	342.9	6.1	8.98		
	291.1	303.3	12.2	0.60	350.5	364.2	13.7	8.53		
	312.4	374.9	62.5	0.57	388.6	390.1	1.5	8.09		
	Incl.	336.8	342.9	6.1	2.26	402.3	403.9	1.6	8.02	
	and Incl.	352.0	353.6	1.6	1.55					
	and Incl.	359.7	361.2	1.5	1.21					
		385.6	394.7	9.1	0.30					
		400.8	408.4	7.6	0.21					

Original Zone Target 5