

Original Zone Target 5

In Metric Lengths

Drill Hole	GOLD					SILVER						
		From (meters)	To (meters)	Length (meters)	Grade Au (g/t)		From (meters)	To (meters)	Length (meters)	Grade Ag (g/t)	Grade Ag (opt)	
ES-1												
ES-2												
ES-3		47.2	48.8	1.6	0.24							
		99.1	103.6	4.5	0.11							
		147.8	150.9	3.1	0.41							
ES-4		6.1	47.2	41.1	0.30							
	Incl.	9.1	10.7	1.6	1.60							
		50.3	53.3	3.0	0.32							
		54.7	59.4	4.7	0.14							
		73.2	77.7	4.5	0.37							
		86.9	94.5	7.6	0.16							
		102.1	103.6	1.5	0.18							
		106.7	112.8	6.1	0.18							
		117.4	125.0	7.6	0.15							
		152.4	173.7	21.3	1.64							
ES-5	Incl.	166.1	172.2	6.1	5.17							
		181.4	182.9	1.5	0.12							
ES-6		154.0	155.5	1.5	0.12							
		161.5	164.6	3.1	0.16							
ES-7		56.4	58.0	1.6	0.13							
		71.6	73.2	1.6	0.15							
		163.1	164.6	1.5	0.22							
ES-8												
ES-9		35.1	42.7	7.6	0.33							
		58.0	64.0	6.0	0.21							
		68.6	70.1	1.5	0.12							
ES-10												
ES-11												
ES-12		109.7	111.3	1.6	0.21							
		27.4	29.0	1.6	0.28							
		99.1	100.6	1.5	0.18							
		109.7	115.8	6.1	0.20							
		118.9	120.4	1.5	0.32							
		125.0	129.5	4.5	0.13							
		144.8	147.8	3.0	0.13							
		155.5	157.0	1.5	0.12							
		193.6	195.1	1.5	0.25							
		214.9	216.4	1.5	0.39							
ES-13		231.7	234.7	3.0	0.24							
		247.0	251.5	4.5	0.21							
	Hole Bottomed in Values											
		30.5	32.0	1.5	0.12							
		38.1	77.7	39.6	0.46							
	Incl.	38.1	44.2	6.1	1.17							
	and Incl.	70.1	73.2	3.1	1.20							
		91.4	92.9	1.5	0.15							
		96.0	126.5	30.5	0.21							
		132.6	138.6	6.0	0.51							
ES-14		144.7	146.3	1.6	0.18							
		149.4	152.4	3.0	0.19							
		155.5	166.1	10.6	0.24							
		170.7	193.6	22.9	0.28							
		199.6	201.2	1.6	0.12							
		97.5	150.9	53.4	1.11		106.7	118.9	12.2	54.10		
	Incl.	106.7	117.3	10.6	2.20							
	and Incl.	122.0	129.5	7.5	2.98							
	ES-15		83.8	85.3	1.5	0.28						
			88.4	91.4	3.0	0.14						
		96.0	102.1	6.1	0.16							
		111.3	115.8	4.5	0.17							
		123.4	125.0	1.6	0.15							
ES-16												
ES-17												
ES-18		164.6	166.1	1.5	0.35							
		179.8	183.0	3.2	0.24							
ES-19		169.2	172.2	3.0	1.47		224.1	228.7	4.6	42.20		
		178.3	179.8	1.5	0.16							
		192.0	193.6	1.6	0.23							
		202.7	207.3	4.6	0.19							
		210.3	213.3	3.0	0.29							
		218.0	234.7	16.7	1.34							
	Incl.	224.0	228.6	4.6	4.21							
		243.8	245.4	1.6	0.22							
ES-20		85.3	87.0	1.7	0.14		138.7	150.8	12.1	47.90		
		123.4	166.1	42.7	0.87							
	Incl.	141.7	151.0	9.3	2.83							
ES-21		9.1	10.7	1.6	0.18		138.7	150.8	12.1	47.90		
		76.2	77.7	1.5	0.12							
		83.8	94.5	10.7	0.12							
		138.7	152.4	13.7	0.90							
	Incl.	138.7	141.7	3.0	2.77							
		163.1	204.2	41.1	0.92							
	Incl.	167.6	179.8	12.2	2.21							
		213.4	215.0	1.6	0.13							
Hole Bottomed in Values						**Hole Bottomed in Values**						
ES-22		71.6	76.2	4.6	0.18							
		82.3	96.0	13.7	0.26							
		100.6	106.7	6.1	0.16							
ES-23		105.2	111.3	6.1	0.41							
		115.8	117.3	1.5	0.31							
		123.4	126.5	3.1	0.22							
		131.1	134.1	3.0	0.15							

Drill Hole	GOLD					SILVER					
		From (meters)	To (meters)	Length (meters)	Grade Au (g/t)		From (meters)	To (meters)	Length (meters)	Grade Ag (g/t)	Grade Ag (opt)
ES-24		12.2	18.3	6.1	0.14						
		87.0	88.4	1.4	0.52						
		93.0	94.5	1.5	0.15						
		126.5	129.5	3.0	0.18						
		140.2	141.7	1.5	0.23						
		161.5	164.6	3.1	1.59						
	196.6	199.6	3.0	0.14							
ES-25		22.9	24.4	1.5	0.12		132.6	134.1	1.5	21.00	
		30.5	35.1	4.6	0.25						
		47.2	62.5	15.3	0.20						
		73.2	77.7	4.5	0.15						
		83.8	88.4	4.6	0.21						
		109.7	111.3	1.6	0.13						
		125.0	134.1	9.1	0.78						
		134.1	154.0	19.9	0.15						
	172.2	181.4	9.2	0.39							
ES-26		35.1	58.0	22.9	0.24		47.3	48.8	1.5	15.00	
		70.1	108.2	38.1	0.77		87.0	90.0	3.0	14.00	
	Incl.	85.3	90.0	4.7	5.08		210.3	213.4	3.1	12.00	
		122.0	126.5	4.5	0.14		228.6	231.7	3.1	12.00	
		129.4	132.6	3.2	0.25						
		140.2	147.8	7.6	0.44						
		157.0	158.5	1.5	0.22						
		178.3	181.4	3.1	0.47						
		189.0	215.0	26.0	0.41						
	Incl.	210.3	213.4	3.1	1.31						
		227.1	231.7	4.6	0.93						
		231.7	243.8	12.1	0.21						
	Hole Bottomed in Values						**Hole Bottomed in Values**				
ES-27		18.3	26.0	7.7	0.64		164.6	169.2	4.6	22.30	
		38.1	41.2	3.1	0.13		211.8	213.4	1.6	28.00	
		59.4	61.0	1.6	0.18						
		64.0	91.4	27.4	0.24						
		96.0	119.0	23.0	0.39						
		147.8	149.4	1.6	0.28						
		164.6	228.6	64.0	1.43						
	Incl.	166.1	169.2	3.1	2.42						
	and Incl.	172.2	173.7	1.5	5.01						
and Incl.	205.7	214.9	9.2	5.86							
ES-28		4.6	22.9	18.3	0.23						
		35.1	42.7	7.6	0.31						
		55.0	70.1	15.1	0.66						
ES-29		7.6	56.4	48.8	0.12		9.1	10.6	1.5	14.00	
		166.1	167.6	1.5	0.42						
ES-30		196.6	199.6	3.0	0.40		243.8	245.3	1.5	10.00	
		225.6	227.1	1.5	0.71		248.4	251.5	3.1	25.50	
		248.4	250.0	1.6	0.12						
ES-31		117.3	123.4	6.1	0.19		115.8	117.3	1.5	11.00	
		123.4	126.5	3.1	0.73		122.0	126.5	4.5	23.00	
		129.5	131.0	1.5	0.13		166.1	167.6	1.5	11.00	
		161.5	173.7	12.2	2.05						
	Incl.	166.1	167.6	1.5	9.23						
		202.7	205.7	3.0	1.00						
		205.7	211.8	6.1	0.23						
		222.5	224.0	1.5	0.16						
	228.6	230.1	1.5	0.20							
ES-32		82.3	100.6	19.8	0.26		291.1	292.6	1.5	67.00	
		280.4	282.0	1.6	1.35		295.7	297.2	1.5	10.00	
		288.0	303.3	15.3	0.87		320.0	321.6	1.6	19.00	
	Incl.	292.6	295.7	3.1	2.30						
		309.4	329.2	19.8	0.25						
ES-33		61.0	62.5	1.5	0.15		155.5	166.1	10.6	33.70	
		77.7	79.3	1.6	0.15		181.4	182.9	1.5	38.00	
		93.0	99.1	6.1	0.41						
		111.3	119.0	7.7	0.22						
		132.6	137.2	4.6	0.14						
		143.3	204.2	60.9	0.74						
	Incl.	161.5	186.0	24.5	1.30						
		218.0	240.8	22.8	0.24						
Incl.	234.7	236.2	1.5	1.40							
ES-34		70.1	71.6	1.5	0.14		178.3	181.4	3.1	11.00	
		141.7	143.3	1.6	0.82						
		157.0	160.0	3.0	0.30						
		164.6	186.0	21.4	0.51						
	Incl.	164.6	170.7	6.1	1.13						
ES-35		13.7	15.2	1.5	0.14						
		22.9	70.1	47.2	0.23						
		86.9	88.4	1.5	0.13						
		99.1	100.6	1.5	0.19						
		108.2	112.8	4.6	0.37						
		117.4	118.9	1.5	0.15						
ES-36		192.0	240.8	48.8	0.92		192.0	195.1	3.1	25.00	
	Incl.	192.0	198.1	6.1	2.62		204.2	230.1	25.9	22.50	
	and Incl.	221.0	222.5	1.5	2.73		234.7	236.2	1.5	17.00	
ES-37											
ES-38											
ES-39		39.6	41.1	1.5	0.13		118.9	135.6	16.7	25.50	
		76.2	79.2	3.0	0.10		192.0	216.4	24.4	37.60	
		80.8	82.3	1.5	0.14						
		100.6	102.1	1.5	0.14						
		105.2	112.8	7.6	0.26						
		117.3	144.8	27.5	0.27						
	Incl.	123.4	126.5	3.1	1.01						
		167.6	169.2	1.6	0.16						
		193.5	221.0	27.5	2.54						
	Incl.	199.6	202.6	3.0	19.61						
	Hole Bottomed in Values						**Hole Bottomed in Values**				

Drill Hole	GOLD				
		From (meters)	To (meters)	Length (meters)	Grade Au (g/t)
ES-40		4.6	7.6	3.0	0.17
		36.6	38.1	1.5	0.18
		42.7	44.2	1.5	0.17
		59.4	61.0	1.6	0.15
		83.8	96.0	12.2	0.19
		106.7	138.7	32.0	1.25
		179.8	221.0	41.2	0.38
		236.2	251.4	15.2	0.41
	Incl.	249.9	251.5	1.6	2.41
Hole Bottomed in Values					
ES-41					
ES-42		67.0	73.2	6.2	0.30
		88.4	94.5	6.1	0.12
		106.7	112.8	6.1	0.24
		248.4	277.4	29.0	0.54
	Incl.	249.9	253.0	3.1	1.91
ES-43	**Hole Abandoned, Stuck Steel, Duplicated by ES-69**				
ES-44		71.7	99.1	27.4	0.18
		231.7	233.2	1.5	0.34
		249.9	263.7	13.8	0.20
		266.7	281.9	15.2	0.15
Hole Lost Short of Target, Bottomed in Values					
ES-45		29.0	30.5	1.5	0.12
		53.3	54.9	1.6	0.27
		65.5	68.6	3.1	0.54
		77.7	79.2	1.5	0.22
		86.9	88.4	1.5	0.50
		96.0	99.1	3.1	1.15
		108.2	109.7	1.5	0.17
		128.0	129.5	1.5	0.73
		135.6	138.7	3.1	0.21
		161.5	169.2	7.7	0.20
		170.7	175.3	4.6	0.16
		178.3	182.9	4.6	0.20
		185.9	245.4	59.5	0.92
	Incl.	185.9	211.8	25.9	1.62
Hole Bottomed in Values					
ES-46		56.4	108.2	51.8	0.55
		118.8	120.4	1.6	0.12
		121.9	129.5	7.6	0.22
		246.9	306.3	59.4	0.58
	Incl.	281.9	298.7	16.8	1.03
Hole Bottomed in Values					
ES-47		132.6	135.6	3.0	0.25
		150.9	153.9	3.0	0.22
		175.2	182.9	7.7	0.15
		240.8	242.3	1.5	0.22
ES-48		0.0	13.7	13.7	0.22
		21.3	25.9	4.6	0.18
		41.1	61.0	19.9	0.19
		161.5	163.0	1.5	0.44
Poor Sample Recovery-Top to Bottom					
ES-49		125.0	128.0	3.0	0.43
		227.1	234.7	7.6	0.96
ES-50		0.0	4.6	4.6	0.14
		16.8	24.4	7.6	0.33
	Poor Sample Recovery				
ES-51		15.2	16.8	1.6	0.28
		53.3	54.9	1.6	0.12
		115.8	208.8	93.0	0.14
ES-52		21.3	24.4	3.1	0.13
		36.6	50.3	13.7	0.16
	Hole lost at 325 ft., Stuck Pipe, Did not reach target				
ES-53		30.5	32.0	1.5	0.21
		88.4	97.5	9.1	0.50
		111.3	112.8	1.5	1.72
		115.8	117.3	1.5	0.43
		123.4	126.5	3.1	0.40
		140.2	143.3	3.1	0.19
		147.8	150.9	3.1	1.03
		153.9	184.4	30.5	0.43
	Incl.	167.6	170.7	3.1	1.87
		192.0	207.3	15.3	0.25
		213.4	214.9	1.5	0.15
	Incl.	228.6	253.0	24.4	0.69
	Incl.	234.7	237.7	3.1	2.30
Hole Bottomed in Values					
ES-54	**Hole lost at 200 ft., No Significant Values**				
ES-55		47.2	48.8	1.6	0.13
		53.3	70.1	16.8	0.20
		91.4	93.0	1.6	0.13
		112.8	114.3	1.5	0.12
		199.6	201.2	1.6	0.19
		240.8	263.7	22.9	0.24
Hole Bottomed in Values					
ES-56		97.5	118.9	21.4	0.17
		146.3	147.8	1.5	0.23
		153.9	179.8	25.9	0.52
	Incl.	163.1	166.1	3.0	2.26
		187.5	190.5	3.0	0.52
Hole Bottomed in Values					
ES-57					
ES-58		89.9	94.5	4.6	0.16
		97.5	102.1	4.6	0.24
		169.2	245.4	76.2	0.35
	Incl.	184.4	204.2	19.8	1.00
	and Incl.	237.7	242.3	4.6	1.01
Hole Bottomed in Values					

	SILVER					
		From (meters)	To (meters)	Length (meters)	Grade Ag (g/t)	Grade Ag (opt)
		108.2	112.8	9.1	13.30	
		118.8	128.0	9.2	11.30	
		189.0	199.6	10.6	88.50	
	Incl.	190.5	193.5	3.0	203.00	
		205.7	208.8	3.1	24.50	
		248.4	251.4	3.0	8.50	
Hole Bottomed in Values						
		248.4	263.7	15.3	13.50	
Hole Bottomed in Values						
Hole Abandoned, Stuck Steel, Duplicated by ES-69						
Hole Lost Short of Target, Bottomed in Values						
		65.5	67.1	1.6	8.00	
		77.7	79.2	1.5	11.00	
		86.9	88.4	1.5	23.00	
		96.0	99.1	3.1	25.50	
		128.0	129.5	1.5	9.00	
		178.3	181.4	3.1	8.50	
Hole Bottomed in Values						
		80.8	105.2	24.4	24.40	
		246.9	256.0	9.1	20.00	
Hole Bottomed in Values						
Hole lost at 325 ft., Stuck Pipe, Did not reach target						
		89.9	97.5	7.6	10.00	
		111.3	112.8	1.5	8.00	
		123.4	126.5	3.1	17.00	
		146.3	149.4	3.1	24.00	
		213.4	214.9	1.5	9.00	
Hole Bottomed in Values						
Hole lost at 200 ft., No Significant Values						
		236.2	245.4	9.2	22.00	
		251.5	263.7	12.2	14.00	
Hole Bottomed in Values						
		118.9	120.4	1.5	10.00	
		163.1	166.1	3.0	19.00	
		175.3	178.3	3.0	15.00	
Hole Bottomed in Values						
		176.8	178.3	1.5	9.00	
		196.6	204.2	7.6	35.00	
		211.8	217.9	6.1	10.00	
		225.6	227.1	1.5	14.00	
		233.2	234.7	1.5	8.00	
		239.3	245.4	6.1	31.50	
Hole Bottomed in Values						

Drill Hole	GOLD					SILVER					
		From (meters)	To (meters)	Length (meters)	Grade Au (g/t)		From (meters)	To (meters)	Length (meters)	Grade Ag (g/t)	Grade Ag (opt)
ES-59		67.1	70.1	3.0	0.69		67.1	68.6	1.5	12.00	
		106.7	123.4	16.7	0.24		240.8	242.3	1.5	9.00	
		126.5	140.2	13.7	0.15						
		143.3	150.9	7.6	0.20						
		160.0	164.6	4.6	0.26						
		166.1	167.6	1.5	0.13						
		240.8	246.9	6.1	0.89						
		253.0	254.5	1.5	0.17						
		260.6	262.1	1.5	0.70						
		266.7	294.1	27.4	0.61						
Hole Bottomed in Values						**Hole Bottomed in Values**					
ES-60		33.5	39.6	6.1	0.13						
		173.7	176.8	3.1	0.24						
Lost Hole before Target						**Lost Hole before Target**					
ES-61		86.9	88.4	1.5	0.17		173.7	175.3	1.6	15.00	
		105.2	106.7	1.5	0.13						
		118.9	120.4	1.5	0.12						
		135.6	141.7	6.1	0.28						
		173.7	175.3	1.6	1.05						
		179.8	233.2	53.4	0.53						
		Incl. 179.8	201.2	21.4	0.89						
		and Incl. 187.5	192.0	4.5	1.30						
		and Incl. 198.1	201.2	3.1	2.07						
ES-62		27.4	29.0	1.6	0.12		198.1	204.2	6.1	27.70	
		149.4	164.6	15.2	1.05		Incl. 199.6	202.7	3.1	45.00	
		Incl. 152.4	158.5	6.1	2.15						
		172.2	173.7	1.5	0.34						
		185.9	189.0	3.1	0.38						
		198.1	204.2	6.1	2.18						
		Incl. 199.6	202.7	3.1	4.13						
		211.8	213.4	1.6	0.24						
ES-63		234.7	237.7	3.0	0.54						
		29.0	30.5	1.5	0.15						
		39.6	41.1	1.5	0.12						
		131.1	138.7	7.6	0.87						
		141.7	144.8	3.1	0.16						
	169.2	172.2	3.0	0.19							
Lost Hole before Target						**Lost Hole before Target**					
ES-64		93.0	105.2	12.2	0.13		73.2	74.7	1.5	7.00	
		118.9	120.4	1.5	0.21						
ES-65		47.2	53.3	6.1	0.14		222.5	225.6	3.1	9.50	
		59.4	65.5	6.1	0.24						
		85.3	86.9	1.6	0.12						
		99.1	106.7	7.6	0.32						
		111.3	117.3	6.0	0.14						
		120.4	263.7	143.3	0.33						
		Incl. 222.5	225.6	3.1	0.91						
		and Incl. 254.5	263.7	9.2	0.81						
Hole Bottomed in Values						**Hole Bottomed in Values**					
ES-66		29.0	30.5	1.5	0.13						
		65.5	67.1	1.6	0.16						
		76.2	82.3	6.1	0.12						
		109.7	111.3	1.6	0.14						
ES-67		76.2	106.7	30.5	0.19		86.9	93.0	6.1	20.30	
		118.9	120.4	1.5	0.12						
		121.9	123.4	1.5	0.18						
		135.6	137.2	1.6	0.13						
		143.3	144.8	1.5	0.13						
		193.5	196.6	3.1	0.15						
		202.7	231.7	29.0	0.43						
		239.3	262.1	22.8	1.37						
	Incl. 240.8	248.4	7.6	2.95							
ES-68		16.8	19.8	3.0	0.20						
		54.9	56.4	1.5	0.12						
		65.5	67.1	1.6	0.47						
		73.2	79.3	6.1	0.94						
		Incl. 73.2	76.2	3.0	1.52						
		80.8	82.3	1.5	0.22						
		86.9	88.4	1.5	0.22						
		94.5	96.0	1.5	0.25						
		97.5	100.6	3.1	0.12						
		103.6	106.7	3.1	0.24						
		109.7	120.4	10.7	0.12						
		125.0	138.7	13.7	0.19						
		166.1	167.6	1.5	0.16						
	181.4	187.5	6.1	0.13							
ES-69		73.2	74.7	1.5	0.13		102.1	103.6	1.5	7.00	
		102.1	105.2	3.1	0.30						
		129.5	135.6	6.1	0.34						
		143.3	149.4	6.1	0.53						
		155.4	157.0	1.6	0.20						
		160.0	170.7	10.7	0.13						
		187.5	202.7	15.2	0.13						
		208.8	211.8	3.0	0.13						
		222.5	224.0	1.5	0.22						
		240.8	256.0	15.2	0.37						
	262.1	263.7	1.6	0.13							
ES-70		39.6	41.1	1.5	0.12		152.4	153.9	1.5	8.00	
		64.0	65.5	1.5	0.89						
Poor Sample Recovery Through-out Entire Hole						**Poor Sample Recovery Through-out Entire Hole**					

Drill Hole	GOLD				SILVER					
	From (meters)	To (meters)	Length (meters)	Grade Au (g/t)	From (meters)	To (meters)	Length (meters)	Grade Ag (g/t)	Grade Ag (opt)	
ES-71		7.6	9.1	1.5	0.25		45.7	48.8	3.1	15.00
		19.8	24.4	4.6	0.28		76.2	79.2	3.0	16.00
		47.2	51.8	4.6	1.11		86.9	88.4	1.5	25.00
		56.4	67.1	10.7	0.16		152.4	153.9	1.5	8.00
		76.2	79.2	3.0	0.30		182.9	184.4	1.5	17.00
		86.9	89.9	3.0	0.27		190.5	196.6	6.1	13.00
		128.0	129.5	1.5	0.13		263.7	265.2	1.5	22.00
		150.9	157.0	6.1	0.24		345.9	349.0	3.1	12.00
		167.6	169.2	1.6	0.20					
		181.4	216.4	35.0	0.90					
	Incl.	190.5	196.6	6.1	4.21					
		239.3	240.8	1.5	0.14					
		245.4	249.9	4.5	0.20					
		256.0	275.8	19.8	0.96					
	Incl.	263.7	266.7	3.0	4.57					
		280.4	367.3	86.9	0.39					
	Incl.	283.5	286.5	3.0	1.19					
and Incl.	298.7	300.2	1.5	3.07						
	Hole Bottomed in Values					**Hole Bottomed in Values**				
ES-72		45.7	47.2	1.5	0.17					
		67.1	68.6	1.5	0.22					
		74.7	77.7	3.0	0.26					
		105.2	108.2	3.0	0.51					
		115.8	117.4	1.6	0.14					
		134.1	143.3	9.2	0.99					
	Incl.	134.1	138.7	4.6	1.80					
	152.4	155.4	3.0	0.13						
	Poor Sample Recovery					**Poor Sample Recovery**				
ES-73		54.9	56.4	1.5	0.18					
		68.6	70.1	1.5	0.15					
		77.7	79.2	1.5	0.18					
		170.7	172.2	1.5	0.45					
		210.3	211.8	1.5	0.18					
		262.1	263.7	1.6	0.14					
	268.2	272.8	4.6	0.24						
	Poor Sample Recovery					**Poor Sample Recovery**				
ES-74		33.5	36.6	3.1	0.13		50.3	51.8	1.5	8.00
		50.3	53.3	3.0	0.21		100.6	117.3	16.7	13.90
		65.5	67.1	1.6	0.38					
		79.2	80.8	1.6	0.22					
		88.4	89.9	1.5	0.16					
		93.0	94.5	1.5	0.32					
		100.6	117.3	16.7	0.46					
		125.0	131.1	6.1	0.14					
		140.2	141.7	1.5	0.13					
	144.8	146.3	1.5	0.24						
	Poor Sample Recovery					**Poor Sample Recovery**				
ES-75		7.6	9.1	1.5	0.41		38.1	39.6	1.5	13.00
		38.1	44.2	6.1	0.23		67.1	68.6	1.5	9.00
		54.9	70.1	15.2	0.17		85.3	88.4	3.1	9.00
		85.3	89.9	4.6	0.25		115.8	117.3	1.5	10.00
		115.8	117.3	1.5	0.39		146.3	147.8	1.5	12.00
		128.0	132.6	4.6	0.12		157.0	158.5	1.5	9.00
		135.6	137.2	1.6	0.12		164.6	166.1	1.5	8.00
		146.3	147.8	1.5	0.15					
		152.4	153.9	1.5	0.17					
		157.0	158.5	1.5	0.16					
		164.6	166.1	1.5	0.13					
		179.8	182.9	3.1	0.16					
		192.0	193.6	1.6	0.13					
	199.7	202.7	3.0	0.26						
	Very Poor Recovery, Especially 540-End of Hole					**Very Poor Recovery, Especially 540-End of Hole**				
ES-76		30.5	32.0	1.5	0.24		175.3	176.8	1.5	32.00
		38.1	39.6	1.5	0.13					
		112.8	114.3	1.5	0.16					
		138.7	140.2	1.5	0.25					
		158.5	160.0	1.5	0.16					
		166.1	167.6	1.5	0.20					
	Incl.	172.2	179.8	7.6	0.56					
	175.3	176.8	1.5	1.55						
	Very Poor Sample Recovery					**Very Poor Sample Recovery**				
ES-77		109.7	120.4	10.7	0.18		169.2	172.2	3.0	11.00
		125.0	129.5	4.5	0.14					
		140.2	149.4	9.2	0.54					
	Incl.	143.3	146.3	3.0	1.05					
		157.0	160.0	3.0	0.27					
		164.6	173.7	9.1	0.40					
		176.8	178.3	1.5	0.20					
		184.4	187.5	3.1	0.23					
		266.7	271.3	4.6	0.21					
		277.4	278.9	1.5	0.15					
	292.6	294.1	1.5	1.41						
	321.6	324.6	3.0	0.16						
ES-78		21.3	27.4	6.1	0.43		24.4	25.9	1.5	10.00
		38.1	39.6	1.5	0.15		143.3	144.8	1.5	9.00
		51.8	53.3	1.5	0.51		182.9	185.9	3.0	8.50
		68.6	93.0	24.4	0.22		233.2	234.7	1.5	8.00
		141.7	173.7	32.0	0.36					
	Incl.	147.8	150.9	3.1	1.34					
		178.3	184.4	6.1	0.16					
		201.2	211.8	10.6	0.67					
	Incl.	202.7	205.7	3.0	1.94					
		216.4	217.9	1.5	0.14					
		222.5	224.0	1.5	0.20					
		233.2	240.8	7.6	3.19					
Incl.	233.2	237.7	4.5	5.11						
	Hole Abandoned, Pipe Stuck in Hole					**Hole Abandoned, Pipe Stuck in Hole**				
ES-79		74.7	76.2	1.5	0.14		230.1	233.2	3.1	11.00
		146.3	149.4	3.1	0.18					
	Poor Sample Recovery					**Poor Sample Recovery**				

Drill Hole	GOLD					SILVER						
		From (meters)	To (meters)	Length (meters)	Grade Au (g/t)		From (meters)	To (meters)	Length (meters)	Grade Ag (g/t)	Grade Ag (opt)	
ES-80		33.5	42.7	9.2	0.18		38.1	42.7	4.6	11.00		
		45.7	47.2	1.5	0.13		118.9	120.4	1.5	38.00		
		73.2	79.2	6.0	0.15		125.0	126.5	1.5	14.00		
		85.3	102.1	16.8	0.29		128.0	131.1	3.1	11.00		
		115.8	268.2	152.4	0.71		150.9	152.4	1.5	12.00		
		Incl.	140.9	169.7	28.8	2.16		201.2	204.2	3.0	26.00	
		and Incl.	149.4	153.9	4.5	10.88		210.3	216.4	6.1	22.00	
			272.8	274.3	1.5	0.12		285.0	288.0	3.0	11.00	
			285.0	291.1	6.1	0.57						
		incl.	286.5	288.0	1.5	1.59						
			294.1	295.7	1.6	0.13						
			315.5	345.9	30.4	0.51						
		Incl.	330.7	333.8	3.1	2.52						
			359.7	371.9	12.2	0.19						
	Hole Bottomed in Values						**Hole Bottomed in Values**					
ES-81		38.1	39.6	1.5	0.13		198.1	199.6	1.5	13.00		
		85.3	93.0	7.7	0.25		274.3	288.0	13.7	50.90		
		97.5	100.6	3.1	0.14		272.8	332.2	59.4	11.00		
		115.8	118.8	3.0	0.19		Incl.	274.3	288.0	13.7	50.90	
		123.4	126.5	3.1	0.14		and Incl.	288.0	291.1	3.1	37.00	
		138.7	140.2	1.5	0.23							
		196.6	207.3	10.7	0.56							
		Incl.	204.2	205.7	1.5	2.56						
			225.6	227.1	1.5	0.35						
			274.3	330.7	56.4	0.62						
		Incl.	286.5	300.2	13.7	1.13						
			333.8	335.3	1.5	0.19						
		Hole Bottomed in Values						**Hole Bottomed in Values**				
	ES-82		21.3	22.9	1.6	0.13		61.0	62.5	1.5	8.00	
		30.5	44.2	13.7	0.17							
		59.4	64.0	4.6	0.31							
		70.1	74.7	4.6	0.19							
		77.8	79.3	1.5	0.17							
		157.0	158.5	1.5	0.22							
		184.4	185.9	1.5	0.13							
		190.5	193.6	3.1	0.15							
		Rods Stuck in Hole, Abandoned						**Rods Stuck in Hole, Abandoned**				
ES-83		36.6	38.1	1.5	0.18		173.7	175.3	1.6	8.00		
		57.9	61.0	3.1	0.21		211.8	213.4	1.6	9.00		
		137.2	138.7	1.5	0.26		228.6	231.6	3.0	8.50		
		142.4	143.9	1.5	0.18		320.0	323.1	3.1	8.00		
		150.9	153.9	3.0	0.13							
		158.5	268.2	109.7	0.69							
		Incl.	210.3	220.9	10.6	2.30						
		and Incl.	230.1	248.4	18.3	1.32						
			271.3	272.8	1.5	0.14						
			278.9	289.6	10.7	1.49						
			292.6	294.1	1.5	0.39						
			313.9	327.7	13.8	0.18						
			332.2	338.3	6.1	0.28						
		Hole Bottomed in Values						**Hole Bottomed in Values**				
ES-84		100.6	103.6	3.0	0.18		178.3	181.4	3.1	12.00		
		134.1	138.7	4.6	0.28		193.6	195.1	1.5	10.00		
		143.3	146.3	3.0	0.49		201.2	213.4	12.2	14.00		
		176.8	240.8	64.0	1.20		222.5	227.1	4.6	10.00		
		Incl.	198.1	202.7	4.6	2.06		271.3	275.8	4.5	10.00	
		and Incl.	205.7	207.3	1.6	2.43		291.1	292.6	1.5	8.00	
		and Incl.	210.3	217.9	7.6	4.25		298.7	301.8	3.1	9.00	
		and Incl.	221.0	222.5	1.5	2.65						
		294.1	295.7	1.6	0.29							
ES-85		182.9	184.4	1.5	0.26		275.8	278.9	3.1	22.00		
		275.8	278.9	3.1	1.01							
		342.9	344.4	1.5	0.13							
		355.1	358.1	3.0	0.26							
ES-86		18.3	21.3	3.0	0.15		29.0	30.5	1.5	7.00		
		24.4	47.2	22.8	0.26		44.2	45.7	1.5	8.00		
		57.9	65.5	7.6	0.17		138.7	140.2	1.5	12.00		
		76.2	77.7	1.5	0.12		225.6	239.3	13.7	19.00		
		132.6	143.3	10.7	0.23		248.4	253.0	4.6	19.00		
		185.9	192.0	6.1	0.33		256.0	260.6	4.6	8.00		
		196.6	198.1	1.5	0.18		263.7	265.2	1.5	8.00		
		227.1	236.2	9.1	0.36		271.3	272.8	1.5	40.00		
		248.4	254.5	6.1	0.42		285.0	288.0	3.0	8.00		
		257.6	259.1	1.5	0.13							
		263.7	288.0	24.4	2.70							
		Incl.	271.3	274.3	3.0	17.30						
		Hole Bottomed in Values						**Hole Bottomed in Values**				
	ES-87		3.0	32.0	29.0	0.25		68.6	70.1	1.5	7.00	
		44.2	65.5	21.3	0.18		73.2	86.9	13.7	9.30		
		71.6	88.4	16.8	0.20		96.0	100.6	4.6	11.50		
		99.1	102.1	3.0	0.32		196.6	201.2	4.6	7.00		
		121.9	123.4	1.5	0.15		248.4	253.0	4.6	17.00		
		196.6	202.7	6.1	1.10							
		227.1	234.7	7.6	0.14							
		incl.	231.6	234.7	3.1	0.15						
		245.4	259.1	13.7	0.31							
		265.2	266.7	1.5	0.13							

Drill Hole	GOLD					SILVER						
		From (meters)	To (meters)	Length (meters)	Grade Au (g/t)		From (meters)	To (meters)	Length (meters)	Grade Ag (g/t)	Grade Ag (opt)	
ES-88		21.3	29.0	7.7	0.16		22.9	24.4	1.5	8.90		
		36.6	38.1	1.5	0.30		70.1	71.6	1.5	8.00		
		57.9	59.4	1.5	0.13		97.5	99.1	1.6	9.30		
		62.5	64.0	1.5	0.18		160.0	161.5	1.5	8.40		
		93.0	100.6	7.6	0.15		176.8	178.3	1.5	14.90		
		111.3	114.3	3.0	0.19		416.3	417.2	0.9	36.30		
		126.5	128.0	1.5	0.12		466.7	468.2	1.5	7.00		
		137.2	138.7	1.5	0.27							
		141.7	143.3	1.6	0.34							
		161.5	167.6	6.1	0.31							
		173.7	178.3	4.6	0.34							
		185.9	189.0	3.1	0.38							
		192.6	194.2	1.6	0.23							
		206.5	209.4	2.9	1.73							
		221.6	223.3	1.7	1.04							
		227.1	229.1	2.0	0.52							
		271.9	277.2	5.3	0.35							
		292.0	298.1	6.1	0.14							
		304.2	306.9	2.7	0.17							
		318.5	320.6	2.1	0.20							
	328.3	333.8	5.5	0.35								
	348.1	349.6	1.5	0.14								
	416.1	417.0	0.9	0.62								
ES-89		44.2	48.8	4.6	0.18		197.1	197.5	0.4	12.53		
		132.6	135.6	3.0	0.11		200.3	201.2	0.9	14.27		
		140.2	141.7	1.5	0.13		208.5	215.8	7.3	18.17		
		155.4	190.2	34.8	0.25	incl.	209.4	210.8	1.4	32.50		
		197.1	236.2	39.2	0.69		227.8	228.4	0.6	8.92		
		Incl.	209.4	211.1	1.7	2.75		231.0	232.3	1.3	7.01	
		and Incl.	229.2	236.2	7.0	1.55		293.1	306.3	13.2	9.38	
		263.7	266.7	3.0	0.29		incl.	295.0	296.9	1.9	16.36	
		270.4	276.5	6.1	0.15		and incl.	302.1	304.8	2.7	13.80	
		296.0	310.3	14.3	0.75			381.0	382.5	1.5	7.31	
		Incl.	302.1	304.8	2.7	2.50		427.6	428.9	1.3	14.53	
		314.6	315.8	1.2	0.26							
		320.3	321.6	1.3	0.14							
		379.5	388.6	9.1	0.31							
		401.7	402.6	0.9	0.12							
		409.7	411.5	1.8	0.14							
	427.6	428.9	1.3	0.31								
ES-90		22.9	24.4	1.5	0.20		108.2	109.7	1.5	7.90		
		76.2	82.3	6.1	0.19		114.3	115.8	1.5	7.00		
		105.2	129.5	24.3	0.35		120.4	125.0	4.6	17.60		
		140.2	141.7	1.5	0.12		187.5	201.2	13.7	57.04		
		185.6	199.0	13.4	4.06	incl.	189.9	191.3	1.4	213.00		
		Incl.	189.9	191.3	1.4	34.90		240.8	242.3	1.5	9.25	
		214.9	217.9	3.0	0.24		245.5	246.9	1.4	9.10		
		237.7	248.4	10.7	0.75		266.7	268.2	1.5	20.69		
		Incl.	245.5	248.4	2.9	1.97						
		254.5	256.0	1.5	1.60							
		265.2	268.2	3.0	5.00							
		330.7	332.2	1.5	0.18							
ES-91		88.4	102.1	13.7	0.13		128.0	138.7	10.7	42.40		
		112.8	114.3	1.5	0.14	incl.	134.1	137.2	3.1	107.00		
		129.5	149.4	19.9	1.74		141.7	143.3	1.6	10.50		
		Incl.	135.6	137.2	1.6	17.90						
		175.3	182.9	7.6	0.13							
ES-92		6.1	21.3	15.2	0.36		51.8	53.3	1.5	7.60		
		Incl.	7.6	10.7	3.1	0.95		184.4	208.8	24.4	24.70	
		38.1	57.9	19.8	0.18	incl.	195.1	196.6	1.5	42.10		
		71.6	73.2	1.6	0.20	and incl.	199.6	204.2	4.6	51.00		
		80.8	89.9	9.1	0.30		227.1	231.6	4.5	18.70		
		106.7	108.2	1.5	0.13	incl.	228.6	230.1	1.5	31.50		
		112.8	114.3	1.5	0.12							
		140.2	143.3	3.1	0.16							
		155.4	166.1	10.7	0.21							
		173.7	179.8	6.1	0.19							
		184.4	208.8	24.4	0.35							
		Incl.	199.6	204.2	4.6	1.04						
		227.1	233.2	6.1	0.54							
		265.2	268.2	3.0	0.17							
	326.1	336.8	10.7	0.46								
	Incl.	329.2	330.7	1.5	1.22							
		Hole Bottomed in Values										
ES-93		50.3	56.4	6.1	0.16		186.0	187.5	1.5	7.75		
		61.0	64.0	3.0	0.15		224.0	236.2	12.2	28.04		
		68.6	74.7	6.1	0.14	incl.	230.1	233.2	3.1	59.60		
		125.0	126.5	1.5	0.12		251.5	253.0	1.5	8.14		
		169.2	170.7	1.5	0.13							
		187.5	189.0	1.5	0.16							
		224.0	234.7	10.7	0.16							
		251.5	256.0	4.5	0.34							
ES-94		54.9	59.4	4.5	0.12		167.6	175.3	7.7	11.70		
		82.3	83.8	1.5	0.29		183.5	184.7	1.2	17.40		
		121.9	125.0	3.1	0.18		188.4	189.7	1.3	13.60		
		160.0	219.5	59.5	0.47		191.7	195.1	3.4	9.70		
		Incl.	172.2	173.7	1.5	3.27		201.2	202.4	1.2	7.22	
		and Incl.	183.5	184.7	1.2	1.81		207.6	211.8	4.2	21.00	
		228.6	230.1	1.5	0.12			215.5	216.4	0.9	120.00	
		254.8	268.2	13.4	0.36			254.8	259.4	4.6	14.10	
		303.3	316.7	13.4	0.66			305.7	306.9	1.2	12.90	
		371.2	372.8	1.6	0.36							
	424.0	425.5	1.5	0.23								

Drill Hole	GOLD					SILVER					
		From (meters)	To (meters)	Length (meters)	Grade Au (g/t)		From (meters)	To (meters)	Length (meters)	Grade Ag (g/t)	Grade Ag (opt)
ES-95		21.0	31.1	10.1	0.17		121.9	123.4	1.5	6.90	
		38.4	39.3	0.9	0.15						
		48.5	49.4	0.9	0.14						
		52.7	53.0	0.3	0.24						
		55.8	65.8	10.0	0.14						
		68.6	72.2	3.6	0.18						
		75.0	76.8	1.8	0.26						
		81.4	82.3	0.9	0.24						
		84.1	85.0	0.9	0.19						
		86.9	96.0	9.1	0.34						
		99.1	102.1	3.0	0.87						
	Incl.	99.1	100.6	1.5	1.46						
		149.4	150.0	0.6	0.38						
		172.2	173.7	1.5	0.59						
ES-96		105.2	106.7	1.5	0.15		137.2	138.7	1.5	8.38	
		134.1	143.3	9.2	0.32		201.2	222.5	21.3	125.60.	
		192.0	193.5	1.5	0.13	incl.	202.7	210.3	7.6	156.00	
		199.6	234.7	35.1	4.10	and incl.	213.4	221.0	7.6	154.80	
	Incl.	201.2	221.0	19.8	6.90		227.1	231.6	4.5	16.80	
		239.3	249.9	10.6	0.35						
	Incl.	243.8	245.4	1.6	1.10						
		266.7	269.7	3.0	0.31						
	301.8	303.3	1.5	0.15							
ES-97		4.6	6.1	1.5	0.15		216.4	219.5	3.1	8.77	
		181.4	187.5	6.1	0.26		227.1	236.2	9.1	11.72	
		198.1	199.6	1.5	0.12	incl.	227.1	230.1	3.0	21.40	
		227.1	239.3	12.2	0.21		260.6	278.9	18.3	11.16	
		260.6	280.4	19.8	0.38	incl.	265.2	268.2	3.0	25.10	
ES-98		19.8	64.0	44.2	0.04						
	Only Anomalous										
ES-99		15.2	54.9	39.7	0.04						
	Only Anomalous										
ES-100		3.7	9.5	5.8	0.21		7.6	8.5	0.9	9.65	
		41.8	43.3	1.5	0.50		41.8	43.3	1.5	7.50	
		64.0	65.5	1.5	0.15		152.4	155.4	3.0	11.36	
		74.2	74.7	0.5	0.53		159.6	159.9	0.3	11.20	
		150.9	153.9	3.0	0.14		169.6	172.2	2.6	7.25	
		159.6	159.9	0.3	7.07		207.3	210.3	3.0	17.40	
		168.6	193.5	24.9	0.71		232.9	234.1	1.2	7.61	
	Incl.	169.6	172.2	2.6	2.20		304.2	305.1	0.9	11.57	
	and Incl.	179.5	180.4	0.9	2.49		316.7	319.4	2.7	7.90	
	and Incl.	185.0	187.5	2.5	1.47		320.6	321.7	1.1	7.40	
		204.2	212.4	8.2	0.15		340.8	341.8	1.0	37.70	
		221.9	242.3	20.4	0.13		412.9	415.4	2.5	22.30	
		252.7	273.7	21.0	0.38		425.8	427.5	1.7	35.90	
	Incl.	270.4	272.5	2.1	2.16		450.8	452.0	1.2	7.50	
		277.7	378.0	100.3	0.63						
	Incl.	318.2	325.5	7.3	1.25						
	and Incl.	335.3	349.0	13.7	1.76						
		382.5	432.7	50.2	0.66						
	Incl.	412.9	427.5	14.6	1.27						
		445.0	453.3	8.3	0.33						
ES-101		12.2	35.1	22.9	0.06						
	Only Anomalous										
ES-102		94.5	105.2	10.7	0.31		268.2	269.7	1.5	7.37	
		141.7	143.3	1.6	0.13		303.3	306.3	3.0	27.90	
		169.2	179.8	10.6	0.17						
		196.6	198.1	1.5	0.22						
		231.7	236.2	4.5	0.12						
		268.2	269.8	1.6	0.58						
		301.8	318.5	16.7	0.82						
	Incl.	301.8	306.3	4.5	2.29						
	Hole Bottomed in Values						**Hole Bottomed in Values**				
ES-103		0.0	15.2	15.2	0.27		71.6	77.7	6.1	12.32	
		19.8	22.9	3.1	0.14		225.6	227.1	1.5	7.40	
		38.1	42.7	4.6	0.20						
		71.6	79.3	7.7	0.15						
		111.3	114.3	3.0	0.15						
		118.9	120.4	1.5	0.13						
		128.0	141.7	13.7	0.16						
		161.5	163.1	1.6	0.14						
		181.4	182.9	1.5	0.34						
		208.8	217.9	9.1	0.17						
	224.0	271.3	47.3	0.19							
ES-104		13.7	19.8	6.1	0.32		195.1	196.6	1.5	12.30	
		96.0	97.5	1.5	0.13		202.7	205.7	3.0	12.37	
		175.3	176.8	1.5	0.12		230.1	231.6	1.5	9.02	
		185.9	187.5	1.6	0.13		344.4	345.9	1.5	17.80	
		195.1	219.5	24.4	0.27						
	Incl.	195.1	196.6	1.5	1.51						
		230.1	231.6	1.5	0.50						
		242.3	254.5	12.2	0.11						
		286.5	356.6	70.1	0.46						
Incl.	341.4	350.5	9.1	2.20							
	379.5	382.5	3.0	0.29							
ES-105		4.0	5.5	1.5	0.13		179.8	181.4	1.6	11.70	
		72.5	73.8	1.3	0.24		413.9	415.7	1.8	9.79	
		90.5	97.8	7.3	0.11						
		114.9	115.2	0.3	0.17						
		179.8	182.9	3.1	0.22						
		245.7	247.3	1.6	0.43						
		343.8	346.6	2.8	0.12						
		396.2	397.8	1.6	0.21						
		400.8	402.3	1.5	0.12						
	411.2	412.4	1.2	0.13							
ES-106		155.5	158.5	3.0	0.14		184.4	185.9	1.5	9.30	
		164.6	166.1	1.5	0.20		231.6	233.2	1.6	8.80	
		182.9	199.6	16.7	0.21		248.4	271.2	22.8	65.70	
		221.0	234.7	13.7	0.25	Incl.	256.0	263.7	7.7	147.20	
		245.4	279.0	33.6	0.78						
	Incl.	256.0	263.7	7.7	2.64						
	322.2	338.3	6.1	0.12							

Drill Hole	GOLD					SILVER						
		From (meters)	To (meters)	Length (meters)	Grade Au (g/t)		From (meters)	To (meters)	Length (meters)	Grade Ag (g/t)	Grade Ag (opt)	
ES-107		61.0	70.1	9.1	0.24		169.2	173.7	4.5	23.37		
		111.3	126.5	15.2	0.14		179.8	211.8	32.0	19.42		
		132.6	135.6	3.0	0.14							
		163.1	246.9	83.8	0.98	Incl.	192.0	199.6	7.6	37.84		
		Incl. 170.7	173.7	3.0	2.53		216.4	217.9	1.5	9.19		
		and Incl. 198.1	217.9	19.8	1.93		222.5	228.6	6.1	9.15		
			251.5	254.5	3.0	0.19		234.7	240.8	6.1	9.90	
		260.6	269.8	9.2	0.15							
ES-108		51.8	54.9	3.1	0.39		71.6	76.2	4.6	5.78		
		61.0	62.5	1.5	0.19		102.1	105.2	3.1	7.57		
		68.6	74.7	6.1	0.19		109.7	114.3	4.6	18.56		
		109.7	189.0	79.3	0.33		123.4	132.6	9.2	29.20		
		Incl. 109.7	111.3	1.6	1.53	incl.	128.0	131.1	3.1	68.00		
		and Incl. 123.4	129.5	6.1	1.25		160.0	161.5	1.5	13.80		
			195.1	196.6	1.5	0.13		210.3	222.5	12.2	46.93	
			204.2	205.7	1.5	0.33		incl. 214.9	219.5	4.6	99.64	
			210.3	233.2	22.9	0.43		251.5	256.0	4.5	11.15	
		Incl. 214.9	217.9	3.0	1.38		329.2	330.7	1.5	8.80		
			239.3	243.8	4.5	0.94						
		Incl. 240.8	242.3	1.5	2.46							
			253.0	259.1	6.1	0.73						
		Incl. 253.0	254.5	1.5	1.92							
			277.4	285.0	7.6	0.13						
		326.1	355.1	29.0	0.28							
ES-109												
ES-110		56.1	60.7	4.6	0.15		80.8	82.0	1.2	9.50		
		65.5	108.2	42.7	0.38		258.2	278.9	20.7	17.54		
		Incl. 68.7	70.1	1.4	2.69		300.2	320.0	19.8	8.21		
			116.4	118.2	1.8	0.48						
			261.2	332.8	71.6	0.51						
	Incl. 318.5	320.0	1.5	4.87								
ES-111		91.4	93.0	1.6	0.25		187.5	192.0	4.5	8.61		
		111.3	112.8	1.5	0.22		207.3	222.5	15.2	43.36		
		123.4	132.6	9.2	0.14							
		143.3	147.8	4.5	0.20	Incl.	213.4	216.4	3.0	159.00		
		184.4	202.7	18.3	0.22		231.7	236.2	4.5	13.79		
		205.7	251.5	45.8	1.41		243.8	245.4	1.6	7.23		
		Incl. 211.8	214.9	3.1	11.96							
		246.9	249.9	3.0	2.91							
ES-112		68.6	71.6	3.0	0.12							
		109.7	111.3	1.6	0.12							
		178.3	195.1	16.8	0.21							
		207.3	208.8	1.5	0.13							
		301.8	303.3	1.5	0.13							
	361.2	364.2	3.0	0.19								
ES-113		121.9	123.4	1.5	0.13		179.8	181.4	1.6	11.30		
		131.1	132.6	1.5	0.12		197.5	201.0	3.5	8.41		
		179.8	182.9	3.1	0.48		219.0	220.2	1.2	7.40		
		189.0	189.9	0.9	0.14		244.5	246.9	2.4	12.95		
		197.5	201.0	3.5	0.22		277.8	289.3	11.5	11.54		
		211.2	227.4	16.2	0.25		320.7	326.1	5.4	9.42		
		237.7	240.5	2.8	0.12		330.3	333.3	3.0	9.89		
		243.5	256.2	12.7	0.20		360.7	365.8	5.1	21.55		
		261.2	265.5	4.3	0.38							
		277.8	290.8	13.0	1.12							
		Incl. 286.8	289.3	2.5	4.38							
			310.0	342.3	32.3	0.33						
		Incl. 319.1	320.7	1.6	1.57							
		and Incl. 330.3	331.5	1.2	1.15							
			346.6	371.6	25.0	1.26						
	Incl. 360.0	367.0	7.0	3.47								
ES-114		12.2	13.7	1.5	0.12		24.4	25.8	1.4	12.20		
		24.4	25.9	1.5	0.47		51.7	52.7	1.0	7.56		
		48.8	49.7	0.9	0.14		64.0	65.1	1.1	12.10		
		51.7	52.7	1.0	0.16		79.3	80.0	0.7	8.67		
		64.0	65.1	1.1	0.16		88.4	89.3	0.9	48.82		
		79.3	80.0	0.7	0.33		119.5	121.0	1.5	8.70		
		88.4	89.3	0.9	4.84		137.0	137.8	0.8	28.32		
		98.2	99.7	1.5	0.14		216.4	217.9	1.5	13.80		
		104.2	105.8	1.6	0.22		234.7	242.3	7.6	35.09		
		116.4	121.0	4.6	0.62		Incl. 236.5	237.7	1.2	100.00		
		136.3	150.0	13.7	0.69		276.5	278.0	1.5	26.30		
		Incl. 137.0	139.3	2.3	3.29		293.8	294.7	0.9	13.87		
			155.5	157.0	1.5	0.38		297.3	298.6	1.3	20.80	
			169.5	185.9	16.4	0.33						
			195.1	336.8	141.7	0.53						
		Incl. 276.5	278.0	1.5	2.61							
		and Incl. 293.8	298.6	4.8	6.45							
		and Incl. 315.5	317.0	1.5	3.25							
ES-115		44.2	56.4	12.2	0.23		221.3	226.2	4.9	7.89		
		221.3	227.7	6.4	0.26		333.8	339.2	5.4	24.34		
		232.7	233.5	0.8	0.38		418.2	419.7	1.5	58.41		
		249.5	251.2	1.7	0.15							
		276.0	276.8	0.8	0.40							
		298.7	300.2	1.5	0.63							
		306.3	313.6	7.3	0.34							
		319.4	320.6	1.2	0.17							
		328.9	345.5	16.6	0.91							
		Incl. 333.8	339.2	5.4	1.78							
			349.0	353.0	4.0	0.14						
			415.1	421.2	6.1	14.52						
	Incl. 418.2	419.7	1.5	56.89								
		424.3	427.3	3.0	0.24							
ES-116		45.7	48.8	3.1	0.14		77.7	83.8	6.1	6.15		
		57.9	59.4	1.5	0.40		100.6	106.7	6.1	9.91		
		77.7	79.3	1.6	0.16		121.9	123.4	1.5	18.40		
		100.6	123.4	22.8	0.17		157.0	158.5	1.5	18.80		
		137.2	138.7	1.5	0.18		170.7	176.8	6.1	15.49		
		141.7	143.3	1.6	0.14		185.9	187.5	1.6	7.70		
		155.5	164.6	9.1	0.34		214.9	219.5	4.6	19.33		
		169.2	176.8	7.6	0.71		243.8	248.4	4.6	14.68		
		185.9	257.6	71.7	0.50		294.1	295.7	1.6	13.40		
		Incl. 192.0	195.1	3.1	1.65							
		and Incl. 234.7	236.2	1.5	2.03							
		and Incl. 245.4	246.9	1.5	2.92							
			291.1	295.7	4.6	0.28						

Drill Hole	GOLD					SILVER					
		From (meters)	To (meters)	Length (meters)	Grade Au (g/t)		From (meters)	To (meters)	Length (meters)	Grade Ag (g/t)	Grade Ag (opt)
ES-117		77.7	79.3	1.6	0.13		143.3	144.8	1.5	15.31	
		86.9	88.4	1.5	0.34		193.5	196.6	3.1	16.93	
		96.0	103.6	7.6	0.21		205.7	207.3	1.6	19.80	
		109.7	125.0	15.3	0.29		216.4	237.7	21.3	26.60	
		143.3	144.8	1.5	0.13	Incl.	217.9	225.6	7.7	62.54	
		172.2	173.7	1.5	0.12		251.5	254.5	3.0	11.41	
		176.8	179.8	3.0	0.13		259.1	260.6	1.5	14.70	
		184.4	185.9	1.5	0.14		263.7	265.2	1.5	14.20	
		190.5	288.0	97.5	0.68		275.8	285.0	9.2	8.06	
		Incl. and Incl.	205.7 217.9	210.3 224.0	4.6 6.1	3.17 1.99					
ES-118		77.7	80.8	3.1	0.29		93.0	94.5	1.5	7.10	
		89.9	96.0	6.1	0.22		213.4	221.0	7.6	12.67	
		167.6	178.3	10.7	0.55		225.6	248.4	22.8	38.76	
		184.4	185.9	1.5	0.49	Incl.	236.2	240.8	4.6	106.62	
		190.5	249.9	59.4	0.74						
		Incl.	234.7	242.3	7.6	3.07					
			257.6	263.7	6.1	0.17					
		280.4	286.5	6.1	0.33						
ES-119		91.4	96.0	4.6	0.24		91.4	93.0	1.6	13.09	
		153.9	157.0	3.1	0.15		166.1	169.2	3.1	12.30	
		166.1	170.7	4.6	0.58		184.4	185.9	1.5	7.31	
		175.3	176.8	1.5	0.14		187.5	189.0	1.5	7.42	
		184.4	262.1	77.7	0.83		216.4	217.9	1.5	11.70	
		Incl.	216.4	217.9	1.5	5.64	225.6	242.3	16.7	14.84	
		and Incl.	230.1	233.2	3.1	3.45	254.5	262.1	7.6	21.09	
		and Incl.	237.7	240.8	3.1	1.90	277.4	280.4	3.0	11.96	
		and Incl.	254.5	259.1	4.6	3.90					
			272.8	281.9	9.1	0.28					
		288.0	298.7	10.7	0.17						
ES-120		36.3	39.0	2.7	0.35		355.1	356.0	0.9	7.11	
		43.3	44.3	1.0	0.13		365.5	367.9	2.4	7.22	
		49.1	50.8	1.7	0.15		373.7	380.4	6.7	8.03	
		59.1	60.7	1.6	0.16		387.1	391.4	4.3	7.59	
		63.7	65.1	1.4	0.19		393.8	401.4	7.6	7.92	
		283.5	284.7	1.2	0.82						
		301.8	302.7	0.9	0.13						
		319.1	320.6	1.5	0.22						
		325.2	326.7	1.5	0.12						
		331.3	334.4	3.1	0.63						
		341.4	347.9	6.5	0.42						
		355.1	356.0	0.9	0.30						
		360.0	367.9	7.9	0.27						
		373.7	376.7	3.0	0.18						
		379.2	380.4	1.2	0.31						
		382.5	384.1	1.6	0.45						
	386.2	406.0	19.8	0.60							
ES-121		115.8	172.2	56.4	0.22		121.9	129.5	7.6	26.82	
		204.2	283.5	79.3	0.67		146.3	147.8	1.5	8.70	
		Incl.	263.7	269.8	6.1	4.32	150.9	152.4	1.5	7.70	
							160.0	161.5	1.5	12.43	
							169.2	172.2	3.0	9.12	
							224.0	228.6	4.6	11.15	
							234.7	239.3	4.6	10.28	
							248.4	249.9	1.5	9.43	
						256.0	257.6	1.6	8.67		
						262.1	280.4	18.3	28.75		
ES-122		73.2	74.7	1.5	0.18		155.5	157.0	1.5	10.32	
		131.1	132.6	1.5	0.28		176.8	178.3	1.5	12.63	
		140.2	141.7	1.5	0.36		205.7	208.8	3.1	10.43	
		155.5	164.6	9.1	0.12		231.7	239.3	7.6	18.46	
		169.2	170.7	1.5	0.21		253.0	256.0	3.0	12.39	
		173.7	195.1	21.4	0.18		265.2	269.7	4.5	19.39	
		199.6	221.0	21.4	0.18		286.5	291.1	4.6	12.69	
		231.7	291.1	59.4	0.85						
		Incl.	242.3	245.4	3.1	1.91					
		and Incl.	253.0	256.0	3.0	2.47					
		and Incl.	260.6	271.3	10.7	1.72					
			315.5	317.0	1.5	0.18					
		323.1	324.6	1.5	0.13						
ES-123		53.3	83.8	30.5	0.16		152.4	153.9	1.5	7.70	
		114.3	115.8	1.5	0.14		158.2	160.2	2.0	31.22	
		152.4	153.9	1.5	0.26		267.5	268.5	1.0	10.04	
		158.2	174.4	16.2	0.17		290.2	291.1	0.9	7.38	
		180.1	183.2	3.1	0.25		296.3	300.5	4.2	5.90	
		199.6	200.3	0.7	0.13		303.3	306.9	3.6	11.40	
		203.3	207.1	3.8	0.20		316.7	319.0	2.3	17.31	
		236.5	239.6	3.1	0.13		341.1	344.3	3.2	34.06	
		249.0	250.6	1.6	0.14		412.1	413.6	1.5	11.46	
		253.6	253.9	0.3	0.18						
		259.7	261.2	1.5	0.22						
		264.0	273.1	9.1	1.05						
		Incl.	267.5	269.8	2.3	1.41					
		and Incl.	272.0	273.1	1.1	3.41					
			278.3	280.6	2.3	0.56					
			284.1	306.9	22.8	0.39					
		Incl.	290.2	291.1	0.9	1.67					
		and Incl.	296.3	297.5	1.2	2.49					
			310.0	311.8	1.8	0.25					
			316.7	320.4	3.7	0.14					
			328.0	334.8	6.8	0.22					
			342.3	346.9	4.6	0.26					
			355.4	356.9	1.5	0.18					
			360.0	361.5	1.5	0.13					
			364.5	388.6	24.1	0.27					
			395.6	397.2	1.6	0.21					
			410.6	413.6	3.0	0.18					
		417.6	423.8	6.2	0.25						
		** Hole Bottomed in Values **									

Drill Hole	GOLD					SILVER							
		From (meters)	To (meters)	Length (meters)	Grade Au (g/t)		From (meters)	To (meters)	Length (meters)	Grade Ag (g/t)	Grade Ag (opt)		
ES-124		68.6	74.7	6.1	0.42		68.6	70.1	1.5	17.31			
		88.4	93.0	4.6	0.14		85.3	96.0	10.7	12.63			
		115.8	120.4	4.6	0.13		115.8	121.9	6.1	17.22			
		146.3	147.8	1.5	0.13		129.5	131.1	1.6	8.42			
		160.0	163.1	3.1	0.23		239.3	243.8	4.5	24.66			
		178.3	181.4	3.1	0.29		333.8	338.3	4.5	39.23			
		199.6	201.2	1.6	0.12								
		237.7	249.9	12.2	1.60								
		Incl.	239.3	240.8	1.5	5.40							
			266.7	271.3	4.6	0.12							
			277.4	280.4	3.0	0.17							
			283.5	288.0	4.5	0.13							
			291.1	292.6	1.5	0.12							
	ES-125		309.4	321.6	12.2	0.16							
		333.8	364.2	30.4	0.75								
		Incl.	335.3	339.9	4.6	3.87							
			51.8	61.0	9.2	0.13		120.4	123.4	3.0	24.49		
			93.0	94.5	1.5	0.14		131.1	134.1	3.0	20.44		
			120.4	123.4	3.0	0.38		173.7	175.3	1.6	7.03		
			126.5	135.6	9.1	0.56		193.5	195.1	1.6	7.63		
			Incl.	131.1	132.6	1.5	1.90		204.2	205.7	1.5	15.83	
			167.6	179.8	12.2	0.34		210.3	211.8	1.5	8.38		
			190.5	198.1	7.6	0.44		225.6	227.1	1.5	8.12		
			256.0	265.2	9.2	0.48		260.6	266.7	6.1	13.07		
			272.8	294.1	21.3	0.53		285.0	286.5	1.5	7.57		
			Incl.	275.8	277.4	1.6	1.26		297.2	298.7	1.5	12.82	
			and Incl.	280.4	281.9	1.5	1.44		303.3	304.8	1.5	7.33	
ES-126		297.2	320.0	22.8	2.16		307.8	320.0	12.2	25.56			
		Incl.	310.9	312.4	1.5	18.10							
			32.0	35.1	3.1	0.28		240.8	257.6	16.8	79.29		
			120.4	121.9	1.5	0.17		Incl.	242.3	243.8	1.5	137.11	
			158.5	161.5	3.0	0.17		and Incl.	251.5	254.5	3.0	166.84	
			222.5	224.0	1.5	0.12			268.2	271.3	3.1	10.22	
			231.6	234.7	3.1	0.16							
			239.3	285.0	45.7	1.26							
			Incl.	240.8	245.4	4.6	3.41						
			and Incl.	248.4	256.0	7.6	4.25						
			297.2	300.2	3.0	0.17							
			307.8	310.9	3.1	0.46							
	ES-127		108.2	112.8	4.6	0.32		231.6	233.2	1.6	7.04		
			144.8	146.3	1.5	0.18		237.7	239.3	1.6	16.35		
		150.9	155.4	4.5	0.27		254.5	256.0	1.5	7.44			
		163.1	167.6	4.5	0.16		262.1	265.2	3.1	14.73			
		196.6	199.6	3.0	0.22		268.2	269.7	1.5	14.42			
		208.8	210.3	1.5	0.24		280.4	289.6	9.2	13.59			
		216.4	222.5	6.1	0.19		294.1	295.7	1.6	9.67			
		237.7	239.3	1.6	0.15								
		251.5	256.0	4.5	0.13								
		262.1	289.6	27.5	0.57								
			Incl.	277.4	283.5	6.1	1.20						
			294.1	295.7	1.6	0.13							
			307.8	321.6	13.8	0.46							
ES-128			53.3	54.9	1.6	0.30		315.5	349.0	33.5	20.21		
		106.7	114.3	7.6	0.14		Incl.	318.5	326.1	7.6	64.04		
		189.0	190.5	1.5	0.64			353.6	358.1	4.5	10.53		
		225.6	234.7	9.1	0.61			361.2	373.4	12.2	14.26		
		243.8	245.4	1.6	0.20			Incl.	368.8	370.3	1.5	44.02	
		262.1	274.3	12.2	0.14								
		294.1	358.1	64.0	0.81								
			Incl.	312.4	326.1	13.7	3.45						
			368.8	370.3	1.5	0.49							
		** Hole Bottomed In Values **						** Hole Bottomed In Values **					
ES-129		132.3	136.1	3.8	0.18		178.3	182.0	3.7	7.86			
		148.1	152.4	4.3	0.17		193.9	194.3	0.4	10.66			
		156.1	170.7	14.6	0.19		261.2	262.7	1.5	10.92			
		174.7	211.2	36.5	0.42		307.5	308.7	1.2	17.08			
			Incl.	180.4	182.0	1.6	1.66		353.6	358.8	5.2	18.89	
			and Incl.	189.0	189.6	0.6	3.68		361.5	363.0	1.5	7.45	
			and Incl.	193.9	194.3	0.4	8.78		387.7	391.4	3.7	8.84	
			217.0	217.9	0.9	0.24							
			233.5	246.3	12.8	0.19							
			261.2	262.7	1.5	0.51							
			272.8	278.6	5.8	0.14							
			283.2	284.7	1.5	0.15							
			289.3	290.2	0.9	0.16							
			293.5	311.2	17.7	0.20							
			316.7	318.2	1.5	1.59							
			331.0	332.5	1.5	0.21							
			345.6	377.0	31.4	0.21							
			Incl.	372.9	374.3	1.4	1.03						
			387.7	391.4	3.7	0.14							
			397.2	398.4	1.2	0.13							
			405.4	427.9	22.5	0.57							
			Incl.	415.8	417.0	1.2	2.00						
		and Incl.	419.7	421.2	1.5	2.42							
		432.2	441.4	9.2	0.26								
ES-130		36.6	44.2	7.6	0.31		333.8	355.1	21.3	21.73			
		94.5	96.0	1.5	0.71		Incl.	333.8	336.8	3.0	76.67		
		100.6	102.1	1.5	0.34				0.0				
		106.7	111.3	4.6	0.18				0.0				
		135.6	137.2	1.6	0.13				0.0				
		333.8	355.1	21.3	1.41				0.0				
		Incl.	335.3	342.9	7.6	3.38			0.0				
	** Hole Bottomed In Values **						** Hole Bottomed In Values **						

Drill Hole	GOLD					SILVER						
		From (meters)	To (meters)	Length (meters)	Grade Au (g/t)		From (meters)	To (meters)	Length (meters)	Grade Ag (g/t)	Grade Ag (opt)	
ES-131		146.3	166.1	19.8	0.50		152.4	167.6	15.2	8.10		
	Incl.	160.0	161.5	1.5	2.16		210.3	211.8	1.5	13.28		
		172.2	173.7	1.5	0.25		225.6	227.1	1.5	7.77		
		185.9	190.5	4.6	0.32		268.2	269.7	1.5	12.60		
		195.1	196.6	1.5	0.96		274.3	275.8	1.5	7.29		
		202.7	227.1	24.4	0.21		283.5	285.0	1.5	8.13		
		231.6	233.2	1.6	0.17							
		240.8	242.3	1.5	1.29							
		254.5	263.7	9.2	0.21							
		268.2	286.5	18.3	0.60							
	Incl.	268.2	271.3	3.1	3.38							
	and Incl.	274.3	275.8	1.5	1.12							
		310.9	313.9	3.0	0.32							
		321.6	323.1	1.5	0.34							
	342.9	347.5	4.6	0.13								
ES-132		50.3	59.4	9.1	0.16		106.7	108.2	1.5	7.56		
		71.6	73.2	1.6	0.18		310.9	320.0	9.1	24.99		
		100.6	102.1	1.5	0.14		323.1	326.1	3.0	9.16		
		106.7	108.2	1.5	0.12							
		138.7	143.3	4.6	0.44							
		196.6	198.1	1.5	0.16							
		208.8	210.3	1.5	0.19							
		221.0	222.5	1.5	0.14							
		242.3	243.8	1.5	0.18							
		248.4	249.9	1.5	0.15							
		253.0	330.7	77.7	0.53							
	Incl.	275.8	277.4	1.6	1.40							
	and Incl.	286.5	288.0	1.5	1.50							
	and Incl.	312.5	320.0	7.5	2.26							
ES-133		53.3	56.4	3.1	0.29		207.3	214.9	7.6	21.21		
		160.0	173.7	13.7	0.41		Incl.	208.8	210.3	1.5	53.17	
	Incl.	160.0	161.5	1.5	1.41			231.6	236.2	4.6	8.83	
		187.5	196.6	9.1	0.12			239.3	240.8	1.5	8.11	
		202.7	227.1	24.4	0.56			243.8	262.1	18.3	28.17	
	Incl.	208.8	211.8	3.0	2.61		Incl.	245.4	249.9	4.5	74.58	
		231.6	288.0	56.4	0.71			278.9	289.6	10.7	7.97	
	Incl.	239.3	240.8	1.5	5.48			294.1	297.2	3.1	7.74	
	and Incl.	245.4	248.4	3.0	2.75			309.4	313.9	4.5	11.80	
	and Incl.	265.2	268.2	3.0	1.88							
		291.1	301.8	10.7	0.18							
		306.3	315.5	9.2	0.17							
		323.1	327.7	4.6	0.32							
		333.8	336.8	3.0	0.16							
	341.4	342.9	1.5	0.16								
	352.0	378.0	26.0	0.19								
ES-134		257.6	260.6	3.0	0.23							
ES-135		106.7	111.3	4.6	0.15							
		137.2	138.7	1.5	0.17							
		185.9	198.1	12.2	0.25							
ES-136		190.5	192.0	1.5	1.65		221.0	224.0	3.0	10.36		
		213.4	217.9	4.5	0.12							
		221.0	228.6	7.6	0.91							
	Incl.	222.5	224.0	1.5	3.10							
ES-137		7.6	32.0	24.4	0.30		124.0	126.5	2.5	8.90		
		39.6	45.7	6.1	0.20		146.3	147.8	1.5	8.20		
		67.0	70.1	3.1	0.10		149.4	150.9	1.5	7.10		
		121.9	126.5	4.6	0.16		192.0	193.5	1.5	7.60		
		240.8	242.3	1.5	1.64		251.5	256.0	4.5	11.10		
		251.5	256.0	4.5	0.14							
ES-138		192.0	195.1	3.1	0.29		192.0	195.1	3.1	12.50		
		198.1	211.8	13.7	0.28		202.7	208.8	6.1	10.50		
		323.1	324.6	1.5	0.36							
ES-139		172.2	173.7	1.5	0.20	**No Significant Values**						
ES-140		266.7	269.7	3.0	0.12							
		271.3	294.1	22.8	0.13							
		304.8	307.8	3.0	0.18							
ES-141	**No Significant Values**					**No Significant Values**						
ES-142		83.8	86.9	3.1	0.12		143.3	147.8	4.5	19.70		
		143.3	147.8	4.5	0.16		259.1	269.8	10.7	9.90		
		260.6	262.1	1.5	0.35		272.8	280.4	7.6	16.40		
		265.2	266.7	1.5	0.13							
		274.3	280.4	6.1	0.28							
ES-143		234.7	237.7	3.0	0.15		234.7	237.7	3.0	14.50		
		249.9	260.6	10.7	0.43		249.9	254.5	4.6	18.00		
		297.2	298.7	1.5	0.14		307.9	309.4	1.5	10.90		
		307.9	309.4	1.5	0.12							
ES-144		27.4	28.9	1.5	0.14		205.7	207.3	1.6	10.90		
		30.4	33.5	3.1	0.15		214.9	217.9	3.0	9.10		
		50.3	51.8	1.5	0.13		225.6	227.1	1.5	7.70		
		67.1	70.1	3.0	0.13		246.9	249.9	3.0	8.00		
		214.9	217.9	3.0	0.23							
		246.9	249.9	3.0	0.24							
		283.5	284.0	0.5	0.13							
	292.6	294.1	1.5	0.12								
ES-145	**No Significant Values**					**No Significant Values**						
ES-146		86.9	89.9	3.0	0.20		109.7	111.3	1.6	52.10		
		102.1	106.7	4.6	0.50		114.3	115.8	1.5	9.00		
		109.7	114.3	4.6	0.15		117.3	118.9	1.6	8.30		
		117.3	118.9	1.6	0.12							
		134.1	135.6	1.5	0.12							
		143.3	147.8	4.5	0.18							
		153.9	157.0	3.1	0.15							
		172.2	196.6	24.4	0.26							

Drill Hole	GOLD					SILVER					
		From (meters)	To (meters)	Length (meters)	Grade Au (g/t)		From (meters)	To (meters)	Length (meters)	Grade Ag (g/t)	Grade Ag (opt)
ES-147		202.7	204.2	1.5	0.12		286.5	291.1	4.6	13.10	
		211.8	213.4	1.6	0.64		313.9	318.5	4.6	9.32	
		222.5	224.0	1.5	0.14		358.1	361.2	3.1	21.22	
		236.2	237.7	1.5	0.12						
		286.5	291.1	4.6	1.18						
	Incl.	286.5	288.0	1.5	2.97						
		301.8	344.4	42.6	2.49						
	Incl.	327.7	336.8	9.1	9.03						
	and Incl.	327.7	329.2	1.5	38.12						
		349.0	350.5	1.5	0.36						
		355.1	368.8	13.7	0.31						
		373.4	374.9	1.5	0.57						
	381.0	382.5	1.5	0.12							
ES-148	**No Significant Values**					**No Significant Values**					
ES-149		237.7	263.7	26.0	0.21		272.8	278.9	6.1	18.96	
		272.8	278.9	6.1	0.52		315.5	324.6	9.1	19.04	
		317.0	318.5	1.5	0.60		332.2	333.8	1.6	14.81	
		326.1	333.8	7.7	0.16		368.8	371.9	3.1	10.75	
		339.9	341.4	1.5	0.13						
		342.9	344.4	1.5	0.13						
	368.8	371.9	3.1	0.12							
ES-150		356.6	358.1	1.5	0.12		356.6	361.2	4.6	7.34	
ES-151		71.6	120.4	48.8	0.19		115.8	117.3	1.5	8.91	
		126.5	128.0	1.5	0.12		172.2	181.4	9.2	13.47	
		129.5	131.1	1.6	0.12		280.4	281.9	1.5	6.96	
		132.6	134.1	1.5	0.15		283.5	286.5	3.0	8.49	
		149.4	153.9	4.5	0.13		291.1	294.1	3.0	19.76	
		161.5	184.4	22.9	0.75		301.8	303.3	1.5	7.67	
	Incl.	179.8	181.4	1.6	3.08		307.8	312.4	4.6	10.89	
		192.0	195.1	3.1	0.21		330.7	345.9	15.2	28.45	
		231.6	233.2	1.6	0.25		361.2	370.3	9.1	23.93	
		239.3	245.4	6.1	0.21		376.4	378.0	1.6	18.25	
		256.0	257.6	1.6	0.49		394.7	399.3	4.6	17.18	
		283.5	317.0	33.5	0.30						
	Incl.	291.1	292.6	1.5	2.25						
		324.6	403.9	79.3	1.03						
	Incl.	333.8	339.9	6.1	4.84						
	and Incl.	333.8	336.8	3.0	6.73						
	and Incl.	362.7	367.3	4.6	2.03						
	and Incl.	379.5	382.5	3.0	2.68						
	** Hole Ended In Values **						** Hole Ended In Values **				
ES-152		85.3	86.9	1.6	0.17		193.5	196.6	3.1	20.51	
		181.4	184.4	3.0	0.15		204.2	205.7	1.5	9.97	
		189.0	196.6	7.6	0.31		219.5	230.1	10.6	8.71	
		201.2	207.3	6.1	0.15		260.6	263.7	3.1	12.83	
		217.9	233.2	15.3	0.28		292.6	295.7	3.1	7.38	
		256.0	271.3	15.3	0.14		327.7	335.3	7.6	9.51	
		280.4	297.2	16.8	0.32						
	Incl.	292.6	294.1	1.5	1.16						
		312.4	318.5	6.1	0.13						
		324.6	353.6	29.0	0.28						
	345.9	347.5	1.6	1.16							
ES-153		240.8	242.3	1.5	0.12		365.8	367.3	1.5	16.05	
		365.8	367.3	1.5	0.19						
ES-154		73.2	74.7	1.5	0.15		208.8	210.3	1.5	21.90	
		129.5	131.1	1.6	0.16		303.3	306.3	3.0	14.65	
		138.7	141.7	3.0	0.16		332.2	333.8	1.6	9.42	
		146.3	152.4	6.1	0.12		364.2	371.9	7.7	17.20	
		157.0	158.5	1.5	0.17		393.2	396.2	3.0	16.39	
		170.7	172.2	1.5	0.20						
		176.8	178.3	1.5	0.12						
		208.8	211.8	3.0	0.35						
		216.4	217.9	1.5	0.21						
		224.0	225.6	1.6	0.20						
		237.7	239.3	1.6	0.12						
		260.6	294.1	33.5	0.23						
		303.3	310.9	7.6	0.26						
		315.5	381.0	65.5	0.32						
	Incl.	368.8	371.9	3.1	1.42						
	393.2	397.8	4.6	0.88							
Incl.	394.7	396.2	1.5	1.64							
ES-155		33.5	36.6	3.1	0.33		198.1	201.2	3.1	9.39	
		131.1	144.8	13.7	0.20		246.9	254.5	7.6	10.33	
		198.1	199.6	1.5	0.16		291.1	301.8	10.7	13.83	
		246.9	260.6	13.7	0.52		318.5	323.1	4.6	12.47	
		268.2	283.5	15.3	0.19		336.8	342.9	6.1	8.98	
		291.1	303.3	12.2	0.60		350.5	364.2	13.7	8.53	
		312.4	374.9	62.5	0.57		388.6	390.1	1.5	8.09	
	Incl.	336.8	342.9	6.1	2.26		402.3	403.9	1.6	8.02	
	and Incl.	352.0	353.6	1.6	1.55						
	and Incl.	359.7	361.2	1.5	1.21						
		385.6	394.7	9.1	0.30						
	400.8	408.4	7.6	0.21							
ES-156		117.3	118.9	1.6	0.12		192.0	193.5	1.5	9.53	
		131.1	134.1	3.0	0.17		262.1	263.7	1.6	10.88	
		187.5	189.0	1.5	0.17		283.5	285.0	1.5	7.28	
		260.6	263.7	3.1	0.13		335.3	336.8	1.5	49.99	
		298.7	300.2	1.5	0.26		352.0	373.4	21.4	16.34	
		304.8	306.3	1.5	0.20		379.5	385.6	6.1	24.70	
		310.9	313.9	3.0	0.13		405.4	420.6	15.2	17.44	
		320.0	385.6	65.6	0.88						
	Incl.	335.3	336.8	1.5	6.50						
	and Incl.	352.0	355.1	3.1	2.48						
	and Incl.	362.7	365.8	3.1	4.06						
		405.4	414.5	9.1	0.50						
	Incl.	408.4	410.0	1.6	1.68						
	420.6	422.1	1.5	0.13							
ES-157		62.5	64.0	1.5	0.13						
		71.6	76.2	4.6	0.15						
		89.9	91.4	1.5	0.12						
		99.1	102.1	3.0	0.19						
		123.4	125.0	1.6	0.12						
		129.5	131.1	1.6	0.14						
		254.5	272.8	18.3	0.37						
	355.1	359.7	4.6	0.19							
							No Significant Values				
	Hole Abandoned in Values due to difficult drilling and Poor Sample Recovery										

Drill Hole	GOLD					SILVER					
		From (meters)	To (meters)	Length (meters)	Grade Au (g/t)		From (meters)	To (meters)	Length (meters)	Grade Ag (g/t)	Grade Ag (opt)
ES-158		120.4	123.4	3.0	0.13		166.1	169.2	3.1	12.57	
		135.6	137.2	1.6	0.13		277.4	281.9	4.5	12.63	
		144.8	146.3	1.5	0.13		321.6	323.1	1.5	6.93	
		164.6	166.1	1.5	0.16						
		230.1	231.6	1.5	0.13						
		233.2	234.7	1.5	0.12						
		275.8	294.1	18.3	0.35						
		298.7	306.3	7.6	0.15						
		310.9	312.4	1.5	0.13						
	321.6	330.7	9.1	0.23							
							Hole Abandoned Due to Difficult Drilling				
ES-159		44.2	54.9	10.7	0.19						
		70.1	115.8	45.7	0.30						
		129.5	131.1	1.6	0.16						
		135.6	138.7	3.1	0.15						
		160.0	161.5	1.5	0.16						
							Hole Abandoned Due to Difficult Drilling				
ES-160		114.3	115.8	1.5	0.12		300.2	301.8	1.6	9.65	
		126.5	128.0	1.5	0.16		312.4	313.9	1.5	7.36	
		137.2	150.9	13.7	0.26						
	Incl.	137.2	138.7	1.5	1.08						
		230.1	231.6	1.5	0.23						
		240.8	242.3	1.5	0.31						
		248.4	262.1	13.7	0.34						
		280.4	313.9	33.5	0.40						
							Hole Abandoned In Values Due to Difficult Drilling and Stuck Pipe				
ES-161		125.0	126.5	1.5	0.12		231.6	242.3	10.7	16.08	
		173.7	176.8	3.1	0.13		248.4	256.0	7.6	22.51	
		216.4	217.9	1.5	0.19		Incl.	251.5	253.0	1.5	61.14
		224.0	225.6	1.6	0.23			280.4	281.9	1.5	7.46
		231.6	259.1	27.5	0.53			300.2	301.8	1.6	7.00
	Incl.	249.9	253.0	3.1	2.36			315.5	317.0	1.5	14.05
		263.7	265.2	1.5	0.12			339.9	345.9	6.0	7.01
		271.3	272.8	1.5	0.14			364.2	376.4	12.2	9.90
		295.7	307.8	12.1	0.36			416.1	425.2	9.1	8.04
		312.4	387.1	74.7	0.89						
	Incl.	315.5	317.0	1.5	2.47						
	and Incl.	364.2	365.8	1.6	20.65						
	and Incl.	368.8	370.3	1.5	5.56						
		408.4	428.2	19.8	0.43						
	Incl.	411.5	413.0	1.5	1.07						
	and Incl.	423.7	425.2	1.5	1.06						
								Hole Ended in Values			
ES-162		76.2	77.7	1.5	0.23		256.0	259.1	3.1	16.67	
		100.6	102.1	1.5	0.19		309.4	320.0	10.6	17.16	
		234.7	236.2	1.5	0.14		336.8	349.0	12.2	19.59	
		246.9	248.4	1.5	0.12		361.2	364.2	3.0	20.81	
		254.5	259.1	4.6	1.60		374.9	376.4	1.5	8.84	
	Incl.	257.6	259.1	1.5	4.00		388.6	390.1	1.5	8.59	
		265.2	268.2	3.0	0.27		414.5	420.6	6.1	10.64	
		272.8	274.3	1.5	0.22						
		278.9	280.4	1.5	0.26						
		283.5	285.0	1.5	0.20						
		289.6	344.4	54.8	0.31						
		352.0	364.2	12.2	0.28						
		374.9	378.0	3.1	0.20						
		382.5	384.0	1.5	0.13						
		390.1	393.2	3.1	0.18						
		402.3	426.7	24.4	0.30						
	ES-163		41.1	42.7	1.6	0.20		167.6	169.2	1.6	13.66
		128.0	132.6	4.6	0.13		385.6	387.1	1.5	9.93	
		138.7	140.2	1.5	0.12		403.9	416.1	12.2	9.86	
		152.4	173.7	21.3	0.16						
		178.3	179.8	1.5	0.12						
		365.8	416.1	50.3	0.38						
Incl.		385.6	387.1	1.5	1.07						
and Incl.		390.1	391.7	1.6	1.07						
		516.6	518.2	1.6	0.21						
		522.7	524.3	1.6	0.21						
	531.9	533.4	1.5	0.18							
ES-164	**No Significant Values**					**Hole Abandoned at 863' Due to Stuck Pipe and Poor Sample Recovery**					
ES-165		169.2	170.7	1.5	0.13		307.8	313.9	6.1	6.71	
ES-166	**No Significant Values**					**Hole Abandoned at 700' Due to Stuck Pipe and No Sample Recovery**					
ES-167		204.2	205.7	1.5	0.12		217.9	219.5	1.6	7.17	
		217.9	222.5	4.6	0.33						
		233.2	234.7	1.5	0.13						
		321.6	332.2	10.6	0.34						
	Incl.	327.7	329.2	1.5	1.41						
		345.9	347.5	1.6	0.18						
	352.0	353.6	1.6	0.16							
							Hole Abandoned at 1165' Due to Poor Sample Recovery and Difficult Drilling				
ES-168		71.6	73.2	1.6	0.17		350.5	352.0	1.5	23.89	
		80.8	83.8	3.0	0.20		382.5	385.6	3.1	23.13	
		298.7	300.2	1.5	0.39						
		317.0	323.1	6.1	0.34						
		327.7	330.7	3.0	0.71						
		347.5	361.2	13.7	0.18						
		365.8	374.9	9.1	0.14						
	382.5	385.6	3.1	0.72							

Original Zone Target 5