



BOLO GOLD PROJECT, NEVADA
Significant Gold and Silver Intercepts

2018-02-05

Hole ID	From m	To m	Interval m	Au (g/t)	From m	To m	Interval m	Ag (g/t)	Target Area
BL-1	6.1	13.7	7.6	0.210					EFZ
BL-2	No significant Intercepts			All < 0.100					SMF
BL-3	7.6	33.5	25.9	0.431	12.2	13.7	1.5	85	SMF
	39.6	41.1	1.5	0.106	29	33.5	4.6	34.5	
					38.1	42.7	4.6	26.6	
					73.2	77.7	4.6	21.9	
BL-4	61	79.2	18.2	1.086	77.7	79.2	1.5	12.7	SMF
	83.8	85.3	1.5	0.112					
BL-5	53.3	54.9	1.6	0.279					SMF
	70.1	74.7	4.6	0.141	73.2	77.7	4.6	48.8	
					105.2	111.3	6.1	13.8	
BL-6	No significant Intercepts			All < 0.100				All < 10	SMF
BL-7	0	1.5	1.5	0.104				All < 10	EFZ
BL-8	1.5	3	1.5	0.117				All < 10	EFZ
	38.1	41.1	3	0.126					
BL-9	114.3	115.8	1.5	0.371				All < 10	EFZ
BL-10	38.1	47.2	9.1	0.297				All < 10	EFZ
BL-11	10.7	12.2	1.5	0.104				All < 10	SMF
	21.3	27.4	6.1	0.231					
	105.2	111.3	6.1	0.332					
	118.9	135.6	16.7	0.611					
incl	120.4	125	4.6	1.681					
BL-12	67.1	74.7	7.6	0.214	70.1	71.6	1.5	11.7	SMF
BL-13	0	4.6	4.6	0.147					SMF
	64	65.5	1.5	0.108					
	88.4	97.5	9.1	0.135	88.4	89.9	1.5	14	
BL-14	131.1	137.2	6.1	0.140					SMF
BL-15	89.9	91.4	1.5	0.222				All < 10	SMF
BL-16	121.9	123.4	1.5	0.245	123.4	125	1.5	15.5	EFZ
BL-17				All < 0.100	97.5	99.1	1.5	10.1	EFZ
BL-18	No significant Intercepts			All < 0.100				All < 10	NEFZ
BL-19	44.2	45.7	1.5	0.140				All < 10	NEFZ
BL-20	No significant Intercepts			All < 0.100				All < 10	EFZ
BL-21	No significant Intercepts			All < 0.100				All < 10	EFZ
BL-22	30.5	32	1.6	0.164				All < 10	SMF
	41.1	44.2	3	0.280					

Hole ID	From m	To m	Interval m	Au (g/t)	From m	To m	Interval m	Ag (g/t)	Target Area
BL-23	4.6	12.2	4.6	0.119					SMF
	36.6	38.1	1.5	0.156					
	77.7	153.9	76.2	1.152					
incl	77.7	96	18.3	0.414					
incl	96	126.5	30.5	2.376	100.6	121.9	21.3	20.2	
incl	126.5	132.6	6.1	0.167					
incl	138.7	153.9	15.2	0.414					
BL-24	146.3	167.6	21.3	0.147				All < 10	SMF
	172.2	173.7	1.5	0.104					
BL-25	No significant Intercepts			All < 0.100				All < 10	EFZ
BL-26	114.3	118.9	4.6	0.154				All < 10	EFZ
BL-27	No significant Intercepts			All < 0.100				All < 10	EFZ
BL-28	No significant Intercepts			All < 0.100				All < 10	SMF
BL-29	47.2	109.7	62.5	0.647	71.6	109.7	38.1	27	SMF
incl	47.2	50.3	3	0.754	86.9	91.4	4.6	106.4	
incl	50.3	54.9	4.6	1.717					
incl	54.9	77.7	22.9	0.440					
incl	77.7	80.8	3	3.409					
incl	80.8	109.7	29	0.340					
	120.4	121.9	1.5	0.840					
BL-30					123.4	125	1.5	10	SMF
BL-31	109.7	114.3	4.6	1.025	115.8	117.3	1.5	11.7	SMF
BL-32					94.5	111.3	16.8	13.3	SMF
	67.1	118.9	51.8	0.813					
incl	67.1	70.1	3	2.284					
incl	91.4	100.6	9.2	1.910					
incl	100.6	118.9	18.3	0.672					
BL-33	No significant Intercepts							All < 10	SMF
incl	117.3	120.4	3.1	0.344					
BL-34	No significant Intercepts							All < 10	WCEX
BL-35*	0	3	3	0.380	47.2	56.4	9.2	30	SMF
	29	32	3	0.200	59.4	62.5	3.1	24	
	42.7	144.8	102.1	0.600	125.0	129.5	4.5	23	
incl	42.7	45.7	3	2.810	140.2	144.8	4.6	21	
incl	42.7	50.3	7.6	1.710					
incl	115.8	132.6	16.8	1.530					
incl	140.2	141.7	1.5	1.160					
BL-36*	35.1	42.7	7.6	0.750	36.6	48.8	12.2	25	SMF
incl	35.1	38.1	3	1.690					
BL-37*	18.3	30.5	12.2	0.670	25.9	32.0	6.1	36	SMF
	88.4	99.1	10.7	0.830	45.7	50.3	4.6	20	
	123.4	153.9	30.5	0.970	125.0	160.0	35.0	58.1	
incl	123.4	125	1.6	2.490	incl. 138.7	141.7	3.0	360.5	
BL-38*	0	132.6	132.6	1.280	45.7	48.8	3.1	15	SMF
incl	44.2	74.7	30.5	3.240	57.9	68.6	10.7	32	
incl	54.9	68.6	13.7	5.080	93.0	99.1	6.1	38.0	
incl	88.4	100.6	12.2	3.050	126.5	129.5	3.0	18	
incl	115.8	117.3	1.5	6.660	144.8	146.3	1.5	68.3	
BL-39*	0	89.9	89.9	1.060	1.5	18.3	11.8	17.1	SMF
incl	0	40.9	40.9	2.050	29.0	39.6	1.5	22.8	
incl	0	13.7	13.7	3.260	47.2	50.3	3.1	28.1	
					62.5	70.1	7.6	61	
					94.5	97.5	3.0	57	

Hole ID	From m	To m	Interval m	Au (g/t)	From m	To m	Interval m	Ag (g/t)	Target Area
BL-40*	No significant Intercepts				68.6	71.6	3.0	158	SMF
					76.2	83.8	7.6	13.2	
BL-41*	0	51.8	51.8	1.270	7.6	16.8	9.2	20	SMF
incl	9.1	16.7	7.6	2.560	24.4	29.0	4.6	11	
incl	21.3	38.1	16.8	2.150	48.8	62.5	13.7	18.5	
incl	21.3	30.5	9.2	2.700	incl. 54.9	57.9	3.0	32.6	
	54.9	64	9.1	0.210					
	80.8	94.5	13.7	0.210					
	132.6	135.6	3	0.140					
BL-42*	0	32	32	0.690	6.1	27.4	21.3	17.8	SMF
incl	6.1	12.2	6.1	2.870	incl. 12.2	16.8	4.6	31.5	
	57.5	60.9	3.4	0.370	94.5	99.1	4.6	30	
	126.5	147.8	21.3	0.550	146.3	150.9	4.6	21	
					163.1	164.6	1.5	41.3	
BL-43*	84.8	98.5	13.7	0.140	7.6	9.1	1.5	23	NEZ
BL-44*	130.3	133.3	3	0.730	141.7	143.3	1.6	22	NEZ
	163.6	165.2	1.6	1.240	164.6	166.1	1.5	12	
BL-45*					65.5	76.2	10.7	15	NEZ
BL-46*					150.9	161.5	10.6	29	NEZ
					incl. 153.9	157.0	3.1	53	
BL-47	No significant Intercepts							All < 10	FNEX
BL-48	No significant Intercepts							All < 10	FNEX
BL-49	No significant Intercepts							All < 10	FNEX
BL-50	No significant Intercepts							All < 10	FNEX
BL-51	No significant Intercepts							All < 10	NEFZ
BL-52	No significant Intercepts							All < 10	NEFZ
BL-53	No significant Intercepts							All < 10	NEFZ
BL-54	4.6	6.1	1.5	0.15	0	57.9	57.9	41.13	SMF
	18.3	19.8	1.5	0.200	incl. 35.1	42.7	7.6	220	
	35.1	45.7	10.7	0.650	incl. 36.6	38.1	1.5	423.1	
incl	36.6	38.1	1.5	1.990	106.7	117.3	10.7	23.21	
	51.8	57.9	6.1	0.270	incl. 108.2	109.7	1.5	57.26	
					138.7	141.7	6.1	12.92	
incl	80.8	109.7	29	0.340	149.4	160	10.7	19.01	
	120.4	121.9	1.5	0.840	184.4	187.5	3	8.70	
					190.5	192	1.5	7.31	
					205.7	207.3	1.5	6.90	
					213.4	216.4	3.0	9.50	
					224	225.6	1.5	7.88	
BL-55	44.2	64.0	19.8	0.970	24.4	25.9	1.5	10.92	SMF
incl	44.2	45.7	1.5	0.970	30.5	33.5	3.0	28.62	
incl	51.8	54.9	3.0	3.230	44.2	45.7	1.5	16.60	
	68.6	70.1	1.5	0.120	51.8	68.6	16.8	37.90	
					incl. 51.8	54.9	3.0	102.07	
					79.2	80.8	1.5	10.55	
					93	96	3.0	13.19	
					134.1	135.6	1.5	22.10	
BL-56	62.5	64	1.5	0.33	10.7	12.2	1.5	9.39	SMF

Hole ID	From m	To m	Interval m	Au (g/t)	From m	To m	Interval m	Ag (g/t)	Target Area
	93.0	100.6	7.6	0.470	62.5	64.0	1.4	21.43	
	111.3	114.3	3.0	0.28	91.4	103.6	12.2	9.45	
BL-57	7.6	10.7	3.0	0.200	0	22.9	22.9	36.15	SMF
	32.0	36.6	4.6	0.150	incl. 7.6	9.1	1.5	78.83	
	42.7	56.4	13.7	0.660	incl. 12.2	16.8	4.6	113.25	
incl	53.3	54.9	1.5	3.080	30.5	83.8	53.3	49.74	
	67.1	68.6	1.5	0.160	incl. 51.8	53.3	1.5	70.19	
	73.2	79.2	6.1	0.590	incl. 74.7	79.2	4.6	216.52	
					100.6	103.6	3.0	28.5	
BL-58	No significant Intercepts				0	3	3.0	8.1	SMF
BL-59	103.6	117.3	13.7	0.200	140.2	143.3	3.0	11.96	SMF
BL-60	18.3	38.1	19.8	0.650	22.9	24.4	1.5	11.18	SMF
incl	21.3	24.4	3.0	2.650	100.6	103.6	3.0	30.78	
	99.1	103.6	4.6	0.150	112.8	114.3	1.5	8.31	
	227.1	236.2	9.1	0.240	150.9	153.9	3.0	32.8	
	239.3	240.8	1.5	0.150	219.5	221.0	1.5	7.72	
	243.8	245.4	1.5	0.130	227.1	153	25.9	22.43	
	263.7	265.2	1.5	0.150	263.7	265.2	1.5	24.56	
	272.8	274.3	1.5	0.100	269.7	281.9	12.2	8.53	
BL-61	3.0	36.6	33.5	0.960	18.3	27.4	9.1	8.94	SMF
incl	24.4	27.4	3.0	3.730	135.6	137.2	1.5	25.60	
	150.9	152.4	1.5	0.100	164.6	176.3	12.2	9.22	
	160.0	170.7	10.7	0.180	182.9	198.1	15.2	54.15	
	187.5	196.6	9.1	0.210	incl. 189.0	192.0	3	126.4	
	236.2	237.7	1.5	0.140	214.9	216.4	1.5	8.06	
BL-62	No significant Intercepts								SMF
BL-63	10.7	16.8	6.1	0.110	164.6	166.1	1.5	8.47	SMF
	204.2	207.3	3.0	0.270					
BL-64	0.0	1.5	1.5	0.100	10.7	21.3	10.6	15.02	USC
	9.1	21.3	12.2	0.190	137.2	143.3	6.1	15.23	
	152.4	157.0	4.6	0.220	153.9	155.4	1.5	10.06	
					202.7	211.8	9.1	43.64	
					incl. 207.3	208.8	1.5	124.57	
BL-65	0.0	1.5	1.5	0.120	10.7	12.2	1.5	9.63	USC
	4.6	6.1	1.5	0.110	39.6	41.1	1.5	10.18	
	24.4	41.1	16.8	0.660	125.0	128.0	3.0	10.60	
incl	32.0	36.6	4.6	1.910	181.4	187.5	6.1	29.08	
	79.2	80.8	1.5	0.220	214.9	216.4	1.5	7.74	
	217.9	219.5	1.5	0.200	217.9	219.4	1.5	7.10	
	225.6	227.1	1.5	0.420					
BL-66	146.3	147.8	1.5	0.140	146.3	149.4	3.0	10.10	SMF
					195.1	196.6	1.5	21.00	
					204.2	205.74	1.5	7.75	
					213.4	219.5	6.1	12.02	
BL-67	18.3	22.9	4.6	0.110	79.2	80.8	1.5	14.99	USC
	76.2	89.9	13.7	0.210					

EXPLANATION OF TARGETS

NEFZ: Northeast Fault zone

FNEX: Far North Extension

NEX: North Extension

SMF: South Mine Fault

EFZ: East Fault

WCEX: Wood Canyon Extension

USC: Uncle Sam Claim

** Silver samples re-assayed by fire assay with a gravimetric finish; for original assays by ICP analysis, see Columbus Gold's (CGT-TSX) press release dated September 25, 2013*

Significant Intercepts, Historical Drill Holes

Hole ID	From m	To m	Interval m	Au (g/t)	Operator
HD-1	0	1.5	1.5	0.320	Chevron
	6.1	7.6	1.5	0.370	
HD-1A	1.5	7.6	6.1	1.167	Chevron
HD-2	38.1	39.6	1.5	0.069	Chevron
HD-3	7.6	29	21.4	1.436	Chevron
incl	24.4	25.9	1.5	4.663	
HD-4	7.6	9.1	1.5	0.190	Chevron
HD-5	6.1	7.6	1.5	0.430	Chevron
	29	33.5	4.5	0.570	
HD-6	Not Drilled				
HD-7	Not Drilled				
HD-8	0	1.5	1.5	0.309	Chevron
HD-9	30.5	32	1.5	0.080	Chevron
HD-10	Not drilled				
DH-11	0	1.5	1.5	0.480	Canerta
	9.1	12.2	3.1	0.480	
	15.2	16.8	1.6	0.480	
DH-12	0	7.6	7.6	0.665	Canerta
	15.2	18.3	3.1	0.446	
DH-13	1.5	4.6	3.1	0.703	Canerta
	9.1	12.2	3.1	0.617	
DH-14	4.6	7.6	3	0.994	Canerta
	9.1	13.7	4.6	1.486	
DH-15	0	3	3	0.823	Canerta
DH-16	6.1	7.6	1.5	0.994	Canerta
	10.7	13.7	3	0.617	
	16.8	18.3	1.5	3.291	
DH-17	3	6.1	3.1	1.697	Canerta
	7.6	13.7	6.1	0.746	
	15.2	18.3	3.1	0.806	
	21.3	45.7	24.4	1.301	
DH-18	16.8	24.4	7.6	2.215	Canerta
incl	19.8	21.3	1.5	5.486	
DH-19	1.5	36.6	35.1	0.918	Canerta
incl	19.8	27.4	7.6	1.858	
DH-19A	0	6.1	6.1	1.311	Canerta
DH-20	0	3	3	0.463	Canerta
DH-21				All <0.100	Canerta
DH-22	4.6	6.1	1.5	0.340	Canerta
	27.4	30.5	3.1	0.790	
DH-23	0	1.5	1.5	0.360	Canerta
	15.2	19.8	4.6	1.617	
DH-24	4.6	6.1	1.5	1.000	Canerta
DH-25	12.2	15.2	3	0.205	Canerta
DH-26	22.9	32	9.1	1.085	Canerta
DH-27	Not Drilled				
DH-28	12.2	13.7	1.5	0.340	Canerta
	19.8	25.9	6.1	1.638	
HD-29	No Significant Intercepts				USMX
HD-30	No Significant Intercepts				USMX
HD-31	No Significant Intercepts				USMX
HD-32	0	4.6	4.6	0.457	USMX
HD-33	No Significant Intercepts				USMX
HD-34	No Significant Intercepts				USMX
HD-35	No Significant Intercepts				USMX