



**Comprehensive Drill Results
Eastside Gold Project
Drill Hole Assay Summary Log, 2011-2015 Drilling**

2015-09-22

Phase I

ES-1

No Significant Values

ES-2

No Significant Values

ES-3

Gold

155-160', 5' (47.2-48.8m, 1.5m) @ 0.24 g/t Au
325-340', 15' (99.1-103.6m, 4.6m) @ 0.11 g/t Au
485-495', 10' (147.8-150.9m, 3.1m) @ 0.41 g/t Au
No Significant Silver

ES-4

Gold

20-155', 135' (6.1-47.2m, 41.2m) @ 0.30 g/t Au
Including:
• 30-35', 5' (9.1-10.7m, 1.5m) @ 1.60 g/t Au
165-175', 10' (50.3-53.3m, 3.1m) @ 0.32 g/t Au
180-195', 15' (54.7-59.4m, 4.6m) @ 0.14 g/t Au
240-255', 15' (73.2-77.7m, 4.6m) @ 0.37 g/t Au
285-310', 25' (86.9-94.5m, 7.6m) @ 0.16 g/t Au
335-340', 5' (102.1-103.6m, 1.5m) @ 0.18 g/t Au
350-370', 20' (106.7-112.8m, 6.1m) @ 0.18 g/t Au
385-410', 25' (117.4-125m, 7.6m) @ 0.15 g/t Au
500-570', 70' (152.4-173.7m, 21.3m) @ 1.64 g/t Au
Including:
• 545-565', 20' (166.1-172.2m, 6.1m) @ 5.17 g/t Au
595-600', 5' (181.4-182.9m, 1.5m) @ 0.12 g/t Au
No Significant Silver

ES-5

Gold

505-510', 5' (154-155.5m, 1.5m) @ 0.12 g/t Au
530-540', 10' (161.5-164.6m, 3.1m) @ 0.16 g/t Au
No Significant Silver

ES-6

Gold

185-190', 5' (56.4-58m, 1.5m) @ 0.13 g/t Au
235-240', 5' (71.6-73.2m, 1.5m) @ 0.15 g/t Au
535-540', 5' (163.1-164.6m, 1.5m) @ 0.22 g/t Au
No Significant Silver

ES-7

No Significant Values

ES-8

Gold

115-140', 25' (35.1-42.7m, 7.6m) @ 0.33 g/t Au

190-210', 20' (58-64m, 6.1m) @ 0.21 g/t Au

225-230', 5' (68.6-70.1m, 1.5m) @ 0.12 g/t Au

No Significant Silver

ES-9

No Significant Values

ES-10

Gold

360-365', 5' (109.7-111.3m, 1.5m) @ 0.21 g/t Au

No Significant Silver

ES-11

No Significant Values

ES-12

Gold

90-95', 5' (27.4-29m, 1.5m) @ 0.28 g/t Au

325-330', 5' (99.1-100.6m, 1.5m) @ 0.18 g/t Au

360-380', 20' (109.7-115.8m, 6.1m) @ 0.20 g/t Au

390-395', 5' (118.9-120.4m, 1.5m) @ 0.32 g/t Au

410-425', 15' (125-129.5m, 4.6m) @ 0.13 g/t Au

475-485', 10' (144.8-147.8m, 3.1m) @ 0.13 g/t Au

510-515', 5' (155.5-157m, 1.5m) @ 0.12 g/t Au

635-640', 5' (193.6-195.1m, 1.5m) @ 0.25 g/t Au

705-710', 5' (214.9-216.4m, 1.5m) @ 0.39 g/t Au

760-770', 10' (231.7-234.7m, 3.1m) @ 0.24 g/t Au

810-825', 15' (247-251.5m, 4.6m) @ 0.21 g/t Au

No Significant Silver

Hole Bottomed in Values

Phase II

ES-13

Gold

100-105', 5' (30.5-32m, 1.5m) @ 0.12 g/t Au

125-255' 130' (38.1-77.7m, 39.6m) @ 0.46 g/t Au

Including:

- 125-145', 20' (38.1-44.2m, 6.1m) @ 1.17 g/t Au
- 230-240', 10' (70.1-73.2m, 3.1m) @ 1.20 g/t Au
- 300-305', 5' (91.4-92m, 1.5m) @ 0.15 g/t Au

Gold, ES-13 Continued

315-415', 100' (96-126.5m, 30.1m) @ 0.21 g/t Au
435-455', 20' (132.6-135.6m, 6.1m) @ 0.51 g/t Au
475-480', 5' (144.7-146.3m, 1.5m) @ 0.18 g/t Au
490-500', 10' (149.4-152.4m, 3.1m) @ 0.19 g/t Au
510-545', 35' (155.5-166.2m, 10.7m) @ 0.24 g/t Au
560-635', 75' (170.7-193.6m, 23m) @ 0.28 g/t Au
655-660', 5' (199.6-201.2m, 1.5m) @ 0.12 g/t Au
No Significant Silver

ES-14

Gold

320-495', 175' (97.5-150.9m, 53.3m) @ 1.11 g/t Au

Including:

- 350-385', 35' (106.7-117.3m, 10.7m) @ 2.20 g/t Au
- 400-425', 25' (122-129.5m, 7.6m) @ 2.98 g/t Au

Silver

350-390', 40' (106.7-118.9m, 12.2m) @ 54.1 g/t Ag

ES-15

Gold

275-280', 5' (83.8-85.3m, 1.5m) @ 0.28 g/t Au
290-300', 10' (88.4-91.4m, 3.1m) @ 0.14 g/t Au
315-335', 20' (96-102.1m, 6.1m) @ 0.16 g/t Au
365-380', 15' (111.3-115.8m, 4.6m) @ 0.17 g/t Au
405-410', 5' (123.4-125m, 1.5m) @ 0.15 g/t Au
635-645', 10' (193.6-196.6m, 3.1m) @ 0.82 g/t Au
No Significant Silver

ES-16

No Significant Values

ES-17

No Significant Values

ES-18

Gold

540-545', 5' (164.6-166.1m, 1.5m) @ 0.35 g/t Au
590-600', 10' (179.8-183m, 3.1m) @ 0.24 g/t Au
No Significant Silver

ES-19

Gold

555-565', 10' (169.2-172.2m, 3.1m) @ 1.47 g/t Au
585-590', 5' (178.3-179.8m, 1.5m) @ 0.16 g/t Au
630-635', 5' (192-193.6m, 1.5m) @ 0.23 g/t Au
665-680', 15' (202.7-207.3m, 4.6m) @ 0.19 g/t Au
690-700', 10' (210.3-213.3m, 3.1m) @ 0.29 g/t Au

Gold, ES-19 Continued

715-770', 55' (218-234.7m, 16.8m) @ 1.34 g/t Au

Including:

- 735-750', 15' (224-228.6m, 4.6m) @ 4.21 g/t Au
- 800-805', 5' (243.8-245.4m, 1.5m) @ 0.22 g/t Au

Silver

735-750', 15' (224.1-228.7, 4.6m) @ 42.2 g/t Ag

ES-20

Gold

280-285', 5' (85.3-87m, 1.5m) @ 0.14 g/t Au

405-545', 140' (123.4-116.1m, 42.7m) @ 0.87 g/t Au

Including:

- 465-495', 30' (141.7-151m, 9.1m) @ 2.83 g/t Au

Silver

455-495', 40' (138.7-150.8m, 12.2m) @ 47.9 g/t Ag

ES-21

Gold

30-35', 5' (9.1-10.7m, 1.5m) @ 0.18 g/t Au

250-255', 5' (76.2-77.7m, 1.5m) @ 0.12 g/t Au

275-310', 35' (83.8-94.5m, 10.7m) @ 0.12 g/t Au

455-500', 45' (138.7-152.4, 13.7m) @ 0.90 g/t Au

Including:

- 455-465', 10' (138.7-141.7m, 3.1m) @ 2.77 g/t Au
- 535-670', 135' (163.1-204.2m, 41.2m) @ 0.92 g/t Au

Including:

- 550-590', 40' (167.6-180m, 12.2m) @ 2.21 g/t Au
- 700-705', 5' (213.4-215m, 1.5m) @ 0.13 g/t Au

Silver

455-495', 40' (138.7-150.8m, 12.2m) @ 47.9 g/t Ag

Hole Bottomed in Values

ES-22

Gold

235-250', 15' (71.6-76.2m, 4.6m) @ 0.18 g/t Au

270-315', 45' (82.3-96m, 13.7m) @ 0.26 g/t Au

330-350', 20' (100.6-106.7m, 6.1m) @ 0.16 g/t Au

No Significant Silver

ES-23

Gold

345-365', 20' (105.2-111.3m, 6.1m) @ 0.41 g/t Au

380-385', 5' (115.8-117.3m, 1.5m) @ 0.31 g/t Au

Gold, ES-23 Continued

405-415', 10' (123.4-126.5m, 3.1m) @ 0.22 g/t Au

430-440', 10' (131.2-134.1m, 3.1m) @ 0.15 g/t Au

No Significant Silver

ES-24

Gold

40-60', 20' (12.2-18.3m, 6.1m) @ 0.14 g/t Au

285-290', 5' (87-88.4m, 1.5m) @ 0.52 g/t Au

305-310', 5' (93-94.5m, 1.5m) @ 0.15 g/t Au

415-425', 10' (126.5-129.5m, 3.1m) @ 0.18 g/t Au

460-465', 5' (140.2-141.7m, 1.5m) @ 0.23 g/t Au

530-540', 10' (161.5-164.6m, 3.1m) @ 1.59 g/t Au

645-655', 10' (196.6-199.6, 3.1m) @ 0.14 g/t Au

No Significant Silver

Phase III

ES-25

Gold

75-80', 5' (23-24.4m, 1.5m) @ 0.12 g/t Au

100-115', 15' (30.5-35.1m, 4.6m) @ 0.25 g/t Au

155-205', 50' (47.2-62.5m, 15.2m) @ 0.20 g/t Au

240-255', 15' (73.2-77.7m, 4.6m) @ 0.15 g/t Au

275-290', 15' (83.8-88.4m, 4.6m) @ 0.21 g/t Au

360-365', 5' (109.7-111.3m, 1.5m) @ 0.13 g/t Au

410-440', 30' (125-134.1m, 9.1m) @ 0.78 g/t Au

440-505', 65' (134.1-154, 19.8m) @ 0.15 g/t Au

565-595', 30' (172.2-181.4m, 9.1m) @ 0.39 g/t Au

Silver

435-440', 5' (132.6-134.1m, 1.5m) @ 21 g/t Ag

ES-26

Gold

115-190', 75' (35.1-58m, 23m) @ 0.24 g/t Au

230-355', 125' (70.1-108.2m, 38.1m) @ 0.24 g/t Au

Including:

- 280-295', 15' (85.3-90m, 4.6m) @ 5.08 g/t Au

400-415', 15' (122-126.5m, 4.6m) @ 0.14 g/t Au

425-435', 10' (129.4-132.6m, 3.1m) @ 0.25 g/t Au

460-485', 25' (140.2-147.8m, 7.6m) @ 0.44 g/t Au

515-520', 5' (157-158.5m, 1.5m) @ 0.22 g/t Au

585-595', 10' (178.3-181.4m, 3.1m) @ 0.47 g/t Au

620-705', 85' (189-215m, 26m) @ 0.41 g/t Au

Including:

- 690-700', 10' (210.3-213.4m, 3.1m) @ 1.31 g/t Au

745-760', 15' (227.1-231.7m, 4.6m) @ 0.93 g/t Au

760-800', 40' (231.7-243.8m, 12.2m) @ 0.21 g/t Au

Silver

155-160', 5' (47.3-48.8m, 1.5m) @ 15 g/t Ag
285-295', 10' (87-90m, 3.1m) @ 14 g/t Ag
690-700', 10' (210.3-213.4m, 3.1m) @ 12 g/t Ag
750-760', 10' (228.6-231.7m, 3.1m) @ 12 g/t Ag
Hole Bottomed in Values

ES-27

Gold

60-85', 25' (18.3-26m, 7.6m) @ 0.64 g/t Au
125-135', 10' (38.1-41.2m, 3.1m) @ 0.13 g/t Au
195-200', 5' (59.4-61m, 1.5m) @ 0.18 g/t Au
210-300', 90' (64-91.4m, 27.4m) @ 0.24 g/t Au
315-390', 75' (96-119m, 23m) @ 0.39 g/t Au
485-490', 5' (147.8-149.4m, 1.5m) @ 0.28 g/t Au
540-750', 210' (164.6-228.6m, 64m) @ 1.43 g/t Au

Including:

- 545-555', 10' (116.1-169.2, 3.1m) @ 2.42 g/t Au
And 565-570', 5' (172.2-173.7m, 1.5m) @ 5.01 g/t Au
And 675-705', 30' (205.7-215m, 9.1m) @ 5.86 g/t Au

Silver

540-555', 15' (164.6-169.2m, 4.6m) @ 22.3 g/t Ag
695-700', 5' (211.8-213.4m, 1.5m) @ 28 g/t Ag

ES-28

Gold

15-75', 65' (4.6-23m, 19.8m) @ 0.23 g/t Au
115-140', 25' (35.1-42.7m, 7.6m) @ 0.31 g/t Au
180-230', 50' (55-70.1m, 15.2m) @ 0.66 g/t Au

No Significant Silver

ES-29

Gold

25-185', 160' (7.6-56.4m, 48.8m) @ 0.12 g/t Au
545-550', 5' (166.1-167.6, 1.5m) @ 0.42 g/t Au

Silver

30-35', 5' (9.1-10.7m, 1.5m) @ 14 g/t Ag

ES-30

Gold

645-655', 10' (196.6-199.6m, 3.1m) @ 0.40 g/t Au
740-745', 5' (225.6-227.1m, 1.5m) @ 0.71 g/t Au
815-820', 5' (248.4-250m, 1.5m) @ 0.12 g/t Au

Silver

800-805', 5' (243.8-245.4m, 1.5m) @ 10 g/t Ag
815-825', 10' (248.4-251.5m, 3.1m) @ 25.5 g/t Ag

ES-31

Gold

385-405', 20' (117.3-123.4m, 6.1m) @ 0.19 g/t Au
405-415', 10' (123.4-126.5m, 3.1m) @ 0.73 g/t Au
425-430', 5' (129.5-131.1m, 1.5m) @ 0.13 g/t Au
530-570', 40' (161.5-173.7m, 12.2m) @ 2.05 g/t Au

Including:

- 545-555', 10' (166.1-169.2m, 3.1m) @ 9.23 g/t Au
- 665-675', 10' (202.7-205.7m, 3.1m) @ 1.0 g/t Au
- 675-695', 20' (205.7-211.8m, 6.1m) @ 0.23 g/t Au
- 730-735', 5' (222.5-224m, 1.5m) @ 0.16 g/t Au
- 750-755', 5' (228.6-230.1m, 1.5m) @ 0.20 g/t Au

Silver

380-385', 5' (115.8-117.3m, 1.5m) @ 11 g/t Ag
400-415', 15' (122-126.5m, 4.5m) @ 23 g/t Ag
545-550', 5' (166.1-167.6m, 1.5m) @ 11 g/t Ag

ES-32

Gold

270-330', 50' (82.3-100.6m, 15.2m) @ 0.26 g/t Au
920-925', 5' (280.4-282m, 1.5m) @ 1.35 g/t Au
945-995', 50' (228-303.3m, 15.2m) @ 0.87 g/t Au

Including:

- 960-970', 10' (292.6-295.7m, 3.1m) @ 2.3 g/t Au
- 1015-1080', 65' (309.4-329.2m, 19.8m) @ 0.25 g/t Au

Silver

955-960', 5' (291.1-292.6m, 1.5m) @ 67 g/t Ag
970-975', 5' (295.7-297.1m, 1.5m) @ 10 g/t Ag
1050-1055', 56' (320-321.6m, 1.5m) @ 19 g/t Ag

ES-33

Gold

200-205', 5' (61-62.5m, 1.5m) @ 0.15 g/t Au
255-260', 5' (77.7-2-79.3m, 1.5m) @ 0.15 g/t Au
305-325', 20' (93-99.1m, 6.1m) @ 0.41 g/t Au
365-390', 25' (111.3-119m, 7.6m) @ 0.22 g/t Au
435-450', 15' (132.6-137.2m, 4.6m) @ 0.14 g/t Au
470-670', 200' (143.3-204.2m, 61m) @ 0.74 g/t Au

Including:

- 530-610', 80' (161.5-186m, 24.4m) @ 1.3 g/t Au
- 715-790', 75' (218-240.8m, 23m) @ 0.24 g/t Au

Including:

- 770-755', 5' (234.7-236.2m, 1.5m) @ 1.40 g/t Au

Silver

510-545', 35' (155.5-166.1m, 10.7m) @ 33.7 g/t Ag
595-600', 5' (181.4-183m, 1.5m) @ 38 g/t Ag

ES-34

Gold

230-235', 5' (70.1-71.6m, 1.5m) @ 0.14 g/t Au
465-470', 5' (141.7-143.3m, 1.5m) @ 0.82 g/t Au
515-525', 10' (157-160m, 3.1m) @ 0.30 g/t Au
540-610', 70' (164.6-186m, 21.3m) @ 0.51 g/t Au

Including:

- 540-560', 20' (164.6-170.7m, 6.1m) @ 1.13 g/t Au

Silver

585-595', 10' (178.3-181.4m, 3.1m) @ 11 g/t Ag

ES-35

Gold

45-50', 5' (13.7-15.2m, 1.5m) @ 0.14 g/t Au
75-230', 155' (23-70.1m, 47.2m) @ 0.23 g/t Au
285-290', 5' (87-88.3m, 1.5m) @ 0.13 g/t Au
325-330', 5' (99.1-100.6m, 1.5m) @ 0.19 g/t Au
355-370', 15' (108.2-112.8m, 4.6m) @ 0.37 g/t Au
385-390', 5' (117.4-119m, 1.5m) @ 0.15 g/t Au

No Significant Silver

ES-36

Gold

630-790', 160' (192-240.8m, 48.8m) @ 0.92 g/t Au

Including:

- 630-650', 20' (192-198.1m, 6.1m) @ 2.62 g/t Au
- 725-730', 5' (221-222.5m, 1.5m) @ 2.73 g/t Au

Silver

630-640', 10' (192-195.1m, 1.5m) @ 25 g/t Ag
670-755', 85' (204.2-230.1m, 26m) @ 22.5 g/t Ag
770-775', 5' (234.7-236.2m, 1.5m) @ 17 g/t Ag

Phase IV

ES-37

No significant values

ES-38

No significant values

ES-39

Gold

130-135', 5', (39.6-41.1m, 1.5m) @ 0.13 g/t Au
250-260', 10' (76.2-79.2m, 3m) @ 0.10 g/t Au

Gold, ES-39 Continued

265-270', 5' (80.8-82.3m, 1.5m) @ 0.14 g/t Au
330-335', 5' (100.6-102.1m, 1.5m) @ 0.14 g/t Au
345-370', 25' (105.2-112.8m, 7.6m) @ 0.26 g/t Au
385-475', 90' (117.3-144.8m, 27.4m) @ 0.27 g/t Au

Including:

- 405-415', 10' (123.4-126.5m, 3m) @ 1.01 g/t Au
- 550-555', 5' (167.6-169.2m, 1.5m) @ 0.16 g/t Au
- 635-725', 90' (193.5-221m, 27.4m) @ 2.54 g/t Au

Including:

- 655-665', 10' (199.6-202.6m, 3m) @ 19.61 g/t Au

Silver

390-445', 55' (118.9-135.6m, 16.8m) @ 25.5 g/t Ag
630-710', 80' (192-216.4m, 24.4m) @ 37.6 g/t Ag
Hole Bottomed in Values

ES-40

Gold

15-25', 10' (4.6-7.6m, 3m) @ 0.17 g/t Au
120-125', 5' (36.6-38.1m, 1.5m) @ 0.18 g/t Au
140-145', 5' (42.7-44.2m, 1.5m) @ 0.17 g/t Au
195-200', 5' (59.4-61m, 1.5m) @ 0.15 g/t Au
275-315', 40' (83.8-90m, 12.2m) @ 0.19 g/t Au
350-455', 105' (106.7-138.7m, 32m) @ 1.248 g/t Au
590-725', 135' (179.8-221m, 41.1m) @ 0.38 g/t Au
775-825', 50' (236.2-251.4m, 15.2m) @ 0.41 g/t Au

Including:

- 820-825', 5' (249.9-251.5m, 1.5m) @ 2.41 g/t Au

Silver

355-370', 30' (108.2-112.8m, 9.1m) @ 13.3 g/t Ag
390-420', 30' (118.8-128m, 9.1m) @ 11.3 g/t Ag
620-655', 35' (189-199.6m, 10.7m) @ 88.5 g/t Ag

Including:

- 625-635', 10' (190.5-193.5m, 3m) @ 203.0 g/t Ag
- 675-685', 10' (205.7-208.8m, 3m) @ 24.5 g/t Ag
- 815-825', 10' (248.4-251.4m, 3m) @ 8.5 g/t Ag

Hole Bottomed in Values

ES-41

Anomalous, No Significant Values

ES-42

Gold

220-240', 20' (67-73.2m, 6.1m) @ 0.30 g/t Au
290-310', 20' (88.4-94.5m, 6.1m) @ 0.12 g/t Au
350-370', 20' (106.7-112.8m, 6.1m) @ 0.24 g/t Au

Gold, ES-42 Continued

815-910', 95' (248.4-277.4m, 29m) @ 0.54 g/t Au

Including:

- 820-830', 10' (249.9-253m, 3m) @ 1.91 g/t Au

Silver

815-865', 50' (248.4-263.7m, 15.2m) @ 13.5 g/t Ag

ES-43

Hole Abandoned, Stuck Steel, Duplicated by ES-69

ES-44

Gold

235-325', 90' (71.7-99.1m, 27.4m) @ 0.18 g/t Au

760-765', 5' (231.7-233.2, 1.5m) @ 0.34 g/t Au

820-865', 45' (249.9-263.7m, 13.7m) @ 0.20 g/t Au

875-925', 50' (226.7-281.9m, 15.2m) @ 0.15 g/t Au

No Significant Silver

Hole Lost Short of Target, Bottomed in Values

ES-45

Gold

95-100', 5' (29-30.5m, 1.5m) @ 0.12 g/t Au

175-180', 5' (53.3-54.9m, 1.5m) @ 0.27 g/t Au

215-225', 10' (65.5-68.6,3m) @ 0.54 g/t Au

255-260', 5' (77.7-79.2m, 1.5m) @ 0.22 g/t Au

285-290', 5' (86.9-88.4m, 1.5m) @ 0.50 g/t Au

315-325', 10' (96-99.1m, 3m) @ 1.15 g/t Au

355-360', 5' (108.2-109.7m, 1.5m) @ 0.17 g/t Au

420-425', 5' (128-129.5m, 1.5m) @ 0.73 g/t Au

445-455', 10' (135.6-138.7m, 3m) @ 0.21 g/t Au

530-555', 25' (161.5-169.2m, 7.6m) @ 0.20 g/t Au

560-575', 15' (170.7-175.3m, 4.6m) @ 0.16 g/t Au

585-600', 15' (178.3-182.9m, 4.6m) @ 0.20 g/t Au

610-805', 195' (185.9-245.4m, 59.4m) @ 0.92 g/t Au

Including:

- 610-695', 85' (185.9-211.8m, 25.9m) @ 1.62 g/t Au

Silver

215-220', 5' (65.5-67.1m, 1.5m) @ 8 g/t Ag

255-260', 5' (77.7-79.2m, 1.5m) @ 11 g/t Ag

285-290', 5, (86.9-88.4m, 1.5m) @ 23 g/t Ag

315-325', 10' (96-99.1m, 3m) @ 25.5 g/t Ag

420-425', 5' (128-129.5m, 1.5m) @ 9 g/t Ag

585-595', 10' (178.3-181.4m, 3m) @ 8.5 g/t Ag

Hole Bottomed in Values

ES-46

Gold

185-355', 170' (56.4-108.2m, 51.8m) @ 0.55 g/t Au
390-395', 5' (118.8-120.4m, 1.5m) @ 0.12 g/t Au
400-425', 25' (121.9-129.5m, 7.6m) @ 0.22 g/t Au
810-1005', 195' (246.9-306.3m, 59.4m) @ 0.58 g/t Au

Including:

- 925-980', 55' (281.9-298.7m, 16.8m) @ 1.03 g/t Au

Silver

265-345', 80' (80.8-105.2m, 24.4m) @ 24.4 g/t Ag
810-840', 30' (246.9-256m, 9.1m) @ 20 g/t Ag
Hole Bottomed in Values

ES-47

Gold

435-445', 10' (132.6-135.6m, 3m) @ 0.25 g/t Au
495-505', 10' (150.9-153.9m, 3m) @ 0.22 g/t Au
575-600', 25' (175.2-182.9m, 7.6m) @ 0.15 g/t Au
790-795', 5' (240.8-242.3m, 1.5m) @ 0.22 g/t Au

No Significant Silver

ES-48

Gold

0-45', 45' (0-13.7m, 13.7m) @ 0.22 g/t Au
70-85', 15' (21.3-25.9m, 4.6m) @ 0.18 g/t Au
135-200', 65' (41.1-61m, 19.8m) @ 0.19 g/t Au
530-535', 5, (161.5-163m, 1.5m) @ 0.44 g/t Au

No Significant Silver

Poor Sample Recovery – Top to Bottom

ES-49

Gold

410-420', 10' (125-128m, 3m) @ 0.43 g/t Au
745-770', 25' (227-234.7m, 7.6m) @ 0.96 g/t Au

No Significant Silver

ES-50

Gold

0-15', 15' (0-4.6m, 4.6m) @ 0.14 g/t Au
55-80', 25' (16.8-24.4m, 7.6m) @ 0.33 g/t Au

No Significant Silver

Poor Sample Recovery

ES-51

Gold

50-55', 5' (15.2-16.8m, 1.5m) @ 0.28 g/t Au
175-180', 5' (53.3-54.9m, 1.5m) @ 0.12 g/t Au
680-685', 5' (115.8-208.8m, 93m) @ 0.14 g/t Au

Silver, ES-51 Continued

No Significant Silver

ES-52

Gold

70-80', 10' (21.3-24.4m, 3m) @ 0.13 g/t Au

120-165', 45' (36.6-50.3m, 13.7m) @ 0.16 g/t Au

No Significant Silver

Hole Lost at 325 ft., Stuck Pipe, Did Not Reach Target

ES-53

Gold

100-105', 5' (30.5-32m, 1.5m) @ 0.21 g/t Au

290-320', 30' (88.4-97.5m, 9.1m) @ 0.50 g/t Au

365-370', 5' (111.3-112.8m, 1.5m) @ 1.72 g/t Au

380-385', 5' (115.8-117.3m, 1.5m) @ 0.43 g/t Au

405-415', 10' (123.4-126.5m, 3m) @ 0.40 g/t Au

460-470', 10' (140.2-143.3m, 3m) @ 0.19 g/t Au

485-495', 10' (147.8-150.9m, 3m) @ 1.03 g/t Au

505-605', 100' (153.9-184.4m, 30.5m) @ 0.43 g/t Au

Including:

- 550-560', 10' (167.6-170.7m, 3m) @ 1.87 g/t Au

630-680', 50' (192-207.3m, 15.2m) @ 0.25 g/t Au

700-705', 5' (213.4-214.9m, 1.5m) @ 0.15 g/t Au

750-830', 80' (228.6-253m, 24.4m) @ 0.69g/t Au

Including:

- 770-780', 10' (167.6-170.7m, 3m) @ 2.30 g/t Au

Silver

295-320', 25' (89.9-97.5m, 7.6m) @ 10 g/t Ag

365-370', 5' (111.3-112.8m, 1.5m) @ 8 g/t Ag

405-415', 10' (123.4-126.5m, 3m) @ 17 g/t Ag

480-490', 10' (146.3-149.4m, 3m) @ 24 g/t Ag

700-705', 5' (213.4-214.9m, 1.5m) @ 9 g/t Ag

Hole Bottomed in Values

ES-54

Hole Lost at 200 ft., No Significant Values

ES-55

Gold

155-160', 5' (47.2-48.8m, 1.5m) @ 0.13 g/t Au

175-230', 55' (53.3-70.1m, 16.8m) @ 0.20 g/t Au

300-305', 5' (91.4-93m, 1.5m) @ 0.13 g/t Au

370-375', 5' (112.8-114.3m, 1.5m) @ 0.12 g/t Au

655-660', 5' (199.6-201.2m, 1.5m) @ 0.19 g/t Au

790-865', 75' (240.8-260.6m, 22.8m) @ 0.24 g/t Au

Silver, ES-55 Continued

775-805', 30' (236.2-245.4m, 9.1m) @ 22 g/t Ag
825-865', 40' (251.5-263.7m, 12.2m) @ 14 g/t Ag
Hole Bottomed in Values

ES-56

Gold

320-390', 70' (97.5-118.9m, 21.3m) @ 0.17 g/t Au
480-485', 5' (146.3-147.8m, 1.5m) @ 0.23 g/t Au
505-590', 85' (153.9-179.8m, 25.9m) @ 0.52 g/t Au

Including:

- 535-545', 10' (163.1-166.1m, 3m) @ 2.26 g/t Au
- 615-625', 10' (187.5-190.5m, 3m) @ 0.52 g/t Au

Silver

390-395', 5' (118.9-120.4m, 1.5m) @ 10 g/t Ag
535-545', 10' (163.1-166.1m, 3m) @ 19 g/t Ag
575-585', 10' (175.3-178.3m, 3m) @ 15 g/t Ag
Hole Bottomed in Values

ES-57

No Significant Values

ES-58

Gold

295-310', 15' (89.9-94.5m, 4.6m) @ 0.16 g/t Au
320-335', 15' (97.5-102.1m, 4.6m) @ 0.24 g/t Au
555-805', 250' (169.2-245.4m, 76.2m) @ 0.35 g/t Au

Including

- 605-670', 65' (184.4-204.2m, 19.8m) @ 1.00 g/t Au
- 780-795', 15' (237.7-242.3m, 4.6m) @ 1.01 g/t Au

Silver

580-585', 5' (176.8-178.3m, 1.5m) @ 9 g/t Ag
645-670', 25' (196.6-204.2m, 7.6m) @ 35 g/t Ag
695-715', 20' (211.8-217.9m, 6.1m) @ 10 g/t Ag
740-745', 5' (225.6-227.1m, 1.5m) @ 14 g/t Ag
765-770', 5' (233.2-234.7m, 1.5m) @ 8 g/t Ag
785-805', 20' (239.3-245.4m, 6.1m) @ 31.5 g/t Ag
Hole Bottomed in Values

ES-59

Gold

220-230', 10' (67.1-70.1m, 3m) @ 0.69 g/t Au
350-405', 55' (106.7-123.4m, 16.8m) @ 0.24 g/t Au
415-460', 45' (126.5-140.2m, 13.7m) @ 0.15 g/t Au
470-495', 25' (143.3-150.9m, 7.6m) @ 0.20 g/t Au
525-540', 15' (160-164.6m, 4.6m) @ 0.26 g/t Au

Gold, ES-59 Continued

545-550', 5' (166.1-167.6m, 1.5m) @ 0.13 g/t Au
790-810', 20' (240.8-246.9m, 6.1m) @ 0.89 g/t Au
830-835', 5' (253-254.5m, 1.5m) @ 0.17 g/t Au
855-860', 5' (260.6-262.1m, 1.5m) @ 0.70 g/t Au
875-965', 90' (266.7-294.1m, 27.4m) @ 0.61 g/t Au

Silver

220-225', 5' (67.1-68.6m, 1.5m) @ 12 g/t Ag
790-795', 5' (240.8-242.3m, 1.5m) @ 9 g/t Ag
Hole Bottomed in Values

ES-60

Gold

110-130', 20' (33.5-39.6m, 6.1m) @ 0.13 g/t Au
570-580', 10' (173.7-176.8, 3m) @ 0.24 g/t Au
Lost Hole Before Target

ES-61

Gold

285-290', 5' (86.7-88.4m, 1.5m) @ 0.17 g/t Au
345-350', 5' (105.2-106.7m, 1.5m) @ 0.13 g/t Au
390-395', 5' (118.9-120.4m, 1.5m) @ 0.12 g/t Au
445-465', 20' (135.6-141.7m, 6.1m) @ 0.28 g/t Au
570-575', 5' (173.7-175.3m, 1.5m) @ 1.05 g/t Au
590-765', 175' (179.8-233.2m, 53.3m) @ 0.53 g/t Au

Including:

- 590-660', 70' (179.8-201.2m, 21.3m) @ 0.89 g/t Au
- 615-630', 15' (187.5-192m, 4.6m) @ 1.30 g/t Au
- 650-660', 10' (198.1-201.2m, 3m) @ 2.07 g/t Au

Silver

570-575', 5' (173.7-175.3m, 1.5m) @ 15 g/t Ag
Hole Bottomed in Values

ES-62

Gold

90-95', 5' (27.32-29m, 1.5m) @ 0.12 g/t Au
490-540', 50' (149.4-164.6m, 15.2m) @ 0.10 g/t Au

Including:

- 500-520', 20' (152.4-158.5m, 6.1m) @ 2.01 g/t Au
- 565-570', 5' (172.2-173.7m, 1.5m) @ 0.34 g/t Au
- 610-620', 10' (185.9-189m, 3m) @ 0.38 g/t Au
- 650-670', 20' (198.1-204.2m, 6.1m) @ 2.18 g/t Au

Including:

- 655-665', 10' (199.6-202.7m, 3m) @ 4.13 g/t Au
- 695-700', 5' (211.8-213.4m, 1.5m) @ 0.24 g/t Au
- 770-780', 10' (234.7-237.7m, 3m) @ 0.54 g/t Au

Silver, ES-62 Continued

650-670', 20' (198.1-204.2m, 6.1m) @ 27.7 g/t Ag
655-665', 10' (199.6-202.7m, 3m) @ 45 g/t Ag

ES-63

Gold

95-100', 5' (29-30.5m, 1.5m) @ 0.15 g/t Au
130-135', 5' (39.6-41.1m, 1.5m) @ 0.12 g/t Au
430-455', 25' (131.1-138.7m, 7.6m) @ 0.87 g/t Au
465-475', 10' (141.7-144.8m, 3m) @ 0.16 g/t Au
555-565', 10' (169.2-172.1m, 3m) @ 0.19 g/t Au

No Significant Silver
Hole Lost Before Target

ES-64

Gold

305-345', 40' (93-105.2m, 12.2m) @ 0.13 g/t Au
390-395', 5' (118.9-120.4m, 1.5m) @ 0.21 g/t Au

Silver

240-245', 5' (73.2-74.7m, 1.5m) @ 7 g/t Ag

ES-65

Gold

155-175', 20' (47.2-53.4m, 6.1m) @ 0.14 g/t Au
195-215', 20' (59.4-65.5m, 6.1m) @ 0.24 g/t Au
280-285', 5' (85.3-86.9m, 1.5m) @ 0.12 g/t Au
325-350', 25' (99.1-106.7m, 7.6m) @ 0.32 g/t Au
365-385', 20' (111.3-117.3m, 6.1m) @ 0.14 g/t Au
395-865', 470' (120.4-263.7m, 143.3m) @ 0.33 g/t Au

Including:

- 730-740', 10' (222.5-225.6m, 3m) @ 0.91 g/t Au
- 835-865', 30' (254.5-263.7m, 9.1m) @ 0.81 g/t Au

Silver

730-740', 10' (222.5-225.6m, 3m) @ 9.5 g/t Ag
Hole Bottomed in Values

ES-66

Gold

95-100', 5' (29-30.5m, 1.5m) @ 0.13 g/t Au
215-220', 5' (65.5-67.1m, 1.5m) @ 0.16 g/t Au
250-270', 20' (76.2-82.3m, 6.1m) @ 0.12 g/t Au
360-365', 5' (109.7-111.3m, 1.5m) @ 0.14 g/t Au

No Significant Silver

ES-67

Gold

250-350', 100' (76.2-106.7m, 30.5m) @ 0.19 g/t Au
390-395', 5' (118.9-120.4m, 1.5m) @ 0.12 g/t Au
400-405', 5' (121.9-123.4m, 1.5m) @ 0.18 g/t Au
445-450', 5' (135.6-137.6m, 1.5m) @ 0.13 g/t Au
470-475', 5' (143.3-144.8m, 1.5m) @ 0.13 g/t Au
635-645', 10' (193.5-196.6m, 3m) @ 0.15 g/t Au
665-760', 95' (202.7-231.7m, 29m) @ 0.43 g/t Au
785-860', 75' (239.3-262.1m, 22.9m) @ 1.37 g/t Au

Including:

- 790-815', 25' (240.8-248.4m, 7.6m) @ 2.95 g/t Au

Silver

285-305', 20' (86.9-93m, 6.1m) @ 20.3 g/t Ag
Hole Bottomed in Values

ES-68

Gold

55-65', 10' (16.8-19.8m, 3m) @ 0.20 g/t Au
180-185', 5' (54.9-56.4m, 1.5m) @ 0.12 g/t Au
215-220', 5' (65.5-67.1m, 1.5m) @ 0.47 g/t Au
240-260', 20' (73.2-79.3m, 6.1m) @ 0.94 g/t Au

Including

- 240-250', 10' (73.2-76.2m, 3m) @ 1.52 g/t Au
265-270', 5' (80.8-82.3m, 1.5m) @ 0.22 g/t Au
285-290', 5' (86.9-88.4m, 1.5m) @ 0.22 g/t Au
310-315', 5' (94.5-96m, 1.5m) @ 0.25 g/t Au
320-330', 10' (97.5-100.6m, 3m) @ 0.12 g/t Au
340-350', 10' (103.6-106.7m, 3m) @ 0.24 g/t Au
360-395', 35' (109.7-120.4m, 10.7m) @ 0.12 g/t Au
410-455', 45' (125-132.6m, 13.7m) @ 0.19 g/t Au
545-550', 5' (166.1-167.6m, 1.5m) @ 0.16 g/t Au
595-615', 20' (181.4-187.5m, 6.1m) @ 0.13 g/t Au

No Significant Silver

ES-69

Gold

240-245', 5' (73.2-74.7m, 1.5m) @ 0.13 g/t Au
335-345', 10' (102.1-105.2m, 3m) @ 0.30 g/t Au
425-445', 20' (129.5-135.6m, 6.1m) @ 0.34 g/t Au
470-490', 20' (143.3-149.4m, 6.1m) @ 0.53 g/t Au
510-515', 5' (155.4-157m, 1.5m) @ 0.20 g/t Au
525-560', 35' (160-170.7m, 10.7m) @ 0.13 g/t Au
615-665', 50' (187.5-202.7m, 15.2m) @ 0.13 g/t Au
685-695', 10' (208.8-211.8m, 3m) @ 0.13 g/t Au
730-735', 5' (222.5-224m, 1.5m) @ 0.22 g/t Au
790-840', 50' (240.8-256m, 15.2m) @ 0.37 g/t Au
860-865', 5' (262.1-263.7m, 1.5m) @ 0.13 g/t Au

Silver, ES-69 Continued

335-340', 5' (102.1-103.6m, 1.5m) @ 7 g/t Ag

ES-70

Gold

130-135', 5' (39.6-41.1m, 1.5m) @ 0.12 g/t Au

210-215', 5' (64-65.5m, 1.5m) @ 0.89 g/t Au

Silver

500-505', 5' (152.4-153.9m, 1.5m) @ 8 g/t Ag

Poor Sample Recovery Through-out Entire Hole

ES-71

Gold

25-30', 5' (7.6-9.1m, 1.5m) @ 0.25 g/t Au

65-80', 15' (19.8-24.4m, 4.6m) @ 0.28 g/t Au

155-170', 15' (47.2-51.8m, 4.6m) @ 1.11 g/t Au

185-220', 35' (56.4-67.1m, 10.7m) @ 0.16 g/t Au

250-260', 10' (76.2-79.2m, 3m) @ 0.30 g/t Au

285-295', 10' (86.9-89.9m, 3m) @ 0.27 g/t Au

420-425', 5' (128.1-129.5m, 1.5m) @ 0.13 g/t Au

495-515', 20' (150.9-157m, 6.1m) @ 0.24 g/t Au

550-555', 5' (167.6-169.2m, 1.5m) @ 0.20 g/t Au

595-710', 115' (181.4-216.4m, 35.1m) @ 0.90 g/t Au

Including:

- 620-660', 40' (189-201.2m, 12.2m) @ 2.61 g/t Au
- 625-650', 25' (190.5-198.1m, 7.6m) @ 3.53 g/t Au
- 785-790', 5' (239.3-240.8m, 1.5m) @ 0.14 g/t Au
- 805-820', 15' (245.4-249.9m, 4.6m) @ 0.20 g/t Au
- 840-905', 65' (256-275.9m, 19.8m) @ 0.96 g/t Au

Including:

- 865-875', 10' (263.7-266.7m, 3m) @ 4.57 g/t Au
- 920-1205', 285' (280.4-367.3m, 86.9m) @ 0.39 g/t Au

Including:

- 930-940', 10' (283.5-286.5m, 3m) @ 1.19 g/t Au
- 980-985', 5' (298.7-300.2m, 1.5m) @ 3.07 g/t Au

Silver

150-160', 10' (45.7-48.8m, 3m) @ 15 g/t Ag

250-260', 10' (76.2-79.2m, 3m) @ 16 g/t Ag

285-290', 5' (86.9-88.4m, 1.5m) @ 25 g/t Ag

500-505', 5' (152.4-153.9m, 1.5m) @ 8 g/t Ag

600-605', 5' (182.9-184.4m, 1.5m) @ 17 g/t Ag

625-645', 20' (190.5-196.6m, 6.1m) @ 13 g/t Ag

865-870', 5' (263.7-265.2m, 1.5m) @ 22 g/t Ag

1135-1145', 10' (345.9-349m, 3m) @ 12 g/t Ag

Hole Bottomed in Values

ES-72

Gold

150-155', 5' (45.7-47.2m, 1.5m) @ 0.17 g/t Au
220-225', 5' (67.1-68.6m, 1.5m) @ 0.22 g/t Au
245-255', 10' (74.7-77.7m, 3m) @ 0.26 g/t Au
345-355', 10' (105.2-108.2m, 3m) @ 0.51 g/t Au
380-385', 5' (115.8-117.4m, 1.5m) @ 0.14 g/t Au
440-470', 30' (134.1-143.3m, 9.1m) @ 0.99 g/t Au

Including:

- 440-455', 15' (134.1-138.7m, 4.6m) @ 1.80 g/t Au
500-510', 10' (152.4-155.4m, 3m) @ 0.13 g/t Au
No Significant Silver; Poor Sample Recovery

ES-73

Gold

180-185', 5' (54.9-56.4m, 1.5m) @ 0.18 g/t Au
225-230', 5' (68.6-70.1m, 1.5m) @ 0.15 g/t Au
255-260', 5' (77.7-79.2m, 1.5m) @ 0.18 g/t Au
560-565', 5' (170.7-172.2m, 1.5m) @ 0.45 g/t Au
690-695', 5' (210.3-211.8m, 1.5m) @ 0.18 g/t Au
860-865', 5' (262.1-263.7m, 1.5m) @ 0.14 g/t Au
880-895', 15' (268.2-272.8m, 4.6m) @ 0.24 g/t Au

No Significant Silver; Poor Sample Recovery

Hole Bottomed in Values

ES-74

Gold

110-120', 10' (33.5-36.6m, 3m) @ 0.13 g/t Au
165-175', 10' (50.3-53.3m, 3m) @ 0.21 g/t Au
215-220', 5' (65.5-67.1m, 1.5m) @ 0.38 g/t Au
260-265', 5' (79.2-80.8m, 1.5m) @ 0.22 g/t Au
290-295', 5' (88.4-89.9m, 1.5m) @ 0.16 g/t Au
305-310', 5' (93-94.5m, 1.5m) @ 0.32 g/t Au
330-385', 55' (100.6-117.3m, 16.8m) @ 0.46 g/t Au
410-430', 20' (125-131.1m, 6.1m) @ 0.14 g/t Au
460-465', 5' (140.20-141.7m, 1.5m) @ 0.13 g/t Au
475-480', 5' (144.8-146.3m, 1.5m) @ 0.24 g/t Au

Silver

165-170', 5' (50.3-51.8m, 1.5m) @ 8 g/t Ag
330-385', 55' (100.6-117.3m, 16.8m) @ 13.9 g/t Ag
Poor Sample Recovery

ES-75

Gold

25-30', 5' (7.6-9.1m, 1.5m) @ 0.41 g/t Au
125-145', 20' (38.1-44.2m, 6.1m) @ 0.23 g/t Au
180-230', 50' (54.9-70.1m, 15.2m) @ 0.17 g/t Au
280-295', 15' (85.3-89.9m, 4.6m) @ 0.25 g/t Au

Gold, ES-75 Continued

380-385', 5' (115.8-117.3m, 1.5m) @ 0.39 g/t Au
420-435', 15' (128-132.6m, 4.6m) @ 0.12 g/t Au
445-450', 5' (135.6-137.2m, 1.5m) @ 0.12 g/t Au
480-485', 5' (146.3-147.8m, 1.5m) @ 0.15 g/t Au
500-505', 5' (152.4-153.9m, 1.5m) @ 0.17 g/t Au
515-520', 5' (157-158.5m, 1.5m) @ 0.16 g/t Au
540-545', 5' (164.6-166.1m, 1.5m) @ 0.13 g/t Au
590-600', 10' (179.8-182.9m, 3m) @ 0.16 g/t Au
630-635', 5' (192-193.6m, 1.5m) @ 0.13 g/t Au
655-665', 10' (199.7-202.7m, 3m) @ 0.26 g/t Au

Silver

125-130', 5' (38.1-39.6m, 1.5m) @ 13 g/t Ag
220-225', 5' (67.1-68.6m, 1.5m) @ 9 g/t Ag
280-290', 10' (85.3-88.4m, 3m) @ 9 g/t Ag
380-385', 5' (115.8-117.3m, 1.5m) @ 10 g/t Ag
480-485', 5' (146.3-147.8m, 1.5m) @ 12 g/t Ag
515-520', 5' (157-158.5m, 1.5m) @ 9 g/t Ag
540-545', 5' (164.6-166.1m, 1.5m) @ 8 g/t Ag
Very Poor Recovery, Especially 540-End Of Hole

ES-76

Gold

100-105', 5' (30.5-32m, 1.5m) @ 0.24 g/t Au
125-130', 5' (38.1-39.6m, 1.5m) @ 0.13 g/t Au
370-375', 5' (112.8-114.3m, 1.5m) @ 0.16 g/t Au
455-460', 5' (138.7-140.2m, 1.5m) @ 0.25 g/t Au
520-525', 5' (158.5-160m, 1.5m) @ 0.16 g/t Au
545-550', 5' (116.1-167.6m, 1.5m) @ 0.20 g/t Au
565-590', 25' (172.2-179.8m, 7.6m) @ 0.56 g/t Au

Including:

- 575-580', 5' (175.3-176.8m, 1.5m) @ 1.55 g/t Au

Silver

575-580', 5' (175.3-176.8m, 1.5m) @ 32 g/t Ag
Very Poor Sample Recovery

ES-77

Gold

360-395', 35' (109.7-120.4m, 10.7m) @ 0.18 g/t Au
410-425', 15' (125-129.5m, 4.6m) @ 0.14 g/t Au
460-490', 30' (140.2-149.4m, 9.1m) @ 0.54 g/t Au

Including:

- 470-480', 10' (143.3-146.3m, 3m) @ 1.05 g/t Au
515-525', 10' (157-160m, 3m) @ 0.27 g/t Au
540-570', 30' (164.6-173.7m, 9.1m) @ 0.40 g/t Au
580-585', 5' (176.8-178.3m, 1.5m) @ 0.20 g/t Au
605-615', 10' (184.4-187.5m, 4.6m) @ 0.23 g/t Au

Gold, ES-77 Continued

875-890', 15' (266.7-271.3m, 4.6m) @ 0.21 g/t Au
910-915', 5' (277.4-278.9m, 1.5m) @ 0.15 g/t Au
960-965', 5' (292.6-294.1m, 1.5m) @ 1.41 g/t Au
1055-1065', 10' (321.6-324.6m, 3m) @ 0.16 g/t Au

Silver

555-565', 10' (169.2-172.2, 3m) @ 11 g/t Ag

ES-78

Gold

70-90', 20' (21.3-27.4m, 6.1m) @ 0.43 g/t Au
125-130', 5' (38.1-39.6m, 1.5m) @ 0.15 g/t Au
170-175', 5' (51.8-53.3m, 1.5m) @ 0.51 g/t Au
225-305', 80' (68.6-92.9m, 24.4m) @ 0.22 g/t Au
465-570', 105' (141.7-173.7m, 32m) @ 0.36 g/t Au

Including:

- 485-495', 10' (147.8-150.9m, 3m) @ 1.34 g/t Au
- 585-605', 20' (178.3-184.4m, 6.1m) @ 0.16 g/t Au
- 660-695', 35' (201.2-211.8m, 10.7m) @ 0.67 g/t Au

Including:

- 665-675', 10' (202.7-205.7m, 3m) @ 1.94 g/t Au
- 710-715', 5' (216.4-217.9m, 1.5m) @ 0.14 g/t Au
- 730-735', 5' (222.5-224m, 1.5m) @ 0.20 g/t Au
- 765-790', 25' (233.2-240.8m, 7.6m) @ 3.19 g/t Au

Including:

- 765-780', 15' (233.2-237.7m, 4.6m) @ 5.11 g/t Au

Silver

80-85', 5' (24.4-25.9m, 1.5m) @ 10 g/t Ag
470-475', 5' (143.3-144.8m, 1.5m) @ 9 g/t Ag
600-610', 10' (182.9-185.9m, 3m) @ 8.5 g/t Ag
765-770', 5' (233.2-234.7m, 1.5m) @ 8 g/t Ag
Hole Abandoned, Pipe Stuck in Hole

ES-79

Gold

245-250', 5' (74.7-76.2m, 1.5m) @ 0.14 g/t Au
480-490', 10' (146.3-149.4m, 3m) @ 0.18 g/t Au

Silver

755-765', 10' (230.1-233.2m, 3m) @ 11 g/t Ag
Poor Sample Recovery

ES-80

Gold

110-140', 30' (33.5-42.7m, 9.1m) @ 0.18 g/t Au
150-155', 5' (45.7-47.2m, 1.5m) @ 0.13 g/t Au
240-260', 20' (73.2-79.2m, 6.1m) @ 0.15 g/t Au

Gold, ES-80 Continued

280-335', 55' (85.3-102.1m, 16.8m) @ 0.29 g/t Au
380-880', 500' (115.8-268.2m, 152.4m) @ 0.71 g/t Au

Including:

- 465-560', 95' (140.9-169.7m, 28.8m) @ 2.16 g/t Au
- 490-505', 15' (149.4-153.9m, 4.6m) @ 10.88 g/t Au
- 895-900', 5' (272.8-274.3m, 1.5m) @ 0.12 g/t Au
- 935-955', 20' (285-291.1m, 6.1m) @ 0.57 g/t Au

Including

- 940-945', 5' (286.5-288m, 1.5m) @ 1.59 g/t Au
- 965-970', 5' (294.1-295.7m, 1.5m) @ 0.13 g/t Au
- 1035-1135', 100' (315.5-345.9m, 30.5m) @ 0.51 g/t Au

Including:

- 1085-1095', 10' (330.7-333.8m, 3m) @ 2.52 g/t Au
- 1180-1220', 40' (359.7-371.9m, 12.2m) @ 0.19 g/t Au

Silver

125-140', 15' (38.1-42.7m, 4.6m) @ 11 g/t Ag
390-395', 5' (118.9-120.4m, 1.5m) @ 38 g/t Ag
410-415', 5' (125-126.5m, 1.5m) @ 14 g/t Ag
420-430', 10' (128-131.1m, 3m) @ 11 g/t Ag
495-500', 5' (150.8-152.4m, 1.5m) @ 12 g/t Ag
660-670', 10' (201.2-204.2m, 3m) @ 26 g/t Ag
690-710', 20' (210.3-216.4m, 6.1m) @ 22 g/t Ag
935-945', 10' (285-288m, 3m) @ 11 g/t Ag

Hole Bottomed in Values

ES-81

Gold

125-130', 5' (38.1-39.6m, 1.5m) @ 0.13 g/t Au
280-305', 25' (85.3-93m, 7.6m) @ 0.25 g/t Au
320-330', 10' (97.5-100.6m, 3m) @ 0.14 g/t Au
380-390', 10' (115.8-118.8m, 3m) @ 0.19 g/t Au
405-415', 10' (123.4-126.5m, 3m) @ 0.14 g/t Au
455-460', 5' (138.7-140.2m, 1.5m) @ 0.23 g/t Au
645-680', 35' (196.6-207.3m, 10.7m) @ 0.56 g/t Au

Including:

- 670-675', 5' (204.2-205.7m, 1.5m) @ 2.56 g/t Au
- 740-745', 5' (225.6-227.1m, 1.5m) @ 0.35 g/t Au
- 900-1085', 185' (274.3-330.7m, 56.4m) @ 0.62 g/t Au

Including:

- 940-985', 45' (286.5-300.2m, 13.7m) @ 1.13 g/t Au
- 1095-1100', 5' (333.8-335.3m, 3m) @ 0.19 g/t Au

Silver

650-655', 5' (198.1-199.6m, 1.5m) @ 13 g/t Ag
895-1090', 195' (272.8-332.2m, 59.4m) @ 11 g/t Ag

Including:

- 945-955', 10' (288-291.1m, 3m) @ 37 g/t Ag

Hole Bottomed in Values

ES-82

Gold

70-75', 5' (21.3-22.9m, 1.5m) @ 0.13 g/t Au
100-145', 45' (30.5-44.2m, 13.7m) @ 0.17 g/t Au
195-210', 15' (59.4-64m, 4.6m) @ 0.31 g/t Au
230-245', 15' (70.1-74.7m, 4.6m) @ 0.19 g/t Au
255-260', 5' (77.8-79.3m, 1.5m) @ 0.17 g/t Au
515-520', 5' (157-158.5m, 1.5m) @ 0.22 g/t Au
605-610', 5' (184.4-185.9m, 1.5m) @ 0.13 g/t Au
625-635', 10' (190.5-193.6m, 3m) @ 0.15 g/t Au

Silver

200-205', 5' (61-62.5m, 1.5m) @ 8 g/t Ag
Rods Stuck in Hole, Abandoned

ES-83

Gold

120-125', 5' (36.4-37.9m, 1.5m) @ 0.18 g/t Au
190-200', 10' (57.6-60.6m, 3m) @ 0.21 g/t Au
450-455', 5' (136.4-137.9m, 1.5m) @ 0.26 g/t Au
470-475', 5' (142.4-143.9m, 1.5m) @ 0.18 g/t Au
495-505', 10' (150-153m, 3m) @ 0.13 g/t Au
520-880', 360' (157.6-266.7m, 109m) @ 0.69 g/t Au

Including:

- 690-725', 35' (209.1-219.7m, 10.8m) @ 2.30 g/t Au
- 755-815', 60' (228.8-247m, 18.2m) @ 1.32 g/t Au
- 890-895', 5' (269.7-271.2m, 1.5m) @ 0.14 g/t Au
- 915-950', 35' (277.3-287.9m, 10.6m) @ 1.49 g/t Au
- 960-965', 5' (290.9-292.4m, 1.5m) @ 0.39 g/t Au
- 1030-1075', 45' (312.1-325.8m, 13.66m) @ 0.18 g/t Au
- 1090-1110', 20' (330.3-336.4m, 6.1m) @ 0.28 g/t Au

Silver

570-575', 5' (172.7-174.2m, 1.5m) @ 8 g/t Ag
695-700', 5' (295.5-212.1m, 1.5m) @ 9 g/t Ag
750-760', 10' (227.3-230.3m, 3m) @ 8.5 g/t Ag
1050-1060', 10' (318.2-321.2m, 3m) @ 8 g/t Ag

ES-84

Gold

330-340', 10' (100.6-103.6m, 3m) @ 0.18 g/t Au
440-455', 15' (134.1-138.7m, 4.6m) @ 0.28 g/t Au
470-480', 10' (143.3-146.3m, 3m) @ 0.49 g/t Au
580-790', 210' (176.8-240.8m, 64m) @ 1.2 g/t Au

Including:

- 650-665', 15' (198.1-202.7m, 4.6m) @ 2.06 g/t Au
- 675-680', 5' (205.7-207.3m, 1.5m) @ 2.43 g/t Au
- 690-715', 25' (210.3-217.9m, 7.6m) @ 4.25 g/t Au
- 725-730', 5' (221.0-222.5m, 1.5m) @ 2.65 g/t Au

Gold, ES-84 Continued

965-970', 5' (294.1-295.7m, 1.5m) @ 0.29 g/t Au

Silver

585-595', 10' (178.3-181.4m, 3m) @ 12 g/t Ag
635-640', 5' (193.6-195.1m, 1.5m) @ 10 g/t Ag
660-700', 40' (201.2-213.4m, 12.2m) @ 14 g/t Ag
730-745', 15' (222.5-227.1m, 4.6m) @ 10 g/t Ag
890-905', 15' (271.3-275.8m, 4.6m) @ 10 g/t Ag
955-960', 5' (291.1-292.6m, 1.5m) @ 8 g/t Ag
980-990', 10' (298.7-301.8m, 3m) @ 9 g/t Ag

ES-85

Gold

600-605', 5' (180.2-181.7m, 1.5m) @ 0.26 g/t Au
905-915', 10' (274.2-277.2m, 3m) @ 1.01 g/t Au
1125-1130', 5' (340.9-342.2m, 1.5m) @ 0.13 g/t Au
1165-1175', 10' (353-256m, 3m) @ 0.26 g/t Au

Silver

905-915'm 10' (272.7-275.7m, 3m) @ 22 g/t Ag

ES-86

Gold

60-70', 10' (18.3-21.3m, 3m) @ 0.15 g/t Au
80-155', 75' (24.4-47.2m, 22.9m) @ 0.26 g/t Au
190-215', 25' (57.9-65.5m, 7.6m) @ 0.17 g/t Au
250-255', 5' (76.2-77.7m, 1.5m) @ 0.12 g/t Au
435-470', 35' (132.6-143.3m, 10.7m) @ 0.23 g/t Au
610-630', 20' (185.9-192m, 6.1m) @ 0.33 g/t Au
645-650', 5' (196.6-198.1m, 1.5m) @ 0.18 g/t Au
745-775', 30' (227.1-236.3m, 9.1m) @ 0.36 g/t Au
815-835', 20' (248.4-254.5m, 6.1m) @ 0.42 g/t Au
845-850', 5' (257.6-259.1m, 1.5m) @ 0.13 g/t Au
865-945', 80' (263.7-288m, 24.4m) @ 2.70 g/t Au

Including:

- 890-900', 10' (271.3-274.3m, 3m) @ 17.3 g/t Au

Silver

95-100', 5' (29-30.5m, 1.5m) @ 7 g/t Ag
145-150', 5' (44.2-45.7m, 1.5m) @ 8 g/t Ag
455-460', 5' (138.7-140.2m, 1.5m) @ 12 g/t Ag
740-785', 45' (225.6-239.2m, 13.7m) @ 19 g/t Ag
815-830', 15' (248.4-253m, 4.6m) @ 19 g/t Ag
840-855', 15' (256-260.7m, 4.6m) @ 8 g/t Ag
865-870', 5' (263.7-265.2m, 1.5m) @ 8 g/t Ag
890-895', 5' (271.3-272.8m, 1.5m) @ 40 g/t Ag
935-945', 10' (285-288m, 3m) @ 8 g/t Ag

Hole Bottomed in Values

ES-87

Gold

10-105', 95' (3-31.8m, 28.8m) @ 0.25 g/t Au
145-215', 70' (43.9-65.2m, 21.3m) @ 0.18 g/t Au
235-290', 55' (71.2-87.9m, 16.7m) @ 0.20 g/t Au
325-335', 10' (98.5-101.5m, 3m) @ 0.32 g/t Au
400-405', 5' (121.2-122.7m, 1.5) @ 0.15 g/t Au
645-665', 20' (195.5-201.5m, 6.1m) @ 1.10 g/t Au
745-770', 25' (225.8-233.3m, 7.5m) @ 0.14 g/t Au
805-850', 45' (243.9-257.6m, 13.7m) @ 0.31 g/t Au
870-875', 5' (263.6-265.1m, 1.5m) @ 0.13 g/t Au

Silver

225-230', 5' (68.2-69.7m, 1.5m) @ 7 g/t Ag
240-285', 45' (72.7-86.4m, 13.7m) @ 9.3 g/t Ag
315-330', 15' (95.4-100m, 4.6m) @ 11.5 g/t Ag
645-660', 15' (195.5-200m, 4.6m) @ 7 g/t Ag
815-830', 15' (247-251.5m, 4.6m) @ 17 g/t Ag